

References

- [1] H. Alblas. Iteration of transformation passes over attributed program trees. *Acta Inf.*, 27:1–40, 1989.
- [2] K. Culik II and J. Karhumäki. Hdtol matching of computations of multitape automata. *Acta Inf.*, 27:179–191, 1989.
- [3] J. Gonczarowski and M.K. Warmuth. Scattered versus context-sensitive rewriting. *Acta Inf.*, 27:81–95, 1989.
- [4] C.-H. Huang and C. Lengauer. An incremental mechanical development of systolic solutions to the algebraic path problem. *Acta Inf.*, 27:97–124, 1989.
- [5] D. Kouvatsos and N. Tabet-Aouel. A maximum entropy priority approximation for a stable g/g/1 queue. *Acta Inf.*, 27:247–286, 1989.
- [6] C.E. Langenhop and W.E. Wright. A model of the dynamic behavior of b-trees. *Acta Inf.*, 27:41–59, 1989.
- [7] K.K. Lau. A note on synthesis and classification of sorting algorithms. *Acta Inf.*, 27:73–80, 1989.
- [8] V. Rego. Some efficient computational algorithms related to phase models. *Acta Inf.*, 27:157–177, 1989.
- [9] P. Ružička and I. Privara. An almost linear robinson unification algorithm. *Acta Inf.*, 27:61–71, 1989.
- [10] B. Salzberg. Merging sorted runs using large main memory. *Acta Inf.*, 27:195–215, 1989.
- [11] Gunther Schmidt, Rudolf Berghammer, and Hans Zierer. Describing semantic domains with sprouts. *Acta Inf.*, 27(3):217–245, 1989.
- [12] D. Taubner and W. Vogler. Step failures semantics and a complete proof system. *Acta Inf.*, 27:125–156, 1989.