

References

- [1] Alok Aggarwal, Maria M. Klawe, Shlomo Moran, Peter Shor, and Robert Wilber. Geometric applications of a matrix-searching algorithm. *Algorithmica*, 2:195–208, 1987.
- [2] A. Apostolico and C. Guerra. The longest common subsequence problem revisited. *Algorithmica*, 2:315–336, 1987.
- [3] Jean R.S. Blair, S. Kapoor, Errol L. Lloyd, and Kenneth J. Supowit. Minimizing channel density in standard cell layout. *Algorithmica*, 2:267–282, 1987.
- [4] Bernard Chazelle. Computing on a free tree via complexity-preserving mappings. *Algorithmica*, 2:337–361, 1987.
- [5] Francis Chin and H.F. Ting. An improved algorithm for finding the median distributively. *Algorithmica*, 2:235–249, 1987.
- [6] Pavol Ďuriš, Ondrej Šýkora, Clark D. Thompson, and Imrich Vrto. A minimum-area circuit for l -selection. *Algorithmica*, 2:251–265, 1987.
- [7] Rex A. Dwyer. A faster divide-and-conquer algorithm for constructing delaunay triangulations. *Algorithmica*, 2:137–151, 1987.
- [8] Michael Erdmann and Tomás Lozano-Pérez. On multiple moving objects. *Algorithmica*, 2:477–521, 1987.
- [9] Steven Fortune. A sweepline algorithm for voronoi diagrams. *Algorithmica*, 2:153–174, 1987.
- [10] Leonidas Guibas, John Hershberger, Daniel Leven, Micha Sharir, and Robert E. Tarjan. Linear-time algorithms for visibility and shortest path problems inside triangulated simple polygons. *Algorithmica*, 2:209–233, 1987.
- [11] D.S. Hirschberg and L.L. Larmore. The set lcs problem. *Algorithmica*, 2(1):91–95, 1987.
- [12] Scot Hornick and Majid Sarrafzadeh. On problem transformability in vlsi. *Algorithmica*, 2(1):97–111, 1987.

- [13] Anna R. Karlin, Howard W. Trickey, and Jeffrey D. Ullman. Algorithms for the compilation of regular expressions into plas. *Algorithmica*, 2:283–314, 1987.
- [14] R.M. Karp, F.T. Leighton, R.L. Rivest, C.D. Thompson, U.V. Vazirani, and V.V. Vazirani. Global wire routing in two-dimensional arrays. *Algorithmica*, 2(1):113–129, 1987.
- [15] Naoki Katoh, Tiko Kameda, and Toshihide Ibaraki. A cautious scheduler for multistep transactions. *Algorithmica*, 2(1):1–26, 1987.
- [16] Christos Levcopoulos and Andrzej Lingas. On approximation behavior of the greedy triangulation for convex polygons. *Algorithmica*, 2:175–193, 1987.
- [17] Vladimir J. Lumelsky and Alexander A. Stepanov. Path-planning strategies for a point mobile automaton moving amidst unknown obstacles of arbitrary shape. *Algorithmica*, 2:403–430, 1987.
- [18] Claire Mathieu. Some problems in computational geometry. *Algorithmica*, 2(1):131–134, 1987.
- [19] B. Mishra, J.T. Schwartz, and M. Sharir. On the existence and synthesis of multifinger positive grips. *Algorithmica*, 2:541–558, 1987.
- [20] Colm O’Dúnlaing. Motion planning with inertial constraints. *Algorithmica*, 2:431–475, 1987.
- [21] Colm O’Dúnlaing, Micha Sharir, and Chee Yap. Generalized voronoi diagrams for a ladder: II. efficient construction of the diagram. *Algorithmica*, 2(1):27–59, 1987.
- [22] Christos H. Papadimitriou and Ellen B. Silverberg. Optimal piecewise linear motion of an object among obstacles. *Algorithmica*, 2:523–539, 1987.
- [23] Mark A. Shand. Algorithms for corner stitched data-structures. *Algorithmica*, 2(1):61–80, 1987.
- [24] S. Sifrony and M. Sharir. A new efficient motion-planning algorithm for a rod in two-dimensional polygonal space. *Algorithmica*, 2:367–402, 1987.

- [25] Eitan Zemel. A linear time randomizing algorithm for searching ranked functions. *Algorithmica*, 2(1):81–90, 1987.