

References

- [1] Lauri Ahlroth, Olli Pottonen, and André Schumacher. Approximately uniform online checkpointing with bounded memory. *Algorithmica*, 67(2):234–246, 2013.
- [2] M. Jawaherul Alam, Therese Biedl, Stefan Felsner, Andreas Gerasch, Michael Kaufmann, and Stephen G. Kobourov. Linear-time algorithms for hole-free rectilinear proportional contact graph representations. *Algorithmica*, 67(1):3–22, 2013.
- [3] Elaine Angelino, Michael T. Goodrich, Michael Mitzenmacher, and Justin Thaler. External-memory multimap. *Algorithmica*, 67(1):23–48, 2013.
- [4] V. Arvind and Johannes Köbler. The parallel complexity of graph canonization under abelian group action. *Algorithmica*, 67(2):247–276, 2013.
- [5] Nikhil Bansal and Joel Spencer. Deterministic discrepancy minimization. *Algorithmica*, 67(4):451–471, 2013.
- [6] Surender Baswana and Neelesh Khanna. Approximate shortest paths avoiding a failed vertex: Near optimal data structures for undirected unweighted graphs. *Algorithmica*, 66(1):18–50, 2013.
- [7] MohammadHossein Bateni and Julia Chuzhoy. Approximation algorithms for the directed k -tour and k -stroll problems. *Algorithmica*, 65(3):545–561, 2013.
- [8] Marcin Bienkowski, Marek Chrobak, Christoph Dürr, and Mathilde Hurand. Collecting weighted items from a dynamic queue. *Algorithmica*, 65(1):60–94, 2013.
- [9] Daniel Binkele-Raible, Henning Fernau, Serge Gaspers, and Mathieu Liedloff. Exact and parameterized algorithms for MAX INTERNAL SPANNING TREE. *Algorithmica*, 65(1):95–128, 2013.
- [10] Markus Bläser, Bodo Manthey, and B.V. Raghavendra Rao. Smoothed analysis of partitioning algorithms for euclidean functionals. *Algorithmica*, 66(2):397–418, 2013.

- [11] Adrian Bock, Elyot Grant, Jochen Könemann, and Laura Sanità. The school bus problem on trees. *Algorithmica*, 67(1):49–64, 2013.
- [12] Malte Brinkmeyer, Thasso Griebel, and Sebastian Böcker. Flippcut supertrees: Towards matrix representation accuracy in polynomial time. *Algorithmica*, 67(2):142–160, 2013.
- [13] Hajo Broersma, Fedor V. Fomin, Pim van ’t Hof, and Daniël Paulusma. Exact algorithms for finding longest cycles in claw-free graphs. *Algorithmica*, 65(1):129–145, 2013.
- [14] Kevin Buchin, Maike Buchin, Marc van Kreveld, Maarten Löffler, Rodrigo I. Silveira, Carola Wenk, and Lionov Wiratma. Median trajectories. *Algorithmica*, 66(3):595–614, 2013.
- [15] Benjamin A. Burton and Melih Ozlen. A tree traversal algorithm for decision problems in knot theory and 3-manifold topology. *Algorithmica*, 65(4):772–801, 2013.
- [16] Chris Calabro, Russell Impagliazzo, and Ramamohan Paturi. On the exact complexity of evaluating quantified k -cnf. *Algorithmica*, 65(4):817–827, 2013.
- [17] Ioannis Caragiannis. Efficient coordination mechanisms for unrelated machine scheduling. *Algorithmica*, 66(3):512–540, 2013.
- [18] Jérémie Chalopin, Shantanu Das, Yann Disser, Matúš Mihalák, and Peter Widmayer. Mapping simple polygons: How robots benefit from looking back. *Algorithmica*, 65(1):43–59, 2013.
- [19] Harish Chandran, Nikhil Gopalkrishnan, and John Reif. Tile complexity of approximate squares. *Algorithmica*, 66(1):1–17, 2013.
- [20] Lijun Chang, Jeffrey Xu Yu, and Lu Qin. Fast maximal cliques enumeration in sparse graphs. *Algorithmica*, 66(1):173–186, 2013.
- [21] Danny Z. Chen and Haitao Wang. Approximating points by a piecewise linear function. *Algorithmica*, 66(3):682–713, 2013.
- [22] Kuan-Yu Chen and Kun-Mao Chao. A fully compressed algorithm for computing the edit distance of run-length encoded strings. *Algorithmica*, 65(2):354–370, 2013.

- [23] Ning Chen, Roee Engelberg, C. Thach Nguyen, Prasad Raghavendra, and Atri Rudra. Improved approximation algorithms for the spanning star forest problem. *Algorithmica*, 65(3):498–516, 2013.
- [24] Mahdi Cheraghchi. Improved constructions for non-adaptive threshold group testing. *Algorithmica*, 67(3):384–417, 2013.
- [25] Serafino Cicerone, Gianlorenzo D’Angelo, Gabriele Di Stefano, Daniele Frigioni, and Vinicio Maurizio. Engineering a new algorithm for distributed shortest paths on dynamic networks. *Algorithmica*, 66(1):51–86, 2013.
- [26] Ali Çivril and Malik Magdon-Ismail. Exponential inapproximability of selecting a maximum volume sub-matrix. *Algorithmica*, 65(1):159–176, 2013.
- [27] Graham Cormode, Michael Mitzenmacher, and Justin Thaler. Streaming graph computations with a helpful advisor. *Algorithmica*, 65(2):409–442, 2013.
- [28] János Csirik, Leah Epstein, Csanád Imreh, and Asaf Levin. Online clustering with variable sized clusters. *Algorithmica*, 65(2):251–274, 2013.
- [29] Peter Damaschke, Azam Sheikh Muhammad, and Eberhard Triesch. Two new perspectives on multi-stage group testing. *Algorithmica*, 67(3):324–354, 2013.
- [30] Bhaskar DasGupta and S. Muthukrishnan. Stochastic budget optimization in internet advertising. *Algorithmica*, 65(3):634–661, 2013.
- [31] Huy Hoang Do and Wing Kin Sung. Compressed directed acyclic word graph with application in local alignment. *Algorithmica*, 67(2):125–141, 2013.
- [32] Benjamin Doerr and Leslie Ann Goldberg. Adaptive drift analysis. *Algorithmica*, 65(1):224–250, 2013.
- [33] David Doty, Lila Kari, and Benoît Masson. Negative interactions in irreversible self-assembly. *Algorithmica*, 66(1):153–172, 2013.

- [34] Feodor F. Dragan and Yang Xiang. How to use spanning trees to navigate in graphs. *Algorithmica*, 66(3):479–511, 2013.
- [35] Michael Drmota and Konstantinos Panagiotou. A central limit theorem for the number of degree- k vertices in random maps. *Algorithmica*, 66(4):741–761, 2013.
- [36] Adrian Dumitrescu and Minghui Jiang. On the largest empty axis-parallel box amidst n points. *Algorithmica*, 66(2):225–248, 2013.
- [37] Martin R. Ehmsen, Jens S. Kohrt, and Kim S. Larsen. List factoring and relative worst order analysis. *Algorithmica*, 66(2):287–309, 2013.
- [38] Uriel Feige, Nicole Immorlica, Vahab S. Mirrokni, and Hamid Nazerzadeh. Pass approximation: A framework for analyzing and designing heuristics. *Algorithmica*, 66(2):450–478, 2013.
- [39] Antonio Fernández Anta, Miguel A. Mosteiro, and Jorge Ramón Muñoz. Unbounded contention resolution in multiple-access channels. *Algorithmica*, 67(3):295–314, 2013.
- [40] Paolo Ferragina, Jouni Sirén, and Rossano Venturini. Distribution-aware compressed full-text indexes. *Algorithmica*, 67(4):529–546, 2013.
- [41] Paola Flocchini, David Ilcinkas, Andrzej Pelc, and Nicola Santoro. Computing without communicating: Ring exploration by asynchronous oblivious robots. *Algorithmica*, 65(3):562–583, 2013.
- [42] Fedor V. Fomin, Fabrizio Grandoni, Dieter Kratsch, and Daniel Lokshtanov. Computing optimal steiner trees in polynomial space. *Algorithmica*, 65(3):584–604, 2013.
- [43] Tobias Friedrich, Thomas Sauerwald, and Alexandre Stauffer. Diameter and broadcast time of random geometric graphs in arbitrary dimensions. *Algorithmica*, 67(1):65–88, 2013.
- [44] A. García, P. Jodrá, and J. Tejel. Computing a hamiltonian path of minimum euclidean length inside a simple polygon. *Algorithmica*, 65(3):481–497, 2013.

- [45] Sylvain Guillemot, Frédéric Havet, Christophe Paul, and Anthony Perez. On the (non-)existence of polynomial kernels for p_l -free edge modification problems. *Algorithmica*, 65(4):900–926, 2013.
- [46] Sylvain Guillemot and Florian Sikora. Finding and counting vertex-colored subtrees. *Algorithmica*, 65(4):828–844, 2013.
- [47] Jiong Guo, Sepp Hartung, Rolf Niedermeier, and Ondřej Suchý. The parameterized complexity of local search for tsp, more refined. *Algorithmica*, 67(1):89–110, 2013.
- [48] Longkun Guo and Hong Shen. On finding min-min disjoint paths. *Algorithmica*, 66(3):641–653, 2013.
- [49] Toru Hasunuma, Toshimasa Ishii, Hirotaka Ono, and Yushi Uno. A linear time algorithm for $l(2, 1)$ -labeling of trees. *Algorithmica*, 66(3):654–681, 2013.
- [50] Frédéric Havet and Leonardo Sampaio. On the grundy and b -chromatic numbers of a graph. *Algorithmica*, 65(4):885–899, 2013.
- [51] Ahmed Helmi and Alois Panholzer. Analysis of the “hiring above the median” selection strategy for the hiring problem. *Algorithmica*, 66(4):762–803, 2013.
- [52] Danny Hermelin, Chien-Chung Huang, Stefan Kratsch, and Magnus Wahlström. Parameterized two-player nash equilibrium. *Algorithmica*, 65(4):802–816, 2013.
- [53] Danny Hermelin, Gad M. Landau, Shir Landau, and Oren Weimann. Unified compression-based acceleration of edit-distance computation. *Algorithmica*, 65(2):339–353, 2013.
- [54] Moshe Herscovitch and Haim Kaplan. I/o efficient dynamic data structures for longest prefix queries. *Algorithmica*, 65(2):371–390, 2013.
- [55] Chien-Chung Huang and Zoya Svitkina. Donation center location problem. *Algorithmica*, 66(1):187–210, 2013.
- [56] K.T. Huber and V. Moulton. Encoding and constructing 1-nested phylogenetic networks with trinets. *Algorithmica*, 66(3):714–738, 2013.

- [57] Michael Huber. Efficient two-stage group testing algorithms for genetic screening. *Algorithmica*, 67(3):355–367, 2013.
- [58] Kyriaki Ioannidou and Stavros D. Nikolopoulos. The longest path problem is polynomial on cocomparability graphs. *Algorithmica*, 65(1):177–205, 2013.
- [59] Takehiro Ito, Yuichiro Miyamoto, Hirotaka Ono, Hisao Tamaki, and Ryuhei Uehara. Route-enabling graph orientation problems. *Algorithmica*, 65(2):317–338, 2013.
- [60] Satoru Iwata and Mizuyo Takamatsu. Computing the maximum degree of minors in mixed polynomial matrices via combinatorial relaxation. *Algorithmica*, 66(2):346–368, 2013.
- [61] Jesper Jansson and Wing-Kin Sung. Constructing the r^* consensus tree of two trees in subcubic time. *Algorithmica*, 66(2):329–345, 2013.
- [62] Lukasz Jeż. A universal randomized packet scheduling algorithm. *Algorithmica*, 67(4):498–515, 2013.
- [63] Minghui Jiang. Recognizing d -interval graphs and d -track interval graphs. *Algorithmica*, 66(3):541–563, 2013.
- [64] Alexis Kaporis, Christos Makris, Spyros Sioutas, Athanasios Tsakalidis, Kostas Tsichlas, and Christos Zaroliagis. Improved bounds for finger search on a ram. *Algorithmica*, 66(2):249–286, 2013.
- [65] Steven M. Kautz and Brad Shutters. Self-assembling rulers for approximating generalized sierpinskii carpets. *Algorithmica*, 67(2):207–233, 2013.
- [66] Rohit Khandekar, Guy Kortsarz, Vahab Mirrokni, and Mohammad R. Salavatipour. Two-stage robust network design with exponential scenarios. *Algorithmica*, 65(2):391–408, 2013.
- [67] Christos Koufogiannakis and Neal E. Young. Greedy δ -approximation algorithm for covering with arbitrary constraints and submodular cost. *Algorithmica*, 66(1):113–152, 2013.
- [68] Elias Koutsoupias and Angelina Vidali. A lower bound of $1 + \varphi$ for truthful scheduling mechanisms. *Algorithmica*, 66(1):211–223, 2013.

- [69] Stefan Kratsch and Frank Neumann. Fixed-parameter evolutionary algorithms and the vertex cover problem. *Algorithmica*, 65(4):754–771, 2013.
- [70] Erik A. Krohn and Bengt J. Nilsson. Approximate guarding of monotone and rectilinear polygons. *Algorithmica*, 66(3):564–594, 2013.
- [71] Tak-Wah Lam, Lap-Kei Lee, Isaac K.K. To, and Prudence W.H. Wong. Online speed scaling based on active job count to minimize flow plus energy. *Algorithmica*, 65(3):605–633, 2013.
- [72] Avivit Lazar and Arie Tamir. Improved algorithms for some competitive location centroid problems on paths, trees and graphs. *Algorithmica*, 66(3):615–640, 2013.
- [73] Chung-Shou Liao and D.T. Lee. Power domination in circular-arc graphs. *Algorithmica*, 65(2):443–466, 2013.
- [74] Ching-Chi Lin, Gen-Huey Chen, and Gerard J. Chang. A linear-time algorithm for finding locally connected spanning trees on circular-arc graphs. *Algorithmica*, 66(2):369–396, 2013.
- [75] Yaw-Ling Lin, Charles Ward, and Steven Skiena. Synthetic sequence design for signal location search. *Algorithmica*, 67(3):368–383, 2013.
- [76] Kazuhisa Makino, Suguru Tamaki, and Masaki Yamamoto. Derandomizing the hssw algorithm for 3-sat. *Algorithmica*, 67(2):112–124, 2013.
- [77] Dániel Marx and Ildikó Schlotter. Cleaning interval graphs. *Algorithmica*, 65(2):275–316, 2013.
- [78] Yusuke Matsumoto, Naoyuki Kamiyama, and Keiko Imai. On total unimodularity of edge-edge adjacency matrices. *Algorithmica*, 67(2):277–292, 2013.
- [79] Radu Mihaescu, Cameron Hill, and Satish Rao. Fast phylogeny reconstruction through learning of ancestral sequences. *Algorithmica*, 66(2):419–449, 2013.

- [80] Neeldhara Misra, Hannes Moser, Venkatesh Raman, and Saket Saurabh. The parameterized complexity of unique coverage and its variants. *Algorithmica*, 65(3):517–544, 2013.
- [81] Jesper Nederlof. Fast polynomial-space algorithms using inclusion-exclusion. *Algorithmica*, 65(4):868–884, 2013.
- [82] Shoshana Neuburger and Dina Sokol. Succinct 2d dictionary matching. *Algorithmica*, 65(3):662–684, 2013.
- [83] Hung Q. Ngo, Duong Hieu Phan, and David Pointcheval. Black-box trace&revoke codes. *Algorithmica*, 67(3):418–448, 2013.
- [84] Shayan Oveis Gharan and Jan Vondrák. On variants of the matroid secretary problem. *Algorithmica*, 67(4):472–497, 2013.
- [85] Chaoyi Pang, Qing Zhang, Xiaofang Zhou, David Hansen, and Sen Wang. Computing unrestricted synopses under maximum error bound. *Algorithmica*, 65(1):1–42, 2013.
- [86] D. Peleg and L. Roditty. Relaxed spanners for directed disk graphs. *Algorithmica*, 65(1):146–158, 2013.
- [87] Vladimir Pestov. Lower bounds on performance of metric tree indexing schemes for exact similarity search in high dimensions. *Algorithmica*, 66(2):310–328, 2013.
- [88] Ely Porat and Liam Roditty. Preprocess, set, query! *Algorithmica*, 67(4):516–528, 2013.
- [89] M. Praveen. Small vertex cover makes petri net coverability and boundedness easier. *Algorithmica*, 65(4):713–753, 2013.
- [90] Sofya Raskhodnikova, Dana Ron, Ronitt Rubinfeld, and Adam Smith. Sublinear algorithms for approximating string compressibility. *Algorithmica*, 65(3):685–709, 2013.
- [91] Oren Salzman, Michael Hemmer, Barak Raveh, and Dan Halperin. Motion planning via manifold samples. *Algorithmica*, 67(4):547–565, 2013.

- [92] Quentin F. Stout. Isotonic regression via partitioning. *Algorithmica*, 66(1):93–112, 2013.
- [93] Hanjo Täubig, Jeremias Weihmann, Sven Kosub, Raymond Hemmecke, and Ernst W. Mayr. Inequalities for the number of walks in graphs. *Algorithmica*, 66(4):804–828, 2013.
- [94] Kei Uchizawa, Takanori Aoki, Takehiro Ito, Akira Suzuki, and Xiao Zhou. On the rainbow connectivity of graphs: Complexity and fpt algorithms. *Algorithmica*, 67(2):161–179, 2013.
- [95] Pim van ’t Hof and Yngve Villanger. Proper interval vertex deletion. *Algorithmica*, 65(4):845–867, 2013.
- [96] Narayan Vikas. Algorithms for partition of some class of graphs under compaction and vertex-compaction. *Algorithmica*, 67(2):180–206, 2013.
- [97] Stephan Wagner. Asymptotic enumeration of extensional acyclic digraphs. *Algorithmica*, 66(4):829–847, 2013.
- [98] Osamu Watanabe. Message passing algorithms for mls-3lin problem. *Algorithmica*, 66(4):848–868, 2013.
- [99] Gábor Wiener. Rounds in combinatorial search. *Algorithmica*, 67(3):315–323, 2013.
- [100] Bang Ye Wu. A simpler and more efficient algorithm for the next-to-shortest path problem. *Algorithmica*, 65(2):467–479, 2013.
- [101] Ke Yi and Qin Zhang. Optimal tracking of distributed heavy hitters and quantiles. *Algorithmica*, 65(1):206–223, 2013.
- [102] Raphael Yuster. Maximum matching in regular and almost regular graphs. *Algorithmica*, 66(1):87–92, 2013.