References

[1] I. Adler and P.A. Beling. Polynomial algorithms for linear programming over the algebraic numbers. *Algorithmica*, 12:436–457, 1994.

[2] Pankaj K. Agarwal and Micha Sharir. Planar geometric location problems. *Algorithmica*, 11:185–195, 1994.

[3] B. Alpern, L. Carter, E. Feig, and T. Selker. The uniform memory hierarchy model of computation. *Algorithmica*, 12:72–109, 1994.

[4] R.A. Baeza-Yates, C. Choffrut, and G.H. Gonnet. On boyer-moore automata. *Algorithmica*, 12:268–292, 1994.

[5] Reuven Bar-Yehuda and Sergio Fogel. Variations on ray shooting. *Algorithmica*, 11:133–145, 1994.

[6] Vladimir Batagelj, Simona Korenjak-Černe, and Sandi Klavžar. Dynamic programming and convex clustering. *Algorithmica*, 11:93–103, 1994.

[7] S. Ben-David and A. Borodin. A new measure for the study of on-line algorithms. *Algorithmica*, 11(1):73–91, 1994.

[8] S. Ben-David, A. Borodin, R. Karp, G. Tardos, and A. Wigderson. On the power of randomization in on-line algorithms. *Algorithmica*, 11(1):2–14, 1994.

[9] Marshall Bern, David Dobkin, David Eppstein, and Robert Grossman. Visibility with a moving point of view. *Algorithmica*, 11:360–378, 1994.

[10] Marshall Bern, Daniel H. Greene, Arvind Raghunathan, and Madhu Sudan. On-line algorithms for locating checkpoints. *Algorithmica*, 11(1):33–52, 1994.

[11] P. Bertolazzi, G. di Battista, G. Liotta, and C. Mannino. Upward drawings of triconnected digraphs. *Algorithmica*, 12:476–497, 1994.

[12] G. Blankenagel and R.H. Güting. External segment trees. *Algorithmica*, 12:498–532, 1994.

[13] M. Blum, W. Evans, P. Gemmell, S. Kannan, and M. Naor. Checking the correctness of memories. *Algorithmica*, 12:225–244, 1994.

[14] Heather Booth and Jeffery Westbrook. A linear algorithm for analysis of minimum spanning and shortest-path trees of planar graphs. *Algorithmica*, 11:341–352, 1994.

[15] W.I. Chang and E.L. Lawler. Sublinear approximate string matching and biological applications. *Algorithmica*, 12:327–344, 1994.

[16] B. Chazelle, H. Edelsbrunner, M. Grigni, L. Guibas, J. Hershberger, M. Sharir, and J. Snoeyink. Ray shooting in polygons using geodesic triangulations. *Algorithmica*, 12(1):54–68, 1994.

[17] Bernard Chazelle, Herbert Edelsbrunner, Leonidas J. Guibas, and Micha Sharir. Algorithms for bichromatic line-segment problems and polyhedral terrains. *Algorithmica*, 11:116–132, 1994.

[18] Pang-Chieh Chen. Heuristic sampling on dag's. *Algorithmica*, 12:458–475, 1994.

[19] A. Chin. Locality-preserving hash functions for general purpose parallel computation. *Algorithmica*, 12:170–181, 1994.

[20] F. Chin and C.K. Poon. Performance analysis of some simple heuristics for computing longest common subsequences. *Algorithmica*, 12:293–311, 1994.

[21] Edith Cohen and Nimrod Megiddo. Algorithms and complexity analysis for some flow problems. *Algorithmica*, 11:320–340, 1994.

[22] M. Crochemore, A. Czumaj, L. Gasieniec, S. Jarominek, T. Lecroq, W. Plandowski, and W. Rytter. Speeding up two string-matching algorithms. *Algorithmica*, 12:247–267, 1994.

[23] M. de Berg, D. Halperin, M. Overmars, J. Snoeyink, and M. van Kreveld. Efficient ray-shooting and hidden surface removal. *Algorithmica*, 12(1):30–53, 1994.

[24] Peter Eades and Nicholas C. Wormald. Edge crossings in drawings of bipartite graphs. *Algorithmica*, 11:379–403, 1994.

[25] P. Epstein, J. Kavanagh, A. Knight, J. May, T. Nguyen, and J.-R. Sack. A workbench for computational geometry. *Algorithmica*, 11:404–428, 1994.

[26] Tomás Feder. Network flow and 2-satisfiability. *Algorithmica*, 11:291–319, 1994.

[27] A. Fiat, Y. Rabani, Y. Ravid, and B. Schieber. A deterministic $o(k^3)$-competitive k-server algorithm for the circle. *Algorithmica*, 11:572–578, 1994.

[28] Rudolf Fleischer. A tight lower bound for the worst case of bottom-up-heapsort. *Algorithmica*, 11:104–115, 1994.

[29] A.S. Fraenkel and S.T. Klein. Complexity aspects of guessing prefix codes. *Algorithmica*, 12:409–419, 1994.

[30] M.J. Golin. A provably fast linear-expected-time maxima-finding algorithm. *Algorithmica*, 11:501–524, 1994.

[31] D. Gusfield, K. Balasubramanian, and D. Naor. Parametric optimization of sequence alginment. *Algorithmica*, 12:312–326, 1994.

[32] Dan Gusfield and Éva Tardos. A faster parametric minimum-cut algorithm. *Algorithmica*, 11:278–290, 1994.

[33] L.S. Heath and S.V. Pemmaraju. New results for the minimum weight triangulation problem. *Algorithmica*, 12:533–552, 1994.

[34] L. Hellerstein, G.A. Gibson, R.M. Karp, R.H. Katz, and D.A. Patterson. Coding techniques for handling failures in large disk arrays. *Algorithmica*, 12:182–208, 1994.

[35] Sandy Irani. Coloring inductive graphs on-line. *Algorithmica*, 11(1):53–72, 1994.

[36] Kazuo Iwano, Shinji Misono, Shu Tezuka, and Satoru Fujishige. A new scaling algorithm for the maximum mean cut problem. *Algorithmica*, 11:243–255, 1994.

[37] Johan Jeuring. The derivation of on-line algorithms, with an application to finding palindromes. *Algorithmica*, 11:146–184, 1994.

[38] A.R. Karlin, M.S. Manasse, L.A. McGeoch, and S. Owicki. Competitive randomized algorithms for nonuniform problems. *Algorithmica*, 11:542–571, 1994.

[39] Samir Khuller and Joseph (Seffi) Naor. Flow in planar graphs with vertex capacities. *Algorithmica*, 11:200–225, 1994.

[40] G.M. Landau and U. Vishkin. Pattern matching in a digitized image. *Algorithmica*, 12:375–408, 1994.

[41] E.W. Myers. A sublinear algorithm for approximate keyword searching. *Algorithmica*, 12:345–374, 1994.

[42] L.R. Nackman and V. Srinivasan. Point placement algorithms for delaunay triangulation of polygonal domains. *Algorithmica*, 12(1):1–17, 1994.

[43] L. Newberg and D. Wolfe. String layouts for a redundant array of inexpensive disks. *Algorithmica*, 12:209–224, 1994.

[44] M.H. Overmars and M. Sharir. An improved technique for output-sensitive hidden surface removal. *Algorithmica*, 11:469–484, 1994.

[45] C.H. Papadimitriou, V. Rangan, and M. Sideri. Designing secure communication protocols from trust specifications. *Algorithmica*, 11:485–499, 1994.

[46] Yaron Pinto and Ron Shamir. Efficient algorithms for minimum-cost flow problems with piecewise-linear convex costs. *Algorithmica*, 11:256–277, 1994.

[47] Tomasz Radzik and Andrew V. Goldberg. Tight bounds on the number of minimum-mean cycle cancellations and related results. *Algorithmica*, 11:226–242, 1994.

[48] Vijaya Ramachandran and Honghua Yang. Finding the closed partition of a planar graph. *Algorithmica*, 11:443–468, 1994.

[49] Nick Reingold, Jeffery Westbrook, and Daniel D. Sleator. Randomized competitive algorithms for the list update problem. *Algorithmica*, 11(1):15–32, 1994.

[50] C. Schwarz, M. Smid, and J. Snoeyink. An optimal algorithm for the on-line closest-pair problem. *Algorithmica*, 12(1):18–29, 1994.

[51] Thomas H. Spencer. Provably good pattern generators for a random pattern test. *Algorithmica*, 11:429–442, 1994.

[52] Levent Tunçel. On the complexity of preflow-push algorithms for maximum-flow problems. *Algorithmica*, 11:353–359, 1994.

[53] J.S. Vitter and E.A.M. Shriver. Algorithms for parallel memory — i: Two-level memories. *Algorithmica*, 12:110–147, 1994.

[54] J.S. Vitter and E.A.M. Shriver. Algorithms for parallel memory — ii: Hierarchical multilevel memories. *Algorithmica*, 12:148–169, 1994.

[55] Y.C. Wee, S. Chaiken, and S.S. Ravi. Rectilinear steiner tree heuristics and minimum spanning tree algorithms using geographic nearest neighbors. *Algorithmica*, 12:421–435, 1994.

[56] N. Young. The k-server dual and loose competitiveness for paging. *Algorithmica*, 11:525–541, 1994.