References

[1] A. Aggarwal, D. Kravets, J.K. Park, and S. Sen. Parallel searching in generalized monge arrays. *Algorithmica*, 19:291–317, 1997.

[2] S. Albers. On the influence of lookahead in competitive paging algorithms. *Algorithmica*, 18(3):283–305, 1997.

[3] N. Alon and A. Srinivasan. Improved parallel approximation of a class of integer programming problems. *Algorithmica*, 17:449–462, 1997.

[4] N. Alon, R. Yuster, and U. Zwick. Finding and counting given length cycles. *Algorithmica*, 17:209–223, 1997.

[5] L. Alonso, J.L. Rémy, and R. Schott. A linear-time algorithm for the generation of trees. *Algorithmica*, 17:162–182, 1997.

[6] S. Arya and M. Smid. Efficient construction of a bounded-degree spanner with low weight. *Algorithmica*, 17(1):33–54, 1997.

[7] B. Asberg, G. Blanco, P. Bose, J. Garcia-Lopez, M. Overmars, G. Toussaint, G. Wilfong, and B. Zhu. Feasibility of design in stereolithography. *Algorithmica*, 19:61–83, 1997.

[8] F. Avnaim, J.-D. Boissonnat, O. Devillers, F.P. Preparata, and M. Yvinec. Evaluating signs of determinants using single-precision arithmetic. *Algorithmica*, 17:111–132, 1997.

[9] C.L. Bajaj, F. Bernardini, and G. Xu. Reconstructing surfaces and functions on surfaces from unorganized three-dimensional data. *Algorithmica*, 19:243–261, 1997.

[10] J. Bang-Jensen, M. El Haddad, Y. Manoussakis, and T.M. Przytycka. Parallel algorithms for the hamiltonian cycle and hamiltonian path problems in semicomplete bipartite digraphs. *Algorithmica*, 17(1):67–87, 1997.

[11] D. Baraff, R. Mattikalli, and P. Khosla. Minimal fixturing of frictionless assemblies: Complexity and algorithms. *Algorithmica*, 19:4–39, 1997.

[12] R.A. Bazzi and G. Neiger. The complexity of almost-optimal simultaneous coordination. *Algorithmica*, 17:308–321, 1997.

[13] R. Beals. Equivalence of binary and ternary algebraic decision trees. *Algorithmica*, 18(4):521–523, 1997.

[14] P. Berman and B. DasGupta. Complexities of efficient solutions of rectilinear polygon cover problems. *Algorithmica*, 17:331–356, 1997.

[15] S.N. Bespamyatnikh. On constructing minimum spanning trees in rk_1. *Algorithmica*, 18(4):524–529, 1997.

[16] J.N. Bhuyan, J.S. Deogun, and V.V. Raghavan. Algorithms for the boundary selection problem. *Algorithmica*, 17:133–161, 1997.

[17] T. Biedl, G. Kant, and M. Kaufmann. On triangulating planar graphs under the four-connectivity constraint. *Algorithmica*, 19:427–446, 1997.

[18] P. Bose, D. Bremner, and M. van Kreveld. Determining the castability of simple polyhedra. *Algorithmica*, 19:84–113, 1997.

[19] M.L. Brady, D.J. Brown, and K.D. Powers. Hexagonal models for channel routing. *Algorithmica*, 19:263–290, 1997.

[20] W.R. Burley and S. Irani. On algorithm design for metrical task systems. *Algorithmica*, 18(4):461–485, 1997.

[21] B. Chazelle and L. Palios. Decomposing the boundary of a nonconvex polyhedron. *Algorithmica*, 17:245–265, 1997.

[22] L. Chen. Efficient parallel recognition of some circular arc graphs, ii. *Algorithmica*, 17:266–280, 1997.

[23] Yui-Bin Chen and D. Ierardi. Time-optimal trajectories of a rod in the plane subject to velocity constraints. *Algorithmica*, 18(2):165–197, 1997.

[24] Z.-Z. Chen and X. He. Parallel algorithms for maximal acyclic sets. *Algorithmica*, 19:354–367, 1997.

[25] B.V. Cherkassky and A.V. Goldberg. On implementing the push-relabel method for the maximum flow problem. *Algorithmica*, 19:390–410, 1997.

[26] L.P. Chew and S. Fortune. Sorting helps for voronoi diagrams. *Algorithmica*, 18(2):217–228, 1997.

[27] R.F. Cohen, P. Eades, Tao Lin, and F. Ruskey. Three-dimensional graph drawing. *Algorithmica*, 17:199–208, 1997.

[28] R.F. Cohen and R. Tamassia. Combine and conquer. *Algorithmica*, 18(3):324–362, 1997.

[29] K. Daniels and V.J. Milenkovic. Multiple translational containment — part i: An approximate algorithm. *Algorithmica*, 19:148–182, 1997.

[30] G. Das, S. Kapoor, and M. Smid. On the complexity of approximating euclidean traveling salesman tours and minimum spanning trees. *Algorithmica*, 19:447–460, 1997.

[31] S. de Agostino, R. Petreschi, and A. Sterbini. An $o(n^3)$ recognition algorithm for bithreshold graphs. *Algorithmica*, 17:416–425, 1997.

[32] M. de Berg and M. van Kreveld. Trekking in the alps without freezing or getting tired. *Algorithmica*, 18(3):306–323, 1997.

[33] F. Dehne and R. Klein. "the big sweep": On the power of the wavefront approach to voronoi diagrams. *Algorithmica*, 17(1):19–32, 1997.

[34] B. Dixon and R.E. Tarjan. Optimal parallel verification of minimum spanning trees in logarithmic time. *Algorithmica*, 17(1):11–18, 1997.

[35] S. Dolev and J.L. Welch. Wait-free clock synchronization. *Algorithmica*, 18(4):486–511, 1997.

[36] I.Z. Emiris, J.F. Canny, and R. Seidel. Efficient perturbations for handling geometric degeneracies. *Algorithmica*, 19:219–242, 1997.

[37] A. Frieze and M. Jerrum. Improved approximation algorithms for max k-cut and max bisection. *Algorithmica*, 18(1):67–81, 1997.

[38] N. Garg and D.S. Hochbaum. An $o(\log k)$-approximation algorithm for the k minimum spanning tree problem in the plane. *Algorithmica*, 18(1):111–121, 1997.

[39] N. Garg, V.V. Vazirani, and M. Yannakakis. Primal-dual approximation algorithms for integral flow and multicut in trees. *Algorithmica*, 18(1):3–20, 1997.

[40] O. Gerstel and S. Zaks. The bit complexity of distributed sorting. *Algorithmica*, 18(3):405–416, 1997.

[41] R. Giegerich and S. Kurtz. From ukkonen to mccreight and weiner: A unifying view of linear-time suffix tree construction. *Algorithmica*, 19:331–353, 1997.

[42] F. Granot, J. Skorin-Kapov, and A. Tamir. Using quadratic programming to solve high multiplicity scheduling problems on parallel machines. *Algorithmica*, 17:100–110, 1997.

[43] R.I. Greenberg and J.-D. Shih. Minimizing channel density with movable terminals. *Algorithmica*, 17:89–99, 1997.

[44] S. Guha and I. Suzuki. Proximity problems for points on a rectilinear plane with rectangular obstacles. *Algorithmica*, 17:281–307, 1997.

[45] T. Hagerup and M. Kutyłowski. Fast integer merging on the erew pram. *Algorithmica*, 17(1):55–66, 1997.

[46] M.M. Halldórsson and J. Radhakrishnan. Greed is good: Approximating independent sets in sparse and bounded-degree graphs. *Algorithmica*, 18(1):145–163, 1997.

[47] S.E. Hambrusch and Hung-Yi Tu. New algorithms for minimizing the longest wire length during circuit compaction. *Algorithmica*, 17:426–448, 1997.

[48] Yijie Han, V.Y. Pan, and J.H. Reif. Efficient parallel algorithms for computing all pair shortest paths in directed graphs. *Algorithmica*, 17:399–415, 1997.

[49] C. Imielińska and B. Kalantari. A general class of heuristics for minimum weight perfect matching and fast special cases with doubly and triply logarithmic errors. *Algorithmica*, 18(4):544–559, 1997.

[50] M.S. Karasick, D. Lieber, L.R. Nackman, and V.T. Rajan. Visualization of three-dimensional delaunay meshes. *Algorithmica*, 19:114–128, 1997.

[51] D. Karger, R. Motwani, and G.D.S. Ramkumar. On approximating the longest path in a graph. *Algorithmica*, 18(1):82–98, 1997.

[52] M. Kaufmann, R. Raman, and J.F. Sibeyn. Routing on meshes with buses. *Algorithmica*, 18(3):417–444, 1997.

[53] M. Kaufmann and J.F. Sibeyn. Randomized multipacket routing and sorting on meshes. *Algorithmica*, 17:224–244, 1997.

[54] V. King. A simpler minimum spanning tree verification algorithm. *Algorithmica*, 18(2):263–270, 1997.

[55] Shun-Shii Lin and Kwei-Jay Lin. A pinwheel scheduler for three distinct numbers with a tight schedulability bound. *Algorithmica*, 19:411–426, 1997.

[56] T. Matsui. A flexible algorithm for generating all the spanning trees in undirected graphs. *Algorithmica*, 18(4):530–543, 1997.

[57] E.W. Mayr and R. Werchner. Optimal tree contraction and term matching on the hypercube and related networks. *Algorithmica*, 18(3):445–460, 1997.

[58] K. Mehlhorn, R. Sundar, and C. Uhrig. Maintaining dynamic sequences under equality tests in polylogarithmic time. *Algorithmica*, 17:183–198, 1997.

[59] V. Milenkovic. Multiple translational containment — part ii: Exact algorithms. *Algorithmica*, 19:183–218, 1997.

[60] G.L. Miller and S.-H. Teng. Tree-based parallel algorithm design. *Algorithmica*, 19:369–389, 1997.

[61] F.K. Miyazawa and Y. Wakabayashi. An algorithm for the three-dimensional packing problem with asymptotic performance analysis. *Algorithmica*, 18(1):122–144, 1997.

[62] S. Muthukrishnan. Detecting false matches in string-matching algorithms. *Algorithmica*, 18(4):512–520, 1997.

[63] M. Overmars and N. Santoro. Improved bounds for electing a leader in a synchronous ring. *Algorithmica*, 18(2):246–262, 1997.

[64] Peichen Pan, Sai-keung Dong, and C.L. Liu. Optimal graph constraint reduction for symbolic layout compaction. *Algorithmica*, 18(4):560–574, 1997.

[65] D. Peleg, G. Schechtman, and A. Wool. Randomized approximation of bounded multicovering problems. *Algorithmica*, 18(1):44–66, 1997.

[66] M. Pellegrini. On counting pairs of intersecting segments and off-line triangle range searching. *Algorithmica*, 17:380–398, 1997.

[67] Vijaya Ramachandran and Honghua Yang. An efficient parallel algorithm for the layered planar monotone circuit value problem. *Algorithmica*, 18(3):384–404, 1997.

[68] R. Ravi and D.P. Williamson. An approximation algorithm for minimum-cost vertex-connectivity problems. *Algorithmica*, 18(1):21–43, 1997.

[69] S.V. Rice, H. Bunke, and T.A. Nartker. Classes of cost functions for string edit distance. *Algorithmica*, 18(2):271–280, 1997.

[70] E. Rimon. Construction of c-space roadmaps from local sensory data. what should the sensors look for? *Algorithmica*, 17:357–379, 1997.

[71] T.H. Romer and L.E. Rosier. An algorithm reminiscent of euclidean-*gcd* for computing a function related to pinwheel scheduling. *Algorithmica*, 17(1):1–10, 1997.

[72] D. Rus. Coordinated manipulation of objects in a plane. *Algorithmica*, 19:129–147, 1997.

[73] Takeshi Tokuyama. Orthogonal queries in segments. *Algorithmica*, 18(2):229–245, 1997.

[74] K.H. Tsai and D.T. Lee. k best cuts for circular-arc graphs. *Algorithmica*, 18(2):198–216, 1997.

[75] A.S. Wallack and J.F. Canny. Planning for modular and hybrid fixtures. *Algorithmica*, 19:40–60, 1997.

[76] K. Weihe. Multicommodity flows in even, planar networks. *Algorithmica*, 18(3):363–383, 1997.

[77] J.F. Weng. Expansion of linear steiner trees. *Algorithmica*, 19:318–330, 1997.

[78] R. Wenger. Randomized quickhull. *Algorithmica*, 17:322–329, 1997.

[79] A. Zelikovsky. A series of approximation algorithms for the acyclic directed steiner tree problem. *Algorithmica*, 18(1):99–110, 1997.