References

[1] Udo Adamy, Christoph Ambühl, R. Sai Anand, and Thomas Erlebach. Call control in rings. *Algorithmica*, 47(3):217–238, 2007.

[2] Susanne Albers and Rob van Stee. A study of integrated document and connection caching in the www. *Algorithmica*, 47(3):239–252, 2007.

[3] Greg Aloupis, Prosenjit Bose, and Pat Morin. Reconfiguring triangulations with edge flips and point moves. *Algorithmica*, 47(4):367–378, 2007.

[4] Reid Andersen, Fan Chung, and Linyuan Lu. Drawing power law graphs using a local/global decomposition. *Algorithmica*, 47(4):379–397, 2007.

[5] Lars Arge, Darren Erik Vengroff, and Jeffrey Scott Vitter. External-memory algorithms for processing line segments in geographic information systems. *Algorithmica*, 47(1):1–25, 2007.

[6] Nir Avrahami and Yossi Azar. Minimizing total flow time and total completion time with immediate dispatching. *Algorithmica*, 47(3):253–268, 2007.

[7] Eitan Bachmat. Average case analysis of disk scheduling, increasing subsequences and spacetime geometry. *Algorithmica*, 49(3):212–231, 2007.

[8] Sebastian Böcker and Zsuzsanna Lipták. A fast and simple algorithm for the money changing problem. *Algorithmica*, 48(4):413–432, 2007.

[9] Nicolas Bonichon, Stefan Felsner, and Mohamed Mosbah. Convex drawings of 3-connected plane graphs. *Algorithmica*, 47(4):399–420, 2007.

[10] Paola Bonizzoni. A linear-time algorithm for the perfect phylogeny haplotype problem. *Algorithmica*, 48(3):267–285, 2007.

[11] Nidhal Bouaynaya and Dan Schonfeld. Protein communication system: Evolution and genomic structure. *Algorithmica*, 48(4):375–397, 2007.

[12] Andreas Brandstädt, Feodor F. Dragan, Hoang-Oanh Le, Van Bang Le, and Ryuhei Uehara. Tree spanners for bipartite graphs and probe interval graphs. *Algorithmica*, 47(1):27–51, 2007.

[13] Paz Carmi and Matthew J. Katz. Power assignment in radio networks with two power levels. *Algorithmica*, 47(2):183–201, 2007.

[14] Amit Chakrabarti, Chandra Chekuri, Anupam Gupta, and Amit Kumar. Approximation algorithms for the unsplittable flow problem. *Algorithmica*, 47(1):53–78, 2007.

[15] Kamalika Chaudhuri, Anshul Kothari, Rudi Pendavingh, Ram Swaminathan, Robert Tarjan, and Yunhong Zhou. Server allocation algorithms for tiered systems. *Algorithmica*, 48(2):129–146, 2007.

[16] Siu-Wing Cheng and Antoine Vigneron. Motorcycle graphs and straight skeletons. *Algorithmica*, 47(2):159–182, 2007.

[17] Vicky Choi and Navin Goyal. An algorithmic approach to the identification of rigid domains in proteins. *Algorithmica*, 48(4):343–362, 2007.

[18] Fan Chung, Ron Graham, Jia Mao, and Andrew Yao. Oblivious and adaptive strategies for the majority and plurality problems. *Algorithmica*, 48(2):147–157, 2007.

[19] Rudi Cilibrasi, Leo van Iersel, Steven Kelk, and John Tromp. The complexity of the single individual snp haplotyping problem. *Algorithmica*, 49(1):13–36, 2007.

[20] Colin Cooper, Alan Frieze, and Gregory B. Sorkin. Random 2-sat with prescribed literal degrees. *Algorithmica*, 48(3):249–265, 2007.

[21] Miklós Csűrös and Bin Ma. Rapid homology search with neighbor seeds. *Algorithmica*, 48(2):187–202, 2007.

[22] Paolo D'Alberto and Alexandru Nicolau. R-kleene: A high-performance divide-and-conquer algorithm for the all-pair shortest path for densely connected networks. *Algorithmica*, 47(2):203–213, 2007.

[23] Hubert de Fraysseix and Patrice Ossona de Mendez. Representations by contact and intersection of segments. *Algorithmica*, 47(4):453–463, 2007.

[24] Xiaotie Deng, Li-Sha Huang, and Minming Li. On walrasian price of cpu time. *Algorithmica*, 48(2):159–172, 2007.

[25] Anders Dessmark, Jesper Jansson, Andrzej Lingas, and Eva-Marta Lundell. Polynomial-time algorithms for the ordered maximum agreement subtree problem. *Algorithmica*, 48(3):233–248, 2007.

[26] Stefan Dobrev, Paola Flocchini, Giuseppe Prencipe, and Nicola Santoro. Mobile search for a black hole in an anonymous ring. *Algorithmica*, 48(1):67–90, 2007.

[27] Devdatt Dubhashi, Olle Häggström, Lorenzo Orecchia, Alessandro Panconesi, Chiara Petrioli, and Andrea Vitaletti. Localized techniques for broadcasting in wireless sensor networks. *Algorithmica*, 49(4):412–446, 2007.

[28] Robert B. Ellis, Jeremy L. Martin, and Catherine Yan. Random geometric graph diameter in the unit ball. *Algorithmica*, 47(4):421–438, 2007.

[29] David Eppstein, Michael T. Goodrich, and Jeremy Yu Meng. Confluent layered drawings. *Algorithmica*, 47(4):439–452, 2007.

[30] Leah Epstein and Asaf Levin. Sonet adms minimization with divisible paths. *Algorithmica*, 49(1):51–68, 2007.

[31] Thomas Erlebach, Riko Jacob, Matúš Mihalák, Marc Nunkesser, Gábor Szabó, and Peter Widmayer. An algorithmic view on ovsf code assignment. *Algorithmica*, 47(3):269–298, 2007.

[32] András Faragó. On the fundamental limits of topology control in ad hoc networks. *Algorithmica*, 49(4):337–356, 2007.

[33] Michele Flammini, Ralf Klasing, Alfredo Navarra, and Stephane Perennes. Improved approximation results for the minimum energy broadcasting problem. *Algorithmica*, 49(4):318–336, 2007.

[34] Hervé Fournier and Antoine Vigneron. A tight lower bound for computing the diameter of a 3d convex polytope. *Algorithmica*, 49(3):245–257, 2007.

[35] Bernhard Fuchs, Walter Kern, and Xinhui Wang. The number of tree stars is $o^*(1.357^k)$. *Algorithmica*, 49(3):232–244, 2007.

[36] Leszek Gąsieniec, Aris Pagourtzis, Igor Potapov, and Tomasz Radzik. Deterministic communication in radio networks with large labels. *Algorithmica*, 47(1):97–117, 2007.

[37] Alexander Grigoriev and Hans L. Bodlaender. Algorithms for graphs embeddable with few crossings per edge. *Algorithmica*, 49(1):1–11, 2007.

[38] Luciano Gualà and Guido Proietti. Exact and approximate truthful mechanisms for the shortest paths tree problem. *Algorithmica*, 49(3):171–191, 2007.

[39] S. Guha and S. Khuller. Erratum to "approximation algorithms for connected dominating sets". *Algorithmica*, 49(1):79–79, 2007. Originally in Algorithmica, Vol. 20, 1998, No. 4, 374-387.

[40] Leonidas J. Guibas and Yusu Wang. Toward unsupervised segmentation of semi-rigid low-resolution molecular surfaces. *Algorithmica*, 48(4):433–448, 2007.

[41] Alex Hall, Katharina Langkau, and Martin Skutella. An fptas for quickest multicommodity flows with inflow-dependent transit times. *Algorithmica*, 47(3):299–321, 2007.

[42] Nir Halman. Simple stochastic games, parity games, mean payoff games and discounted payoff games are all lp-type problems. *Algorithmica*, 49(1):37–50, 2007.

[43] Wing-Kai Hon, Tak-Wah Lam, Kunihiko Sadakane, Wing-Kin Sung, and Siu-Ming Yiu. A space and time efficient algorithm for constructing compressed suffix arrays. *Algorithmica*, 48(1):23–36, 2007.

[44] Peter Hui, Michael J. Pelsmajer, Marcus Schaefer, and Daniel Štefankovič. Train tracks and confluent drawings. *Algorithmica*, 47(4):465–479, 2007.

[45] Bill Jackson and Tibor Jordán. Rigid components in molecular graphs. *Algorithmica*, 48(4):399–412, 2007.

[46] Klaus Jansen and Guochuan Zhang. Maximizing the total profit of rectangles packed into a rectangle. *Algorithmica*, 47(3):323–342, 2007.

[47] Samir Khuller and Yoo-Ah Kim. Broadcasting in heterogeneous networks. *Algorithmica*, 48(4):1–21, 2007.

[48] Valerie King, Scott Lewis, Jared Saia, and Maxwell Young. Choosing a random peer in chord. *Algorithmica*, 49(2):147–169, 2007.

[49] Guojun Li, Zhijie Liu, Jun-tao Guo, and Ying Xu. An algorithm for simultaneous backbone threading and side-chain packing. *Algorithmica*, 48(4):329–342, 2007.

[50] Songjian Lu, Fenghui Zhang, Jianer Chen, and Sing-Hoi Sze. Finding pathway structures in protein interaction networks. *Algorithmica*, 48(4):363–374, 2007.

[51] Frédéric Magniez and Michel de Rougemont. Property testing of regular tree languages. *Algorithmica*, 49(2):127–146, 2007.

[52] Frédéric Magniez and Ashwin Nayak. Quantum complexity of testing group commutativity. *Algorithmica*, 48(3):221–232, 2007.

[53] Marios Mavronicolas and Paul Spirakis. The price of selfish routing. *Algorithmica*, 48(1):91–126, 2007.

[54] Joong Chae Na, Raffaele Giancarlo, and Kunsoo Park. On-line construction of two-dimensional suffix trees in $o(n^2 \log n)$ time. *Algorithmica*, 48(2):173–186, 2007.

[55] Joseph (Seffi) Naor, Hadas Shachnai, and Tami Tamir. Real-time scheduling with a budget. *Algorithmica*, 47(3):343–364, 2007.

[56] Y. Nekrich. Space efficient dynamic orthogonal range reporting. *Algorithmica*, 49(2):94–108, 2007.

[57] Stavros D. Nikolopoulos and Leonidas Palios. Detecting holes and antiholes in graphs. *Algorithmica*, 47(2):119–138, 2007.

[58] Gopal Pandurangan and Gahyun Park. Analysis of randomized protocols for conflict-free distributed access. *Algorithmica*, 49(2):109–126, 2007.

[59] Petar Popovski, Frank H.P. Fitzek, and Ramjee Prasad. A class of algorithms for collision resolution with multiplicity estimation. *Algorithmica*, 49(4):286–317, 2007.

[60] Attila Pór and David R. Wood. No-three-in-line-in-3d. *Algorithmica*, 47(4):481–488, 2007.

[61] Vasundhara Puttagunta and Konstantinos Kalpakis. Accuracy vs. lifetime: Linear sketches for aggregate queries in sensor networks. *Algorithmica*, 49(4):357–385, 2007.

[62] Daniil Ryabko. Sample complexity for computational classification problems. *Algorithmica*, 49(1):69–77, 2007.

[63] Amarda Shehu, Cecilia Clementi, and Lydia E. Kavraki. Sampling conformation space to model equilibrium fluctuations in proteins. *Algorithmica*, 48(4):303–327, 2007.

[64] Subhash Suri, Csaba D. Tóth, and Yunhong Zhou. Selfish load balancing and atomic congestion games. *Algorithmica*, 47(1):79–96, 2007.

[65] Jinsong Tan, Kok Seng Chua, Louxin Zhang, and Song Zhu. Algorithmic and complexity issues of three clustering methods in microarray data analysis. *Algorithmica*, 48(2):203–219, 2007.

[66] Jinsong Tan and Louxin Zhang. The consecutive ones submatrix problem for sparse matrices. *Algorithmica*, 48(3):287–299, 2007.

[67] Andrej Taranenko and Aleksander Vesel. Fast recognition of fibonacci cubes. *Algorithmica*, 49(2):81–93, 2007.

[68] Shang-Hua Teng and Frances F. Yao. k-nearest-neighbor clustering and percolation theory. *Algorithmica*, 49(3):192–211, 2007.

[69] Daniela Tulone. On the feasibility of time estimation under isolation conditions in wireless sensor networks. *Algorithmica*, 49(4):386–411, 2007.

[70] Frank van den Eijkhof, Hans L. Bodlaender, and M.C.A. Koster. Safe reduction rules for weighted treewidth. *Algorithmica*, 47(2):139–158, 2007.

[71] Sven Verdoolaege, Rachid Seghir, Kristof Beyls, Vincent Loechner, and Maurice Bruynooghe. Counting integer points in parametric polytopes using barvinok's rational functions. *Algorithmica*, 48(1):37–66, 2007.

[72] Peng-Jun Wan, Xiang-Yang Li, and Ophir Frieder. Ovsf-cdma code assignment in wireless ad hoc networks. *Algorithmica*, 49(4):264–285, 2007.