References

[1] Nir Ailon, Bernard Chazelle, Seshadhri Comandur, and Ding Liu. Property-preserving data reconstruction. *Algorithmica*, 51(2):160–182, 2008.

[2] Réka Albert, Bhaskar DasGupta, Riccardo Dondi, and Eduardo Sontag. Inferring (biological) signal transduction networks viatransitive reductions of directed graphs. *Algorithmica*, 51(2):129–159, 2008.

[3] Amotz Bar-Noy, Richard E. Ladner, and Tami Tamir. Scheduling techniques for media-on-demand. *Algorithmica*, 52(4):413–439, 2008.

[4] Ilya Baran, Erik D. Demaine, and Dmitriy A. Katz. Optimally adaptive integration of univariate lipschitz functions. *Algorithmica*, 50(2):255–278, 2008.

[5] Ilya Baran, Erik D. Demaine, and Mihai Pătraşcu. Subquadratic algorithms for 3sum. *Algorithmica*, 50(4):584–596, 2008.

[6] Michael A. Bender, David P. Bunde, Erik D. Demaine, Sándor P. Fekete, Vitus J. Leung, Henk Meijer, and Cynthia A. Phillips. Communication-aware processor allocation for supercomputers: Finding point sets of small average distance. *Algorithmica*, 50(2):279–298, 2008.

[7] Petra Berenbrink, Tom Friedetzky, and Russell Martin. On the stability of dynamic diffusion load balancing. *Algorithmica*, 50(3):329–350, 2008.

[8] André Berger and Ojas Parekh. Linear time algorithms for generalized edge dominating set problems. *Algorithmica*, 50(2):244–254, 2008. see Erratum in Algorithmica, Vol. 62, 2012, No. 1-2, 633-634.

[9] V. Berry, Z.S. Peng, and H.F. Ting. From constrained to unconstrained maximum agreement subtree in linear time. *Algorithmica*, 50(3):369–385, 2008.

[10] Nayantara Bhatnagar, Dana Randall, Vijay V. Vazirani, and Eric Vigoda. Random bichromatic matchings. *Algorithmica*, 50(4):418–445, 2008.

[11] Andreas Björklund and Thore Husfeldt. Exact algorithms for exact satisfiability and number of perfect matchings. *Algorithmica*, 52(2):226–249, 2008.

[12] Hans L. Bodlaender, Alexander Grigoriev, and Arie M.C.A. Koster. Treewidth lower bounds with brambles. *Algorithmica*, 51(1):81–98, 2008.

[13] Béla Bollobás, Guy Kindler, Imre Leader, and Ryan O'Donnell. Eliminating cycles in the discrete torus. *Algorithmica*, 50(4):446–454, 2008.

[14] Christian Boulinier, Franck Petit, and Vincent Villain. Synchronous vs. asynchronous unison. *Algorithmica*, 51(1):61–80, 2008.

[15] Andreas Brandstädt and Chính Hoàng. Maximum induced matchings for chordal graphs in linear time. *Algorithmica*, 52(4):440–447, 2008.

[16] Christoph Buchheim and Seok-Hee Hong. Testing planarity of geometric automorphisms in linear time. *Algorithmica*, 52(4):448–465, 2008.

[17] Jean Cardinal, Samuel Fiorini, and Gwenaël Joret. Tight results on minimum entropy set cover. *Algorithmica*, 51(1):49–60, 2008.

[18] Timothy M. Chan. All-pairs shortest paths with real weights in $o(n^3/\log n)$ time. *Algorithmica*, 50(2):236–243, 2008.

[19] Ning Chen and Atri Rudra. Walrasian equilibrium: Hardness, approximations and tractable instances. *Algorithmica*, 52(1):44–64, 2008.

[20] Zhi-Zhong Chen. Approximation algorithms for bounded degree phylogenetic roots. *Algorithmica*, 51(1):1–23, 2008.

[21] Minkyoung Cho and David M. Mount. Improved approximation bounds for planar point pattern matching. *Algorithmica*, 50(2):175–207, 2008.

[22] Marek Chrobak, Claire Kenyon, John Noga, and Neal E. Young. Incremental medians via online bidding. *Algorithmica*, 50(4):455–478, 2008.

[23] Richard Cole and Łukasz Kowalik. New linear-time algorithms for edge-coloring planar graphs. *Algorithmica*, 50(3):351–368, 2008.

[24] Frank Dehne and Jörg-Rüdiger Sack. Introduction to special issue. *Algorithmica*, 50(2):173–174, 2008.

[25] Camil Demetrescu and Giuseppe F. Italiano. Mantaining dynamic matrices for fully dynamic transitive closure. *Algorithmica*, 51(4):387–427, 2008.

[26] Karim Douïeb and Stefan Langerman. Dynamic hotlinks. *Algorithmica*, 50(2):208–222, 2008.

[27] Vida Dujmović, Michael R. Fellows, Matthew Kitching, Giuseppe Liotta, Catherine McCartin, Naomi Nishimura, Prabhakar Ragde, Frances Rosamond, Sue Whitesides, and David R. Wood. On the parameterized complexity of layered graph drawing. *Algorithmica*, 52(2):267–292, 2008.

[28] Jianxi Fan, Xiaohua Jia, and Xiaola Lin. Embedding of cycles in twisted cubes with edge-pancyclic. *Algorithmica*, 51(3):264–282, 2008.

[29] M.R. Fellows, C. Knauer, N. Nishimura, P. Ragde, F. Rosamond, U. Stege, D.M. Thilikos, and S. Whitesides. Faster fixed-parameter tractable algorithms formatching and packing problems. *Algorithmica*, 52(2):167–176, 2008.

[30] Irene Finocchi and Giuseppe F. Italiano. Sorting and searching in faulty memories. *Algorithmica*, 52(3):309–332, 2008.

[31] Aleksei V. Fishkin, Klaus Jansen, and Monaldo Mastrolilli. Grouping techniques for scheduling problems: Simpler and faster. *Algorithmica*, 51(2):183–199, 2008.

[32] Fedor V. Fomin, Serge Gaspers, Artem V. Pyatkin, and Igor Razgon. On the minimum feedback vertex set problem: Exact and enumeration algorithms. *Algorithmica*, 52(2):293–307, 2008.

[33] Fedor V. Fomin, Fabrizio Grandoni, and Dieter Kratsch. Solving connected dominating set faster than 2^n. *Algorithmica*, 52(2):153–166, 2008.

[34] Dimitris Fotakis. On the competitive ratio for online facility location. *Algorithmica*, 50(1):1–57, 2008.

[35] Bernd Gärtner, Jr. Morris, Walter D., and Leo Rüst. Unique sink orientations of grids. *Algorithmica*, 51(2):200–235, 2008.

[36] Raffaella Gentilini, Carla Piazza, and Alberto Policriti. Symbolic graphs: Linear solutions to connectivity related problems. *Algorithmica*, 50(1):120–158, 2008.

[37] Parikshit Gopalan, Venkatesan Guruswami, and Richard J. Lipton. Algorithms for modular counting of roots of multivariate polynomials. *Algorithmica*, 50(4):479–496, 2008.

[38] Jiong Guo, Rolf Niedermeier, and Daniel Raible. Improved algorithms and complexity results for power domination in graphs. *Algorithmica*, 52(2):177–202, 2008.

[39] Anupam Gupta, Aravind Srinivasan, and Éva Tardos. Cost-sharing mechanisms for network design. *Algorithmica*, 50(1):98–119, 2008.

[40] Gregory Gutin, Stefan Szeider, and Anders Yeo. Fixed-parameter complexity of minimum profile problems. *Algorithmica*, 52(2):133–152, 2008.

[41] Shirley Halevy and Eyal Kushilevitz. Distribution-free connectivity testing for sparse graphs. *Algorithmica*, 51(1):24–48, 2008.

[42] Yijie Han. An $o(n^3(\log\log n/\log n)^{5/4})$ time algorithm for all pairs shortest path. *Algorithmica*, 51(4):428–434, 2008.

[43] Li-Sha Huang. A primal-dual algorithm for the computation of market equilibrium with logarithmic utility functions. *Algorithmica*, 51(3):357–366, 2008.

[44] Falk Hüffner, Sebastian Wernicke, and Thomas Zichner. Algorithm engineering for color-coding with applications to signaling pathway detection. *Algorithmica*, 52(2):114–132, 2008.

[45] Kazuo Iwama, Andrzej Lingas, and Masaki Okita. Max-stretch reduction for tree spanners. *Algorithmica*, 50(2):223–235, 2008.

[46] Kazuo Iwama, Shuichi Miyazaki, and Naoya Yamauchi. A $(2 - c\frac{1}{\sqrt{n}})$-approximation algorithm forthestable marriage problem. *Algorithmica*, 51(3):342–356, 2008.

[47] Wojciech Jawor, Marek Chrobak, and Christoph Dürr. Competitive analysis of scheduling algorithms for aggregated links. *Algorithmica*, 51(4):367–386, 2008.

[48] Morten Skaarup Jensen and Rasmus Pagh. Optimality in external memory hashing. *Algorithmica*, 52(3):403–411, 2008.

[49] Iyad A. Kanj, Luay Nakhleh, and Ge Xia. The compatibility of binary characters on phylogenetic networks: Complexity and parameterized algorithms. *Algorithmica*, 51(2):99–128, 2008.

[50] Telikepalli Kavitha, Kurt Mehlhorn, Dimitrios Michail, and Katarzyna E. Paluch. An $\tilde{o}(m^2 n)$ algorithm for minimum cycle basis of graphs. *Algorithmica*, 52(3):333–349, 2008.

[51] Leonid Khachiyan, Endre Boros, Konrad Borys, Khaled Elbassioni, Vladimir Gurvich, and Kazuhisa Makino. Generating cut conjunctions in graphs and related problems. *Algorithmica*, 51(3):239–263, 2008.

[52] Leonid Khachiyan, Endre Boros, Khaled Elbassioni, and Vladimir Gurvich. On enumerating minimal dicuts and strongly connected subgraphs. *Algorithmica*, 50(1):159–172, 2008.

[53] Subhash Khot, Richard Lipton, Evangelos Markakis, and Aranyak Mehta. Inapproximability results for combinatorial auctions with submodular utility functions. *Algorithmica*, 52(1):3–18, 2008.

[54] Dong Kyue Kim, Minhwan Kim, and Heejin Park. Linearized suffix tree: An efficient index data structure with the capabilities of suffix trees andsuffix arrays. *Algorithmica*, 52(3):350–377, 2008.

[55] Anshul Kothari, Subhash Suri, and Yunhong Zhou. Bandwidth-constrained allocation in grid computing. *Algorithmica*, 52(4):487–501, 2008.

[56] Tak-Wah Lam, Wing-Kin Sung, and Swee-Seong Wong. Improved approximate string matching using compressed suffix data structures. *Algorithmica*, 51(3):298–314, 2008.

[57] Loïck Lhote and Brigitte Vallée. Gaussian laws for the main parameters of the euclid algorithms. *Algorithmica*, 50(4):497–554, 2008.

[58] Guojun Li, Zhijie Liu, Jun-Tao Guo, and Ying Xu. An algorithm for simultaneous backbone threading and side-chain packing. *Algorithmica*, 51(4):435–450, 2008.

[59] Marios Mavronicolas, Panagiota N. Panagopoulou, and Paul G. Spirakis. Cost sharing mechanisms for fair pricing of resource usage. *Algorithmica*, 52(1):19–43, 2008.

[60] Marios Mavronicolas, Vicky Papadopoulou, Anna Philippou, and Paul Spirakis. A network game with attackers and a defender. *Algorithmica*, 51(3):315–341, 2008.

[61] Mikołaj Morzy. New algorithms for mining the reputation of participants of online auctions. *Algorithmica*, 52(1):95–112, 2008.

[62] Nir Naaman and Raphael Rom. Average case analysis of bounded space bin packing algorithms. *Algorithmica*, 50(1):72–97, 2008.

[63] W.-Y. Ng, D.M. Chiu, and W.k. Lin. Club formation by rational sharing: Content, viability and community structure. *Algorithmica*, 52(1):80–94, 2008.

[64] Ojas Parekh and Danny Segev. Path hitting in acyclic graphs. *Algorithmica*, 52(4):466–486, 2008.

[65] Venkatesh Raman and Saket Saurabh. Short cycles make w-hard problems hard: Fpt algorithms for w-hard problems in graphs with no short cycles. *Algorithmica*, 52(2):203–225, 2008.

[66] Iris Reinbacher, Marc Benkert, Marc van Kreveld, Joseph S.B. Mitchell, Jack Snoeyink, and Alexander Wolff. Delineating boundaries for imprecise regions. *Algorithmica*, 50(3):386–414, 2008.

[67] Mariko Sakashita, Kazuhisa Makino, and Satoru Fujishige. Minimum cost source location problems with flow requirements. *Algorithmica*, 50(4):555–583, 2008.

[68] Natalia V. Shakhlevich and Vitaly A. Strusevich. Preemptive scheduling on uniform parallel machines with controllable job processing times. *Algorithmica*, 51(4):451–473, 2008.

[69] Min-Te Sun, Chih-Wei Yi, Chuan-Kai Yang, and Ten-Hwang Lai. An optimal algorithm for the minimum disc cover problem. *Algorithmica*, 50(1):58–71, 2008.

[70] Patchrawat "Patch" Uthaisombut. Generalization of edf and llf: Identifying all optimal online algorithms for minimizing maximum lateness. *Algorithmica*, 50(3):312–328, 2008.

[71] Lusheng Wang and Kaizhong Zhang. Space efficient algorithms for ordered tree comparison. *Algorithmica*, 51(3):283–297, 2008.

[72] Bang Ye Wu, Chih-Yuan Hsiao, and Kun-Mao Chao. The swap edges of a multiple-sources routing tree. *Algorithmica*, 50(3):299–311, 2008.

[73] Fang Wu, Li Zhang, and Bernardo Huberman. Truth-telling reservations. *Algorithmica*, 52(1):65–79, 2008.

[74] Minzhu Xie and Jianxin Wang. An improved (and practical) parameterized algorithm for the individual haplotyping problem mfr with mate-pairs. *Algorithmica*, 52(2):250–266, 2008.

[75] Hai Yu, Pankaj K. Agarwal, Raghunath Poreddy, and Kasturi R. Varadarajan. Practical methods for shape fitting and kinetic data structures using coresets. *Algorithmica*, 52(3):378–402, 2008.