References

[1] Pankaj K. Agarwal, Sergey Bereg, Ovidiu Daescu, Haim Kaplan, Simeon Ntafos, Micha Sharir, and Binhai Zhu. Guarding a terrain by two watchtowers. *Algorithmica*, 58(2):352–390, 2010.

[2] Nir Ailon. Aggregation of partial rankings, p-ratings and top-m lists. *Algorithmica*, 57(2):284–300, 2010.

[3] Tatsuya Akutsu, Daiji Fukagawa, and Atsuhiro Takasu. Approximating tree edit distance through string edit distance. *Algorithmica*, 57(2):325–348, 2010.

[4] Susanne Albers. New results on web caching with request reordering. *Algorithmica*, 58(2):461–477, 2010.

[5] Susanne Albers and Tobias Jacobs. An experimental study of new and known online packet buffering algorithms. *Algorithmica*, 57(4):725–746, 2010.

[6] Amihood Amir and Eran Chencinski. Faster two dimensional scaled matching. *Algorithmica*, 56(2):214–234, 2010.

[7] Eyal Amir. Approximation algorithms for treewidth. *Algorithmica*, 56(4):448–479, 2010.

[8] E. Anderson, J. Hall, J. Hartline, M. Hobbes, A. Karlin, J. Saia, R. Swaminathan, and J. Wilkes. Algorithms for data migration. *Algorithmica*, 57(2):349–380, 2010.

[9] Katerina Asdre and Stavros D. Nikolopoulos. The 1-fixed-endpoint path cover problem is polynomial on interval graphs. *Algorithmica*, 58(3):679–710, 2010.

[10] Hagit Attiya, Leah Epstein, Hadas Shachnai, and Tami Tamir. Transactional contention management as a non-clairvoyant scheduling problem. *Algorithmica*, 57(1):44–61, 2010.

[11] Anne Auger and Olivier Teytaud. Continuous lunches are free plus the design of optimal optimization algorithms. *Algorithmica*, 57(1):121–146, 2010.

[12] Yossi Azar, Uriel Feige, and Daniel Glasner. A preemptive algorithm for maximizing disjoint paths on trees. *Algorithmica*, 57(3):517–537, 2010.

[13] Kannan Balakrishnan, Boštjan Brešar, Manoj Changat, Sandi Klavžar, Matjaž Kovše, and Ajitha R. Subhamathi. Computing median and antimedian sets in median graphs. *Algorithmica*, 57(2):207–216, 2010.

[14] Nikhil Bansal, Moshe Lewenstein, Bin Ma, and Kaizhong Zhang. On the longest common rigid subsequence problem. *Algorithmica*, 56(2):270–280, 2010.

[15] Omer Barkol, Yuval Ishai, and Enav Weinreb. On locally decodable codes, self-correctable codes, and t-private pir. *Algorithmica*, 58(4):831–859, 2010.

[16] Mohsen Bayati, Jeong Han Kim, and Amin Saberi. A sequential algorithm for generating random graphs. *Algorithmica*, 58(4):860–910, 2010.

[17] Michael A. Bekos, Michael Kaufmann, Martin Nöllenburg, and Antonios Symvonis. Boundary labeling with octilinear leaders. *Algorithmica*, 57(3):436–461, 2010.

[18] Anne Benoit and Yves Robert. Complexity results for throughput and latency optimization of replicated and data-parallel workflows. *Algorithmica*, 57(4):689–724, 2010.

[19] Sergey Bereg, Adrian Dumitrescu, and Minghui Jiang. On covering problems of rado. *Algorithmica*, 57(3):538–561, 2010.

[20] Péter Biró and Eric McDermid. Three-sided stable matchings with cyclic preferences. *Algorithmica*, 58(1):5–18, 2010.

[21] Henrik Blunck and Jan Vahrenhold. In-place algorithms for computing (layers of) maxima. *Algorithmica*, 57(1):1–21, 2010.

[22] Paola Bonizzoni, Gianluca Della Vedova, Ricardo Dondi, and Giancarlo Mauri. Fingerprint clustering with bounded number of missing values. *Algorithmica*, 58(2):282–303, 2010.

[23] Prosenjit Bose, Paz Carmi, Mohammad Farshi, Anil Maheshwari, and Michiel Smid. Computing the greedy spanner in near-quadratic time. *Algorithmica*, 58(3):711–729, 2010.

[24] Joan Boyar and Lene M. Favrholdt. Scheduling jobs on grid processors. *Algorithmica*, 57(4):819–847, 2010.

[25] Andreas Brandstädt, Tilo Klembt, Vadim V. Lozin, and Raffaele Mosca. On independent vertex sets in subclasses of apple-free graphs. *Algorithmica*, 56(4):383–393, 2010.

[26] Nicolas Broutin, Luc Devroye, and Erin McLeish. Note on the structure of kruskal's algorithm. *Algorithmica*, 56(2):141–159, 2010.

[27] Tian-Ming Bu, Li Liang, and Qi Qi. On robustness of forward-looking in sponsored search auction. *Algorithmica*, 58(4):970–989, 2010.

[28] Sergio Cabello, Herman Haverkort, Marc van Kreveld, and Bettina Speckmann. Algorithmic aspects of proportional symbol maps. *Algorithmica*, 58(3):543–565, 2010.

[29] Liming Cai and Xiuzhen Huang. Fixed-parameter approximation: Conceptual framework and approximability results. *Algorithmica*, 57(2):398–412, 2010.

[30] I. Caragiannis, A. Ferreira, C. Kaklamanis, S. Pérennes, and H. Rivano. Fractional path coloring in bounded degree trees with applications. *Algorithmica*, 58(2):516–540, 2010.

[31] Katarína Cechlárová and Tamás Fleiner. Housing markets through graphs. *Algorithmica*, 58(1):19–33, 2010.

[32] Ho-Leung Chan, Tak-Wah Lam, Wing-Kin Sung, Siu-Lung Tam, and Swee-Seong Wong. Compressed indexes for approximate string matching. *Algorithmica*, 58(2):263–281, 2010.

[33] Joseph Wun-Tat Chan, Francis Y.L. Chin, Deshi Ye, and Yong Zhang. Absolute and asymptotic bounds for online frequency allocation in cellular networks. *Algorithmica*, 58(2):498–515, 2010.

[34] L. Sunil Chandran, Mathew C. Francis, and Naveen Sivadasan. Geometric representation of graphs in low dimension using axis parallel boxes. *Algorithmica*, 56(2):129–140, 2010.

[35] Moses Charikar, Mohammad Taghi Hajiaghayi, Howard Karloff, and Satish Rao. l_2^2 spreading metrics for vertex ordering problems. *Algorithmica*, 56(4):577–604, 2010.

[36] Xi Chen, Xiamoming Sun, and Shang-Hua Teng. Quantum separation of local search and fixed point computation. *Algorithmica*, 56(3):364–382, 2010.

[37] Yiling Chen, Stanko Dimitrov, Rahul Sami, Daniel M. Reeves, David M. Pennock, Robin D. Hanson, Lance Fortnow, and Rica Gonen. Gaming prediction markets: Equilibrium strategies with a market maker. *Algorithmica*, 58(4):930–969, 2010.

[38] Christine T. Cheng. Understanding the generalized median stable matchings. *Algorithmica*, 58(1):34–51, 2010.

[39] F.Y.L. Chin, H.F. Ting, and Y. Zhang. A constant-competitive algorithm for online ovsf code assignment. *Algorithmica*, 56(1):89–104, 2010.

[40] Sung-woo Cho and Ashish Goel. Pricing for fairness: Distributed resource allocation for multiple objectives. *Algorithmica*, 57(4):873–892, 2010.

[41] Tobias Christ, Michael Hoffmann, Yoshio Okamoto, and Takeaki Uno. Improved bounds for wireless localization. *Algorithmica*, 57(3):499–516, 2010.

[42] Christophe Crespelle and Christophe Paul. Fully dynamic algorithm for recognition and modular decomposition of permutation graphs. *Algorithmica*, 58(2):405–432, 2010.

[43] John Dabney and Brian C. Dean. An efficient algorithm for batch stability testing. *Algorithmica*, 58(1):52–58, 2010.

[44] Peter Damaschke. Homogeneous string segmentation using trees and weighted independent sets. *Algorithmica*, 57(4):621–640, 2010.

[45] Brian C. Dean and Siddharth Munshi. Faster algorithms for stable allocation problems. *Algorithmica*, 58(1):59–81, 2010.

[46] Bastian Degener, Joachim Gehweiler, and Christiane Lammersen. Kinetic facility location. *Algorithmica*, 57(3):562–584, 2010.

[47] Erik D. Demaine, Stefan Langerman, and Eric Price. Confluently persistent tries for efficient version control. *Algorithmica*, 57(3):462–483, 2010.

[48] Xiaotie Deng and Fan Chung Graham. Introduction to the special section on internet and network economics. *Algorithmica*, 58(4):928–929, 2010.

[49] Jörg Derungs, Riko Jacob, and Peter Widmayer. Approximate shortest paths guided by a small index. *Algorithmica*, 57(4):668–688, 2010.

[50] Emilio Di Giacomo, Giuseppe Liotta, and Francesco Trotta. Drawing colored graphs with constrained vertex positions and few bends per edge. *Algorithmica*, 57(4):796–818, 2010.

[51] Florian Diedrich, Klaus Jansen, Fanny Pascual, and Enis Trystram. Approximation algorithms for scheduling with reservations. *Algorithmica*, 58(2):391–404, 2010.

[52] Frederic Dorn, Eelko Penninkx, Hans L. Bodlaender, and Fedor V. Fomin. Efficient exact algorithms on planar graphs: Exploiting sphere cut decompositions. *Algorithmica*, 58(3):790–810, 2010.

[53] Karim Douïeb and Stefan Langerman. Near-entropy hotlink assignments. *Algorithmica*, 58(2):221–244, 2010.

[54] Feodor F. Dragan and Chenyu Yan. Collective tree spanners in graphs with bounded parameters. *Algorithmica*, 57(1):22–43, 2010.

[55] Leah Epstein. Bin packing with rejection revisited. *Algorithmica*, 56(4):505–528, 2010.

[56] Angelo Fanelli, Michele Flammini, and Luca Moscardelli. On the convergence of multicast games in directed networks. *Algorithmica*, 57(2):301–324, 2010.

[57] Antonio Fernández, Ernesto Jiménez, Michel Raynal, and Gilles Trédan. A timing assumption and two t-resilient protocols for implementing an eventual leader service in asynchronous shared memory systems. *Algorithmica*, 56(4):550–576, 2010.

[58] Henning Fernau. A top-down approach to search-trees: Improved algorithmics for 3-hitting set. *Algorithmica*, 57(1):97–118, 2010.

[59] James Allen Fill and Takéhiko Nakama. Analysis of the expected number of bit comparisons required by quickselect. *Algorithmica*, 58(3):730–769, 2010.

[60] Tamás Fleiner. The stable roommates problem with choice functions. *Algorithmica*, 58(1):82–101, 2010.

[61] Patrik Floréen, Petteri Kaski, Valentin Polishchuk, and Jukka Suomela. Almost stable matchings by truncating the gale-shapley algorithm. *Algorithmica*, 58(1):102–118, 2010.

[62] Epameinondas Fritzilas, Martin Milanič, S. Rahmann, and Yasmin A. Rios-Solis. Structural identifiability in low-rank matrix factorization. *Algorithmica*, 56(3):313–332, 2010.

[63] A. García, F. Hurtado, M. Noy, and J. Tejel. Augmenting the connectivity of outerplanar graphs. *Algorithmica*, 56(2):160–179, 2010.

[64] Naveen Garg, Telikepalli Kavitha, Amit Kumar, Kurt Mehlhorn, and Julián Mestre. Assigning papers to referees. *Algorithmica*, 58(1):119–136, 2010.

[65] Matt Gibson, Gaurav Kanade, Erik Krohn, Imran A. Pirwani, and Kasturi Varadarajan. On metric clustering to minimize the sum of radii. *Algorithmica*, 57(3):484–498, 2010.

[66] Anders Gidenstam, Marina Papatriantafilou, and Philippas Tsigas. NBmalloc: Allocating memory in a lock-free manner. *Algorithmica*, 58(2):304–338, 2010.

[67] Mira Gonen and Dana Ron. On the benefits of adaptivity in property testing of dense graphs. *Algorithmica*, 58(4):811–830, 2010.

[68] Gilad Goraly and Refael Hassin. Multi-color pebble motion on graphs. *Algorithmica*, 58(3):610–636, 2010.

[69] Sam Greenberg and Dana Randall. Slow mixing of markov chains using fault lines and fat contours. *Algorithmica*, 58(4):911–927, 2010.

[70] Elena Grigorieva, P. Jean-Jacques Herings, Rudolf Müller, and Dries Vermeulen. On the fastest vickrey algorithm. *Algorithmica*, 58(3):566–590, 2010.

[71] Refael Hassin, Jérôme Monnot, and Danny Segev. The complexity of bottleneck labeled graph problems. *Algorithmica*, 58(2):245–262, 2010.

[72] Ulrich Hertrampf and Christoph Minnameier. Resource bounded frequency computations with three errors. *Algorithmica*, 56(3):342–363, 2010.

[73] Chính T. Hoàng, Marcin Kamiński, Vadim Lozin, Joe Sawada, and Xiao Shu. Deciding k-colorability of p_5-free graphs in polynomial time. *Algorithmica*, 57(1):74–81, 2010.

[74] Seok-Hee Hong and Hiroshi Nagamochi. Approximation algorithms for minimizing edge crossings in radial drawings. *Algorithmica*, 58(2):478–497, 2010.

[75] Seok-Hee Hong and Hiroshi Nagamochi. A linear-time algorithm for symmetric convex drawings of internally triconnected plane graphs. *Algorithmica*, 58(2):433–460, 2010.

[76] Xiaodong Hu and Jie Wang. Recent advances in computation and combinatorial optimization. *Algorithmica*, 56(3):281–282, 2010.

[77] Chien-Chung Huang. Circular stable matching and 3-way kidney transplant. *Algorithmica*, 58(1):137–150, 2010.

[78] Regant Y.S. Hung and Hing-Fung Ting. Design and analysis of online batching systems. *Algorithmica*, 57(2):217–231, 2010.

[79] Louis Ibarra. A fully dynamic graph algorithm for recognizing interval graphs. *Algorithmica*, 58(3):637–678, 2010.

[80] N. Innami, B.H. Kim, Y. Mashiko, and K. Shiohama. The steiner ratio conjecture of gilbert-pollak may still be open. *Algorithmica*, 57(4):869–872, 2010.

[81] Toshimasa Ishii, Yoko Akiyama, and Hiroshi Nagamochi. Minimum augmentation of edge-connectivity between vertices and sets of vertices in undirected graphs. *Algorithmica*, 56(4):413–436, 2010.

[82] Satoru Iwata and Yusuke Kobayashi. An algorithm for minimum cost arc-connectivity orientations. *Algorithmica*, 56(4):437–447, 2010.

[83] Thomas Jansen and Dennis Weyland. Analysis of evolutionary algorithms for the longest common subsequence problem. *Algorithmica*, 57(1):170–186, 2010.

[84] Hans Kellerer and Vitaly A. Strusevich. Fully polynomial approximation schemes for a symmetric quadratic knapsack problem and its scheduling applications. *Algorithmica*, 57(4):769–795, 2010.

[85] Samir Khuller, Yoo-Ah Kim, and Yung-Chun Justin Wan. Broadcasting on networks of workstations. *Algorithmica*, 57(4):848–868, 2010.

[86] Hirotatsu Kobayashi and Tomomi Matsui. Cheating strategies for the gale-shapley algorithm with complete preference lists. *Algorithmica*, 58(1):151–169, 2010.

[87] Vladimir Kolmogorov. A faster algorithm for computing the principal sequence of partitions of a graph. *Algorithmica*, 56(4):394–412, 2010.

[88] Spyros C. Kontogiannis and Paul G. Spirakis. Well supported approximate equilibria in bimatrix games. *Algorithmica*, 57(4):653–667, 2010.

[89] Amos Korman, David Peleg, and Yoav Rodeh. Constructing labeling schemes through universal matrices. *Algorithmica*, 57(4):641–652, 2010.

[90] Annamária Kovács. New approximation bounds for lpt scheduling. *Algorithmica*, 57(2):413–433, 2010.

[91] Lukasz Kowalik. Fast 3-coloring triangle-free planar graphs. *Algorithmica*, 58(3):770–789, 2010.

[92] John Langford, Lihong Li, Yevgeniy Vorobeychik, and Jennifer Wortman. Maintaining equilibria during exploration in sponsored search auctions. *Algorithmica*, 58(4):990–1021, 2010.

[93] Ulrich Lauther and Tamás Lukovszki. Space efficient algorithms for the burrows-wheeler backtransformation. *Algorithmica*, 58(2):339–351, 2010.

[94] Li (Erran) Li, Mohammad Mahdian, and Vahab S. Mirrokni. Secure overlay network design. *Algorithmica*, 57(1):82–96, 2010.

[95] Xianyue Li, Feng Zou, Yaochun Huang, Donghyun Kim, and Weili Wu. A better constant-factor approximation for selected-internal steiner minimum tree. *Algorithmica*, 56(3):333–341, 2010.

[96] Mingen Lin, Yang Yang, and Jinhui Xu. Improved approximation algorithms for maximum resource bin packing and lazy bin covering problems. *Algorithmica*, 57(2):232–251, 2010.

[97] Maarten Löffler and M. van Kreveld. Largest and smallest convex hulls for imprecise points. *Algorithmica*, 56(2):235–269, 2010.

[98] Dániel Marx. Chordal deletion is fixed-parameter tractable. *Algorithmica*, 57(4):747–768, 2010.

[99] Dániel Marx and Ildikó Schlotter. Parameterized complexity and local search approaches for the stable marriage problem with ties. *Algorithmica*, 58(1):170–187, 2010.

[100] S. Muthukrishnan, Martin Pál, and Zoya Svitkina. Stochastic models for budget optimization in search-based advertising. *Algorithmica*, 58(4):1022–1044, 2010.

[101] Hiroshi Nagamochi. Minimum degree orderings. *Algorithmica*, 56(1):17–34, 2010.

[102] Viswanath Nagarajan and R. Ravi. Approximation algorithms for requirement cut on graphs. *Algorithmica*, 56(2):198–213, 2010.

[103] Gonzalo Navarro and Rodrigo Paredes. On sorting, heaps, and minimum spanning trees. *Algorithmica*, 57(4):585–620, 2010.

[104] Gopal Pandurangan and Wojciech Szpankowski. A universal online caching algorithm based on pattern matching. *Algorithmica*, 57(1):62–73, 2010.

[105] J. Puerto, A.M. Rodríguez-Chía, and A. Tamir. On the planar piecewise quadratic 1-center problem. *Algorithmica*, 57(2):252–283, 2010.

[106] M. Ziaur Rahman and J. Ian Munro. Integer representation and counting in the bit probe model. *Algorithmica*, 56(1):105–127, 2010.

[107] Joachim Reichel and Martin Skutella. Evolutionary algorithms and matroid optimization problems. *Algorithmica*, 57(1):187–206, 2010.

[108] Sudheer Sahu and John H. Reif. Capabilities and limits of compact error resilience methods for algorithmic self-assembly. *Algorithmica*, 56(4):480–504, 2010.

[109] Leena Salmela, Jorma Tarhio, and Petri Kalsi. Approximate boyer-moore string matching for small alphabets. *Algorithmica*, 58(3):591–609, 2010.

[110] Piotr Sankowski and Marcin Mucha. Fast dynamic transitive closure with lookahead. *Algorithmica*, 56(2):180–197, 2010.

[111] Thomas Sauerwald. On mixing and edge expansion properties in randomized broadcasting. *Algorithmica*, 56(1):51–88, 2010.

[112] Danny Segev and Gil Segev. Approximate k-steiner forests via the lagrangian relaxation technique with internal preprocessing. *Algorithmica*, 56(4):529–549, 2010.

[113] Chris Studholme and Ian F. Blake. Random matrices and codes for the erasure channel. *Algorithmica*, 56(4):605–620, 2010.

[114] Madeleine Theile and Thomas Jansen. Stability in the self-organized evolution of networks. *Algorithmica*, 57(1):147–169, 2010.

[115] Takeaki Uno. An efficient algorithm for solving pseudo clique enumeration problem. *Algorithmica*, 56(1):3–16, 2010.

[116] Anna Urbańska. Faster combinatorial algorithms for determinant and pfaffian. *Algorithmica*, 56(1):35–50, 2010.

[117] Jun Wako. A polynomial-time algorithm to find von neumann-morgenstern stable matchings in marriage games. *Algorithmica*, 58(1):188–220, 2010.

[118] Jianxin Wang, Minzhu Xie, and Jianer Chen. A practical exact algorithm for the individual haplotyping problem mec/gi. *Algorithmica*, 56(3):283–296, 2010.

[119] Li-Pu Yeh, Biing-Feng Wang, and Hsin-Hao Su. Efficient algorithms for the problems of enumerating cuts by non-decreasing weights. *Algorithmica*, 56(3):297–312, 2010.

[120] Huaming Zhang. Planar polyline drawings via graph transformations. *Algorithmica*, 57(2):381–397, 2010.