References

[1] Marcel R. Ackermann, Johannes Blömer, Daniel Kuntze, and Christian Sohler. Analysis of agglomerative clustering. *Algorithmica*, 69(1):184–215, 2014.

[2] Hee-Kap Ahn, Sang Won Bae, Otfried Cheong, Joachim Gudmundsson, Takeshi Tokuyama, and Antoine Vigneron. A generalization of the convex kakeya problem. *Algorithmica*, 70(2):152–170, 2014.

[3] Oswin Aichholzer, Matias Korman, Alexander Pilz, and Birgit Vogtenhuber. Geodesic order types. *Algorithmica*, 70(1):112–128, 2014.

[4] Susanne Albers, Fabian Müller, and Swen Schmelzer. Speed scaling on parallel processors. *Algorithmica*, 68(2):404–425, 2014.

[5] Xavier Allamigeon. On the complexity of strongly connected components in directed hypergraphs. *Algorithmica*, 69(2):335–369, 2014.

[6] Rasmus Resen Amossen, Andrea Campagna, and Rasmus Pagh. Better size estimation for sparse matrix products. *Algorithmica*, 69(3):741–757, 2014.

[7] Sepehr Assadi, Ehsan Emamjomeh-Zadeh, Ashkan Norouzi-Fard, Sadra Yazdanbod, and Hamid Zarrabi-Zadeh. The minimum vulnerability problem. *Algorithmica*, 70(4):718–731, 2014.

[8] Martin Aumüller, Martin Dietzfelbinger, and Philipp Woelfel. Explicit and efficient hash families suffice for cuckoo hashing with a stash. *Algorithmica*, 70(3):428–456, 2014.

[9] Nikhil Bansal, Niv Buchbinder, Anupam Gupta, and Joseph (Seffi) Naor. A randomized $o(\log^2 k)$-competitive algorithm for metric bipartite matching. *Algorithmica*, 68(2):390–403, 2014.

[10] Jérémy Barbay, Francisco Claude, Travis Gagie, Gonzalo Navarro, and Yakov Nekrich. Efficient fully-compressed sequence representations. *Algorithmica*, 69(1):232–268, 2014.

[11] Andreas Bärtschi and Subhash Suri. Conflict-free chromatic art gallery coverage. *Algorithmica*, 68(1):265–283, 2014. see Erratum in Algorithmica, Vol. 68, 2014, 1, 284-285.

[12] Andreas Bärtschi and Subhash Suri. Erratum to “conflict-free chromatic art gallery coverage”. *Algorithmica*, 68(1):284–285, 2014. Originally in Algorithmica, Vol. 68, 2014, 1, 265-283.

[13] Rémy Belmonte, Petr A. Golovach, Pinar Heggernes, Pim van ’t Hof, Marcin Kamiński, and Daniël Paulusma. Detecting fixed patterns in chordal graphs in polynomial time. *Algorithmica*, 69(3):501–521, 2014.

[14] Anne Benoit, Matthieu Gallet, Bruno Gaujal, and Yves Robert. Computing the throughput of probabilistic and replicated streaming applications. *Algorithmica*, 69(4):925–957, 2014.

[15] Piotr Berman, Bhaskar DasGupta, Lakshmi Kaligounder, and Marek Karpinski. On the computational complexity of measuring global stability of banking networks. *Algorithmica*, 70(4):595–647, 2014.

[16] Nadja Betzler, Hans L. Bodlaender, Robert Bredereck, Rolf Niedermeier, and Johannes Uhlmann. On making a distinguished vertex of minimum degree by vertex deletion. *Algorithmica*, 68(3):715–738, 2014.

[17] Binay Bhattacharya, Tsunehiko Kameda, and Zhao Song. A linear time algorithm for computing minmax regret 1-median on a tree network. *Algorithmica*, 70(1):2–21, 2014.

[18] Maria Paola Bianchi, Hans-Joachim Böckenhauer, Juraj Hromkovič, and Lucia Keller. Online coloring of bipartite graphs with and without advice. *Algorithmica*, 70(1):92–111, 2014.

[19] Marcin Bienkowski. An optimal lower bound for buffer management in multi-queue switches. *Algorithmica*, 68(2):426–447, 2014.

[20] Philip Bille and Inge Li Gørtz. Substring range reporting. *Algorithmica*, 69(2):384–396, 2014.

[21] Davide Bilò, Luciano Gualà, and Guido Proietti. Finding best swap edges minimizing the routing cost of a spanning tree. *Algorithmica*, 68(2):337–357, 2014.

[22] Thomas Bläsius, Marcus Krug, Ignaz Rutter, and Dorothea Wagner. Orthogonal graph drawing with flexibility constraints. *Algorithmica*, 68(4):859–885, 2014.

[23] Jean-Daniel Boissonnat and Clément Maria. The simplex tree: An efficient data structure for general simplicial complexes. *Algorithmica*, 70(3):406–427, 2014.

[24] Glencora Borradaile, Erik D. Demaine, and Siamak Tazari. Polynomial-time approximation schemes for subset-connectivity problems in bounded-genus graphs. *Algorithmica*, 68(2):287–311, 2014.

[25] Prosenjit Bose, Paz Carmi, Mirela Damian, Robin Flatland, Matthew J. Katz, and Anil Maheshwari. Switching to directional antennas with constant increase in radius and hop distance. *Algorithmica*, 69(2):397–409, 2014.

[26] Andreas Brandstädt and Raffaele Mosca. Dominating induced matchings for p_7-free graphs in linear time. *Algorithmica*, 68(4):998–1018, 2014.

[27] David Bremner, Timothy M. Chan, Erik D. Demaine, Jeff Erickson, Ferran Hurtado, John Iacono, Stefan Langerman, Mihai Pătraşcu, and Perouz Taslakian. Necklaces, convolutions, and $x + y$. *Algorithmica*, 69(2):294–314, 2014.

[28] Costas Busch, Ryan LaFortune, and Srikanta Tirthapura. Sparse covers for planar graphs and graphs that exclude a fixed minor. *Algorithmica*, 69(3):658–684, 2014.

[29] Armando Castañeda, Maurice Herlihy, and Sergio Rajsbaum. An equivariance theorem with applications to renaming. *Algorithmica*, 70(2):171–194, 2014.

[30] T.-H. Hubert Chan, Kevin L. Chang, and Rajiv Raman. An sdp primal-dual algorithm for approximating the lovász-theta function. *Algorithmica*, 69(3):605–618, 2014.

[31] Jessica Chang, Harold N. Gabow, and Samir Khuller. A model for minimizing active processor time. *Algorithmica*, 70(3):368–405, 2014.

[32] Kun-Mao Chao, Tsan-Sheng Hsu, and D.T. Lee. Preface algorithms and computation (isaac 2012). *Algorithmica*, 70(4):694–695, 2014.

[33] Krishnendu Chatterjee, Monika Henzinger, Sebastian Krinninger, and Danupon Nanongkai. Polynomial-time algorithms for energy games with special weight structures. *Algorithmica*, 70(3):457–492, 2014.

[34] Panagiotis Cheilaris, Luisa Gargano, Adele A. Rescigno, and Shakhar Smorodinsky. Strong conflict-free coloring for intervals. *Algorithmica*, 70(4):732–749, 2014.

[35] Danny Z. Chen and Haitao Wang. New algorithms for facility location problems on the real line. *Algorithmica*, 69(2):370–383, 2014.

[36] Danny Z. Chen and Haitao Wang. Outlier respecting points approximation. *Algorithmica*, 69(2):410–430, 2014.

[37] Ruiwen Chen, Valentine Kabanets, and Jeff Kinne. Lower bounds against weakly-uniform threshold circuits. *Algorithmica*, 70(1):47–75, 2014.

[38] Sixia Chen and Alexander Russell. Online metric tracking and smoothing. *Algorithmica*, 68(1):133–151, 2014.

[39] Zhi-Zhong Chen, Wenji Ma, and Lusheng Wang. The parameterized complexity of the shared center problem. *Algorithmica*, 69(2):269–293, 2014.

[40] Francis Chin, Marek Chrobak, and Li Yan. Algorithms for placing monitors in a flow network. *Algorithmica*, 68(1):1–15, 2014.

[41] George Christodoulou, Katrina Ligett, and Evangelia Pyrga. Contention resolution under selfishness. *Algorithmica*, 70(4):675–693, 2014.

[42] Giorgos Christodoulou, Kurt Mehlhorn, and Evangelia Pyrga. Improving the price of anarchy for selfish routing via coordination mechanisms. *Algorithmica*, 69(3):619–640, 2014.

[43] Ferdinando Cicalese, Tobias Jacobs, Eduardo Laber, and Marco Molinaro. Improved approximation algorithms for the average-case tree searching problem. *Algorithmica*, 68(4):1045–1074, 2014.

[44] Keren Cohen and Raphael Yuster. On minimum witnesses for boolean matrix multiplication. *Algorithmica*, 69(2):431–442, 2014.

[45] Atlas F. Cook IV and Carola Wenk. Shortest path problems on a polyhedral surface. *Algorithmica*, 69(1):58–77, 2014.

[46] Robert Crowston, Gregory Gutin, Mark Jones, Venkatesh Raman, Saket Saurabh, and Anders Yeo. Fixed-parameter tractability of satisfying beyond the number of variables. *Algorithmica*, 68(3):739–757, 2014.

[47] Marek Cygan, Daniel Lokshtanov, Marcin Pilipczuk, Michał Pilipczuk, and Saket Saurabh. On cutwidth parameterized by vertex cover. *Algorithmica*, 68(4):940–953, 2014.

[48] Marek Cygan, Dániel Marx, Marcin Pilipczuk, Michał Pilipczuk, and Ildikó Schlotter. Parameterized complexity of eulerian deletion problems. *Algorithmica*, 68(1):41–61, 2014.

[49] Marek Cygan, Marcin Pilipczuk, Michał Pilipczuk, and Jakub Onufry Wojtaszczyk. Scheduling partially ordered jobs faster than 2^n. *Algorithmica*, 68(3):692–714, 2014.

[50] Marek Cygan, Marcin Pilipczuk, Michał Pilipczuk, and Jakub Onufry Wojtaszczyk. Solving the 2-disjoint connected subgraphs problem faster than 2^n. *Algorithmica*, 70(2):195–207, 2014.

[51] Daniel Dadusch. A randomized sieving algorithm for approximate integer programming. *Algorithmica*, 70(2):208–244, 2014.

[52] Erik D. Demaine, Gad M. Landau, and Oren Weimann. On cartesian trees and range minimum queries. *Algorithmica*, 68(3):610–625, 2014.

[53] Josep Díaz, Leslie Ann Goldberg, George B. Mertzios, David Richerby, Maria Serna, and Paul G. Spirakis. Approximating fixation probabilities in the generalized moran process. *Algorithmica*, 69(1):78–91, 2014.

[54] Emilio Dib Giacomo, Walter Didimo, Peter Eades, and Giuseppe Liotta. 2-layer right angle crossing drawings. *Algorithmica*, 68(4):954–997, 2014.

[55] Benjamin Doerr and Carola Winzen. Ranking-based black-box complexity. *Algorithmica*, 68(3):571–609, 2014.

[56] Feodor F. Dragan and Ekkehard Köhler. An approximation algorithm for the tree t-spanner problem on unweighted graphs via generalized chordal graphs. *Algorithmica*, 69(4):884–905, 2014.

[57] Adrian Dumitrescu, Minghui Jiang, and János Pach. Opaque sets. *Algorithmica*, 69(2):315–334, 2014.

[58] Tomáš Ebenlendr, Marek Krčál, and Jiří Sgall. Graph balancing: A special case of scheduling unrelated parallel machines. *Algorithmica*, 68(1):62–80, 2014.

[59] Matthias Englert, Heiko Röglin, and Berthold Vöcking. Worst case and probabilistic analysis of the 2-opt algorithm for the tsp. *Algorithmica*, 68(1):190–264, 2014.

[60] Leah Epstein and Asaf Levin. Robust algorithms for preemptive scheduling. *Algorithmica*, 69(1):26–57, 2014.

[61] Arash Farzan and Shahin Kamali. Compact navigation and distance oracles for graphs with small treewidth. *Algorithmica*, 69(1):92–116, 2014.

[62] Arash Farzan and J. Ian Munro. A uniform paradigm to succinctly encode various families of trees. *Algorithmica*, 68(1):16–40, 2014.

[63] Sándor P. Fekete, Tom Kamphans, and Nils Schweer. Online square packing with gravity. *Algorithmica*, 68(4):1019–1044, 2014.

[64] Michele Flammini, Gianpiero Monaco, Luca Moscardelli, Mordechai Shalom, and Shmuel Zaks. On the complexity of the regenerator cost problem in general networks with traffic grooming. *Algorithmica*, 68(3):671–691, 2014.

[65] Fedor V. Fomin, Pinar Heggernes, Dieter Kratsch, Charis Papadopoulos, and Yngve Villanger. Enumerating minimal subset feedback vertex sets. *Algorithmica*, 69(1):216–231, 2014.

[66] Luca Foschini, John Hershberger, and Subhash Suri. On the complexity of time-dependent shortest paths. *Algorithmica*, 68(4):1075–1097, 2014.

[67] Leonor Frias and Salvador Roura. Multikey quickselect. *Algorithmica*, 69(4):958–973, 2014.

[68] Hiroshi Fujiwara and Tobias Jacobs. On the huffman and alphabetic tree problem with general cost functions. *Algorithmica*, 69(3):582–604, 2014.

[69] Martin Fürer. Efficient computation of the characteristic polynomial of a tree and related tasks. *Algorithmica*, 68(3):626–642, 2014.

[70] Joachim Gehweiler, Christiane Lammersen, and Christian Sohler. A distributed o(1)-approximation algorithm for the uniform facility location problem. *Algorithmica*, 68(3):643–670, 2014.

[71] Emeric Gioan, Christophe Paul, Marc Tedder, and Derek Corneil. Practical and efficient circle graph recognition. *Algorithmica*, 69(4):759–788, 2014.

[72] Emeric Gioan, Christophe Paul, Marc Tedder, and Derek Corneil. Practical and efficient split decomposition via graph-labelled trees. *Algorithmica*, 69(4):789–843, 2014.

[73] Alexander Golynski, Alessio Orlandi, Rajeev Raman, and S. Srinivasa Rao. Optimal indexes for sparse bit vectors. *Algorithmica*, 69(4):906–924, 2014.

[74] Michael T. Goodrich. Spin-the-bottle sort and annealing sort: Oblivious sorting via round-robin random comparisons. *Algorithmica*, 68(4):835–858, 2014.

[75] Michel Habib, Antoine Mamcarz, and Fabien de Montgolfier. Computing h-joins with application to 2-modular decomposition. *Algorithmica*, 70(2):245–266, 2014.

[76] Xin Han, Yasushi Kawase, and Kazuhisa Makino. Online unweighted knapsack problem with removal cost. *Algorithmica*, 70(1):76–91, 2014.

[77] Tobias Harks and Britta Peis. Resource buying games. *Algorithmica*, 70(3):493–512, 2014.

[78] David G. Harris, Francis Sullivan, and Isabel Beichl. Fast sequential importance sampling to estimate the graph reliability polynomial. *Algorithmica*, 68(4):916–939, 2014.

[79] Meng He, J. Ian Munro, and Gelin Zhou. A framework for succinct labeled ordinal trees over large alphabets. *Algorithmica*, 70(4):696–717, 2014.

[80] Xin He and Huaming Zhang. On succinct greedy drawings of plane triangulations and 3-connected plane graphs. *Algorithmica*, 68(2):531–544, 2014.

[81] Pinar Heggernes, Pim van 't Hof, Benjamin Lévêque, Daniel Lokshtanov, and Christophe Paul. Contracting graphs to paths and trees. *Algorithmica*, 68(1):109–132, 2014.

[82] Ahmed Helmi, Conrado Martínez, and Alois Panholzer. Analysis of the strategy "hiring above the tex-th best candidate". *Algorithmica*, 70(2):267–300, 2014.

[83] Danny Hermelin, Matthias Mnich, and Erik Jan van Leeuwen. Parameterized complexity of induced graph matching on claw-free graphs. *Algorithmica*, 70(3):513–560, 2014.

[84] Mashhood Ishaque and Csaba D. Tóth. Relative convex hulls in semi-dynamic arrangements. *Algorithmica*, 68(2):448–482, 2014.

[85] Toshimasa Ishii and Kazuhisa Makino. Augmenting edge-connectivity between vertex subsets. *Algorithmica*, 69(1):130–147, 2014.

[86] Kazuo Iwama, Shuichi Miyazaki, and Hiroki Yanagisawa. A 25/17-approximation algorithm for the stable marriage problem with one-sided ties. *Algorithmica*, 68(3):758–775, 2014.

[87] Ragesh Jaiswal, Amit Kumar, and Sandeep Sen. A simple d^2-sampling based ptas for k-means and other clustering problems. *Algorithmica*, 70(1):22–46, 2014.

[88] Daniel Johannsen, Piyush P. Kurur, and Johannes Lengler. Evolutionary algorithms for quantum computers. *Algorithmica*, 68(1):152–189, 2014.

[89] Stasys Jukna. Limitations of incremental dynamic programming. *Algorithmica*, 69(2):461–492, 2014.

[90] Frank Kammer and Torsten Tholey. Approximation algorithms for intersection graphs. *Algorithmica*, 68(2):312–336, 2014.

[91] George Karakostas and Euripides Markou. Emergency connectivity in ad-hoc networks with selfish nodes. *Algorithmica*, 68(2):358–389, 2014.

[92] Steven Kelk and Celine Scornavacca. Constructing minimal phylogenetic networks from softwired clusters is fixed parameter tractable. *Algorithmica*, 68(4):886–915, 2014.

[93] Rohit Khandekar, Guy Kortsarz, and Vahab Mirrokni. On the advantage of overlapping clusters for minimizing conductance. *Algorithmica*, 69(4):844–863, 2014.

[94] M. Reza Khani and Mohammad R. Salavatipour. Improved approximation algorithms for the min-max tree cover and bounded tree cover problems. *Algorithmica*, 69(2):443–460, 2014.

[95] Christian Komusiewicz and Johannes Uhlmann. A cubic-vertex kernel for flip consensus tree. *Algorithmica*, 68(1):81–108, 2014.

[96] Jochen Könemann, Ojas Parekh, and David Pritchard. Multicommodity flow in trees: Packing via covering and iterated relaxation. *Algorithmica*, 68(3):776–804, 2014.

[97] Christos Koufogiannakis and Neal E. Young. A nearly linear-time ptas for explicit fractional packing and covering linear programs. *Algorithmica*, 70(4):648–674, 2014.

[98] Bundit Laekhanukit, Adrian Vetta, and Gordon Wilfong. Routing regardless of network stability. *Algorithmica*, 70(3):561–593, 2014.

[99] Po-Shen Loh and Rasmus Pagh. Thresholds for extreme orientability. *Algorithmica*, 69(3):522–539, 2014.

[100] Anil Maheshwari, Jörg-Rüdiger Sack, Kaveh Shahbaz, and Hamid Zarrabi-Zadeh. Improved algorithms for partial curve matching. *Algorithmica*, 69(3):641–657, 2014.

[101] Bernard Mans and Igor Shparlinski. Random walks, bisections and gossiping in circulant graphs. *Algorithmica*, 70(2):301–325, 2014.

[102] Monaldo Mastrolilli. The feedback arc set problem with triangle inequality is a vertex cover problem. *Algorithmica*, 70(2):326–339, 2014.

[103] Eric McDermid and Robert W. Irving. Sex-equal stable matchings: Complexity and exact algorithms. *Algorithmica*, 68(3):545–570, 2014.

[104] Andrew R.A. McGrae and Michele Zito. The complexity of the empire colouring problem. *Algorithmica*, 68(2):483–503, 2014.

[105] George B. Mertzios. An intersection model for multitolerance graphs: Efficient algorithms and hierarchy. *Algorithmica*, 69(3):540–581, 2014.

[106] Neeldhara Misra, Geevarghese Philip, Venkatesh Raman, and Saket Saurabh. The kernelization complexity of connected domination in graphs with (no) small cycles. *Algorithmica*, 68(2):504–530, 2014.

[107] David M. Mount, Nathan S. Netanyahu, Christine D. Piatko, Ruth Silverman, and Angela Y. Wu. On the least trimmed squares estimator. *Algorithmica*, 69(1):148–183, 2014.

[108] Jesper Nederlof, Johan M.M. van Rooij, and Thomas C. van Dijk. Inclusion/exclusion meets measure and conquer. *Algorithmica*, 69(3):685–740, 2014.

[109] Zeev Nutov. Degree constrained node-connectivity problems. *Algorithmica*, 70(2):340–364, 2014.

[110] Rasmus Pagh, Zhewei Wei, Ke Yi, and Qin Zhang. Cache-oblivious hashing. *Algorithmica*, 69(4):864–883, 2014.

[111] Romeo Rizzi and David Cariolaro. Polynomial time complexity of edge colouring graphs with bounded colour classes. *Algorithmica*, 69(3):494–500, 2014.

[112] C. Seshadhri and Jan Vondrák. Is submodularity testable? *Algorithmica*, 69(1):1–25, 2014.

[113] René van Bevern. Towards optimal and expressive kernelization for d-hitting set. *Algorithmica*, 70(1):129–147, 2014.

[114] Marcel Wild. Counting or producing all fixed cardinality transversals. *Algorithmica*, 69(1):117–129, 2014.

[115] Jinhui Xu, Lei Xu, and Evanthia Papadopoulou. Computing the map of geometric minimal cuts. *Algorithmica*, 68(4):805–834, 2014.