

References

- [1] Josep F. Abril, Roderic Guigó, and Thomas Wiehe. gff2aplot: Plotting sequence comparisons. *Bioinformatics*, 19(18):2477–2479, 2003.
- [2] Stein Aerts, Peter van Loo, Gert Thijs, Yves Moreau, and Bart de Moor. Computational detection of cis-regulatory modules. *Bioinformatics*, 19(S2):5–14, 2003.
- [3] Daniel Aguilar, Baldomero Oliva, Francesc X. Aviles, and Enrique Querol. Snow: Standard nomenclature wizard to help searching for (bio) chemical standardized names. *Bioinformatics*, 19(18):2492–2493, 2003.
- [4] Shandar Ahmad, M. Michael Gromiha, and Akinori Sarai. Rvp-net: Online prediction of real valued accessible surface area of proteins from single sequences. *Bioinformatics*, 19(14):1849–1851, 2003.
- [5] Virpi Ahola, Tero Aittokallio, Esa Uusipaikka, and Mauno Vihinen. Efficient estimation of emission probabilities in profile hidden markov models. *Bioinformatics*, 19(18):2359–2368, 2003.
- [6] João Aires-de Sousa and Luisa Aires-de Sousa. Representation of dna sequences with virtual potentials and their processing by (seqrep) kohonen self-organizing maps. *Bioinformatics*, 19(1):30–36, 2003.
- [7] Hiroshi Akashi. Metabolic economics and microbial proteome evolution. *Bioinformatics*, 19(S2):15–15, 2003.
- [8] Mario Albrecht and Thomas Lengauer. Pyranose oxidase identified as a member of the gmc oxidoreductase family. *Bioinformatics*, 19(10):1216–1220, 2003.
- [9] Mario Albrecht, Thomas Lengauer, and Stefan Schreiber. Disease-associated variants in pypaf1 and nod2 result in similar alterations of conserved sequence. *Bioinformatics*, 19(17):2171–2175, 2003.
- [10] Nickolai Alexandrov and Ilya Shindyalov. Pdp: Protein domain parser. *Bioinformatics*, 19(3):429–430, 2003.
- [11] Lloyd Allison. Longest biased interval and longest non-negative sum interval. *Bioinformatics*, 19(10):1294–1295, 2003.

- [12] Patrick Aloy and Robert B. Russell. Interprets: Protein interaction prediction through tertiary structure. *Bioinformatics*, 19(1):161–162, 2003.
- [13] Ramswamy Anbazhagan. Microarray data assembler. *Bioinformatics*, 19(1):157–158, 2003.
- [14] Jesús Angulo and Jean Serra. Automatic analysis of dna microarray images using mathematical morphology. *Bioinformatics*, 19(5):553–562, 2003.
- [15] A. Antoniadis, S. Lambert-Lacroix, and F. Leblanc. Effective dimension reduction methods for tumor classification using gene expression data. *Bioinformatics*, 19(5):563–570, 2003.
- [16] K. Arakawa, K. Mori, K. Ikeda, T. Matsuzaki, Y. Kobayashi, and M. Tomita. G-language genome analysis environment: A workbench for nucleotide sequence data mining. *Bioinformatics*, 19(2):305–306, 2003.
- [17] Gary L. Argraves, Jeremy L. Barth, and W. Scott Argraves. The musc dna microarray database. *Bioinformatics*, 19(18):2473–2474, 2003.
- [18] Stéphane Aris-Brosou. How bayes tests of molecular phylogenies compare with frequentist approaches. *Bioinformatics*, 19(5):618–624, 2003.
- [19] Lars Arvestad, Ann-Charlotte Berglund, Jens Lagergren, and Bengt Sennblad. Bayesian gene/species tree reconciliation and orthology analysis using mcmc. *Bioinformatics*, 19(S1):7–15, 2003.
- [20] Reija Autio, Sampsa Hautaniemi, Päivikki Kauraniemi, Olli Yli-Harja, Jaakko Astola, Maija Wolf, and Anne Kallioniemi. Cgh-plotter: Matlab toolbox for cgh-data analysis. *Bioinformatics*, 19(13):1714–1715, 2003.
- [21] Joel S. Bader. Greedily building protein networks with confidence. *Bioinformatics*, 19(15):1869–1874, 2003.
- [22] Keith A. Baggerly, Li Deng, Jeffrey S. Morris, and C. Marcelo Aldaz. Differential expression in sage: Accounting for normal between-library variation. *Bioinformatics*, 19(12):1477–1483, 2003.

- [23] A.M. Bagirov, B. Ferguson, S. Ivkovic, G. Saunders, and J. Yearwood. New algorithms for multi-class cancer diagnosis using tumor gene expression signatures. *Bioinformatics*, 19(14):1800–1807, 2003.
- [24] Timothy L. Bailey and William Stafford Noble. Searching for statistically significant regulatory modules. *Bioinformatics*, 19(S2):16–25, 2003.
- [25] Michael A. Banks, Will Eichert, and Jeffrey B. Olsen. Which genetic loci have greater population assignment power? *Bioinformatics*, 19(11):1436–1438, 2003.
- [26] Ziv Bar-Joseph, Erik D. Demaine, David K. Gifford, Nathan Srebro, Angèle M. Hamel, and Tommi S. Jaakkola. k -ary clustering with optimal leaf ordering for gene expression data. *Bioinformatics*, 19(9):1070–1078, 2003.
- [27] Gary Barker, Jacqueline Batley, Helen O’Sullivan, Keith J. Edwards, and David Edwards. Redundancy based detection of sequence polymorphisms in expressed sequence tag data using autosnp. *Bioinformatics*, 19(3):421–422, 2003.
- [28] Jonathan A. Barker and Janet M. Thornton. An algorithm for constraint-based structural template matching: Application to 3d templates with statistical analysis. *Bioinformatics*, 19(13):1644–1649, 2003.
- [29] Endre Barta, László Kaján, and Sándor Pongor. Is: A web-site for intron statistics. *Bioinformatics*, 19(4):543–543, 2003.
- [30] Niko Beerenwinkel, Thomas Lengauer, Martin Däumer, Rolf Kaiser, Hauke Walter, Klaus Korn, Daniel Hoffmann, and Joachim Selbig. Methods for optimizing antiviral combination therapies. *Bioinformatics*, 19(S1):16–25, 2003.
- [31] Michaël Bekaert, Laure Bidou, Alain Denise, Guillemette Duchateau-Nguyen, Jean-Paul Forest, Christine Froidevaux, Isabelle Hatin, Jean-Pierre Rousset, and Michel Termier. Towards a computational model for -1 eukaryotic frameshifting sites. *Bioinformatics*, 19(3):327–335, 2003.

- [32] Asa Ben-Hur and Douglas Brutlag. Remote homology detection: A motif based approach. *Bioinformatics*, 19(S1):26–33, 2003.
- [33] Romualdo Benigni and Alessandro Giuliani. Putting the predictive toxicology challenge into perspective: Reflections on the results. *Bioinformatics*, 19(10):1194–1200, 2003.
- [34] Steven P. Bennett, Craig G. Nevill-Manning, and Douglas L. Brutlag. 3motif: Visualizing conserved protein sequence motifs in the protein structure database. *Bioinformatics*, 19(4):541–542, 2003.
- [35] Gabriel F. Berriz, Oliver D. King, Barbara Bryant, Chris Sander, and Frederick P. Roth. Characterizing gene sets with funcassociate. *Bioinformatics*, 19(18):2502–2504, 2003.
- [36] Gabriel F. Berriz, James V. White, Oliver D. King, and Frederick P. Roth. Gofish finds genes with combinations of gene ontology attributes. *Bioinformatics*, 19(6):788–789, 2003.
- [37] Manoj Bhasin, Harpreet Singh, and G.P.S. Raghava. Mhcdbn: A comprehensive database of mhc binding and non-binding peptides. *Bioinformatics*, 19(5):665–666, 2003.
- [38] S. Bicciato, A. Luchini, and C. di Bello. Pca disjoint models for multiclass cancer analysis using gene expression data. *Bioinformatics*, 19(5):571–578, 2003.
- [39] David R. Bickel. Robust cluster analysis of microarray gene expression data with the number of clusters determined biologically. *Bioinformatics*, 19(7):818–824, 2003.
- [40] Rahul Bijlani, Yinhe Cheng, David A. Pearce, Andrew I. Brooks, and Mitsunori Ogihara. Prediction of biologically significant components from microarray data: Independently consistent expression discriminator (iced). *Bioinformatics*, 19(1):62–70, 2003.
- [41] Konstantinos Blekas, Dimitrios I. Fotiadis, and Aristidis Likas. Greedy mixture learning for multiple motif discovery in biological sequences. *Bioinformatics*, 19(5):607–617, 2003.

- [42] Robert J. Blick, Andrew T. Revel, and Eric J. Hansen. Findgdps: Identification of primers for labeling microbial transcriptomes for dna microarray analysis. *Bioinformatics*, 19(13):1718–1719, 2003.
- [43] V.G. Blinova, D.A. Dobrynin, V.K. Finn, S.O. Kuznetsov, and E.S. Pankratova. Toxicology analysis by means of the jsm-method. *Bioinformatics*, 19(10):1201–1207, 2003.
- [44] Joel R. Bock and David A. Gough. Whole-proteome interaction mining. *Bioinformatics*, 19(1):125–134, 2003.
- [45] Sebastian Böcker. Snp and mutation discovery using base-specific cleavage and maldi-tof mass spectrometry. *Bioinformatics*, 19(S1):44–53, 2003.
- [46] Joseph Bockhorst, Mark Craven, David Page, Jude Shavlik, and Jeremy Glasner. A bayesian network approach to operon prediction. *Bioinformatics*, 19(10):1227–1235, 2003.
- [47] Joseph Bockhorst, Yu Qiu, Jeremy Glasner, Mingzhu Liu, Frederick Blattner, and Mark Craven. Predicting bacterial transcription units using sequence and expression data. *Bioinformatics*, 19(S1):34–43, 2003.
- [48] Nadia Bolshakova and Francisco Azuaje. Machaon cve: Cluster validation for gene expression data. *Bioinformatics*, 19(18):2494–2495, 2003.
- [49] B.M. Bolstad, R.A Irizarry, M. Åstrand, and T.P. Speed. A comparison of normalization methods for high density oligonucleotide array data based on variance and bias. *Bioinformatics*, 19(2):185–193, 2003.
- [50] Charles S. Bond. Topdraw: A sketchpad for protein structure topology cartoons. *Bioinformatics*, 19(2):311–312, 2003.
- [51] Anne-Laure Boulesteix, Gerhard Tutz, and Korbinian Strimmer. A cart-based approach to discover emerging patterns in microarray data. *Bioinformatics*, 19(18):2465–2472, 2003.
- [52] Svetlana Boycheva, Georgi Chkodrov, and Ivan Ivanov. Codon pairs in the genome of escherichia coli. *Bioinformatics*, 19(8):987–998, 2003.

- [53] Frédéric Boyer and Alain Viari. Ab initio reconstruction of metabolic pathways. *Bioinformatics*, 19(S2):26–34, 2003.
- [54] V. Braun, R.B.R. Azevedo, M. Gumbel, P.-M. Agapow, A.M. Leroi, and H.-P. Meinzer. Ales: Cell lineage analysis and mapping of developmental events. *Bioinformatics*, 19(7):851–858, 2003.
- [55] Karl W. Broman, Hao Wu, Šaunak Sen, and Gary A. Churchill. R/qtl: Qtl mapping in experimental crosses. *Bioinformatics*, 19(7):889–890, 2003.
- [56] Jürgen Brosius. How significant is 98.5% "junk" in mammalian genomes? *Bioinformatics*, 19(S2):35–35, 2003.
- [57] Michael Brudno, Sanket Malde, Alexander Poliakov, Chuong B. Do, Olivier Couronne, Inna Dubchak, and Serafim Batzoglou. Glocal alignment: Finding rearrangements during alignment. *Bioinformatics*, 19(S1):54–62, 2003.
- [58] Kim Brügger, Peter Redder, and Marie Skovgaard. Mutagen: Multi-user tool for annotating genomes. *Bioinformatics*, 19(18):2480–2481, 2003.
- [59] Marcel Brun, David L. Sabbagh, Seungchan Kim, and Edward R. Dougherty. Corrected small-sample estimation of the bayes error. *Bioinformatics*, 19(8):944–951, 2003.
- [60] James M. Brundage and Christopher Dubay. Bioquery: An object framework for building queries to biomedical databases. *Bioinformatics*, 19(7):901–902, 2003.
- [61] Richard M. Bruskiewich, Alexander B. Cosico, William Eusebio, Arlette M. Portugal, Luralyn M. Ramos, Ma. Teresa Reyes, May Ann B. Sallan, Victor Jun M. Ulat, Xusheng Wang, Kenneth L. McNally, Ruaraidh Sackville Hamilton, and Christopher Graham McLaren. Linking genotype to phenotype: The international rice information system (iris). *Bioinformatics*, 19(S1):63–65, 2003.
- [62] Efstatia Bura and Ruth M. Pfeiffer. Graphical methods for class prediction using dimension reduction techniques on dna microarray data. *Bioinformatics*, 19(10):1252–1258, 2003.

- [63] Liming Cai, Russell L. Malmberg, and Yunzhou Wu. Stochastic modeling of rna pseudoknotted structures: A grammatical approach. *Bioinformatics*, 19(S1):66–73, 2003.
- [64] Peter P. Calabrese, Sugata Chakravarty, and Todd J. Vision. Fast identification and statistical evaluation of segmental homologies in comparative maps. *Bioinformatics*, 19(S1):74–80, 2003.
- [65] Orhan Camoglu, Tamer Kahveci, and Ambuj K. Singh. Psi: Indexing protein structures for fast similarity search. *Bioinformatics*, 19(S1):81–83, 2003.
- [66] Fabien Campagne, Emmanuel Bettler, Gert Vriend, and Harel Wein斯坦. Batch mode generation of residue-based diagrams of proteins. *Bioinformatics*, 19(14):1854–1855, 2003.
- [67] Tolga Can, Yujun Wang, Yuan-Fang Wang, and Jianwen Su. Fpv: Fast protein visualization using java 3dTM. *Bioinformatics*, 19(8):913–922, 2003.
- [68] Jack Cao, Rosemarie Panetta, Shiyi Yue, Alain Steyaert, Michele Young-Bellido, and Sultan Ahmad. A naive bayes model to predict coupling between seven transmembrane domain receptors and g-proteins. *Bioinformatics*, 19(2):234–240, 2003.
- [69] A. Carbone, A. Zinovyev, and F. Képès. Codon adaptation index as a measure of dominating codon bias. *Bioinformatics*, 19(16):2005–2015, 2003.
- [70] Gianluigi Cardinali, Francesco Maraziti, and Sabrina Selvi. Electrophoretic data classification for phylogenetics and biostatistics. *Bioinformatics*, 19(16):2163–2165, 2003.
- [71] C. Carleos, F. Rodriguez, H. Lamelas, and J.A. Baro. Simulating complex traits influenced by genes with fuzzy-valued effects in pedigree populations. *Bioinformatics*, 19(1):144–148, 2003.
- [72] Kim Carter and Matthew Bellgard. Masv — multiple (blast) annotation system viewer. *Bioinformatics*, 19(17):2313–2315, 2003.

- [73] Tim Carver and Alan Bleasby. The design of jemboss: A graphical user interface to emboss. *Bioinformatics*, 19(14):1837–1843, 2003.
- [74] Cristian I. Castillo-Davis and Daniel L. Hartl. Genemerge — post-genomic analysis, data mining, and hypothesis testing. *Bioinformatics*, 19(7):891–892, 2003.
- [75] Simon L. Cawley and Lior Pachter. Hmm sampling and applications to gene finding and alternative splicing. *Bioinformatics*, 19(S2):36–41, 2003.
- [76] Pei-chin Chang and Konan Peck. Design and assessment of a fast algorithm for identifying specific probes for human and mouse genes. *Bioinformatics*, 19(11):1311–1317, 2003.
- [77] Zhuoran Chen. Assessing sequence comparison methods with the average precision criterion. *Bioinformatics*, 19(18):2456–2460, 2003.
- [78] Jung-Hsien Chiang and Hsu-Chun Yu. Meke: Discovering the functions of gene products from biomedical literature via sentence alignment. *Bioinformatics*, 19(11):1417–1422, 2003.
- [79] Chen-Shan Chin and Manoj Pratim Samanta. Global snapshot of a protein interaction network — a percolation based approach. *Bioinformatics*, 19(18):2413–2419, 2003.
- [80] Jung Kyoon Choi, Unsgik Yu, Sangsoo Kim, and Ook Joon Yoo. Combining multiple microarray studies and modeling interstudy variation. *Bioinformatics*, 19(S1):84–90, 2003.
- [81] Tianjiao Chu, Clark Glymour, Richard Scheines, and Peter Spirtes. A statistical problem for inference to regulatory structure from associations of gene expression measurements with microarrays. *Bioinformatics*, 19(9):1147–1152, 2003.
- [82] Myung-Hoon Chung, Chul Koo Kim, and Kyun Nahm. Fractional populations in multiple gene inheritance. *Bioinformatics*, 19(2):256–260, 2003.
- [83] Ren Hua Chung and Dan Gusfield. Perfect phylogeny haplotyper: Haplotype inferral using a tree model. *Bioinformatics*, 19(6):780–781, 2003.

- [84] A. Clare and R.D. King. Predicting gene function in *saccharomyces cerevisiae*. *Bioinformatics*, 19(S2):42–49, 2003.
- [85] Neil D. Clarke and Joshua A. Granek. Rank order metrics for quantifying the association of sequence features with gene regulation. *Bioinformatics*, 19(2):212–218, 2003.
- [86] Steve W. Cole, Zoran Galic, and Jerome A. Zack. Controlling false-negative errors in microarray differential expression analysis: A prim approach. *Bioinformatics*, 19(14):1808–1816, 2003.
- [87] Peter A. Covitz, Frank Hartel, Carl Schaefer, Sherri de Coronado, Gilberto Fragoso, Himanso Sahni, Scott Gustafson, and Kenneth H. Buetow. cacore: A common infrastructure for cancer informatics. *Bioinformatics*, 19(18):2404–2412, 2003.
- [88] C.J. Creevey and J.O. McInerney. Crann: Detecting adaptive evolution in protein-coding dna sequences. *Bioinformatics*, 19(13):1726–1726, 2003.
- [89] Chad Creighton and Samir Hanash. Mining gene expression databases for association rules. *Bioinformatics*, 19(1):79–86, 2003.
- [90] James A.R. Dalton, Ioannis Michalopoulos, and David R. Westhead. Calculation of helix packing angles in protein structures. *Bioinformatics*, 19(10):1298–1299, 2003.
- [91] Susmita Datta and Somnath Datta. Comparisons and validation of statistical clustering techniques for microarray gene expression data. *Bioinformatics*, 19(4):459–466, 2003.
- [92] Carsten O. Daub, Sebastian Kloska, and Joachim Selbig. Metagenealyse: Analysis of integrated transcriptional and metabolite data. *Bioinformatics*, 19(17):2332–2333, 2003.
- [93] Doulaye Dembélé and Philippe Kastner. Fuzzy c-means method for clustering microarray data. *Bioinformatics*, 19(8):973–980, 2003.
- [94] T.Z. DeSantis, I. Dubosarskiy, S.R. Murray, and G.L. Andersen. Comprehensive aligned sequence construction for automated design of effective probes (cascade-p) using 16s rdna. *Bioinformatics*, 19(12):1461–1468, 2003.

- [95] Marcel Dettling and Peter Bühlmann. Boosting for tumor classification with gene expression data. *Bioinformatics*, 19(9):1061–1069, 2003.
- [96] J.M. Deutsch. Evolutionary algorithms for finding optimal gene sets in microarray prediction. *Bioinformatics*, 19(1):45–52, 2003.
- [97] Inderjit S. Dhillon, Edward M. Marcotte, and Usman Roshan. Diagonal clustering for identifying anti-correlated gene clusters. *Bioinformatics*, 19(13):1612–1619, 2003.
- [98] Humberto González Díaz, Ronal Ramos de Armas, and Reinaldo Molina. Markovian negentropies in bioinformatics. 1. a picture of footprints after the interaction of the hiv-1 ψ -rna packaging region with drugs. *Bioinformatics*, 19(16):2079–2087, 2003.
- [99] C. Dieterich, R. Herwig, and M. Vingron. Exploring potential target genes of signaling pathways by predicting conserved transcription factor binding sites. *Bioinformatics*, 19(S2):50–56, 2003.
- [100] Polixeni Dimitropoulou and Chris Cannings. Recsim and indstats: Probabilities of identity in general genealogies. *Bioinformatics*, 19(6):790–791, 2003.
- [101] Chris H.Q. Ding. Unsupervised feature selection via two-way ordering in gene expression analysis. *Bioinformatics*, 19(10):1259–1266, 2003.
- [102] Keyue Ding, Kaixin Zhou, Fuchu He, and Yan Shen. Lda — a java-based linkage disequilibrium analyzer. *Bioinformatics*, 19(16):2147–2148, 2003.
- [103] K. Dobbin, J.H. Shih, and R. Simon. Statistical design of reverse dye microarrays. *Bioinformatics*, 19(7):803–810, 2003.
- [104] Pavel B. Dobrokhotov, Cyril Goutte, Anne-Lise Veuthey, and Eric Gaussier. Combining nlp and probabilistic categorisation for document and term selection for swiss-prot medical annotation. *Bioinformatics*, 19(S1):91–94, 2003.
- [105] Alan A. Dombkowski. Disulfide by designTM: A computational method for the rational design of disulfide bonds in proteins. *Bioinformatics*, 19(14):1852–1853, 2003.

- [106] Zsuzsanna Dosztányi, Csaba Magyar, Gábor E. Tusnády, and István Simon. Scide: Identification of stabilization centers in proteins. *Bioinformatics*, 19(7):899–900, 2003.
- [107] I.A. Doytchinova and D.R. Flower. Towards the in silico identification of class ii restricted t-cell epitopes: A partial least squares iterative self-consistent algorithm for affinity prediction. *Bioinformatics*, 19(17):2263–2270, 2003.
- [108] Igor Dozmorov and Michael Centola. An associative analysis of gene expression array data. *Bioinformatics*, 19(2):204–211, 2003.
- [109] Sorin Draghici, Frank Graziano, Samira Kettoola, Ishwar Sethi, and George Towfic. Mining hiv dynamics using independent component analysis. *Bioinformatics*, 19(8):981–986, 2003.
- [110] Sorin Draghici, Olga Kulaeva, Bruce Hoff, Anton Petrov, Soheil Shams, and Michael A. Tainsky. Noise sampling method: An anova approach allowing robust selection of differentially regulated genes measured by dna microarrays. *Bioinformatics*, 19(11):1348–1359, 2003.
- [111] Sorin Drăghici and R. Brian Potter. Predicting hiv drug resistance with neural networks. *Bioinformatics*, 19(1):98–107, 2003.
- [112] O. Dror, H. Benyamin, R. Nussinov, and H. Wolfson. Mass: Multiple structural alignment by secondary structures. *Bioinformatics*, 19(S1):95–104, 2003.
- [113] Sandrine Dudoit and Jane Fridlyand. Bagging to improve the accuracy of a clustering procedure. *Bioinformatics*, 19(9):1090–1099, 2003.
- [114] Anthony L. Duran, Jian Yang, Liangjiang Wang, and Lloyd W. Sumner. Metabolomics spectral formatting, alignment and conversion tools (msfacts). *Bioinformatics*, 19(17):2283–2293, 2003.
- [115] Blythe Durbin and David M. Rocke. Estimation of transformation parameters for microarray data. *Bioinformatics*, 19(11):1360–1367, 2003.
- [116] Robert C. Edgar and Kimmen Sjölander. Satchmo: Sequence alignment and tree construction using hidden markov models. *Bioinformatics*, 19(11):1404–1411, 2003.

- [117] Sverker Edvardsson, Paul P. Gardner, Anthony M. Poole, Michael D. Hendy, David Penny, and Vincent Moulton. A search for h/aca snoranas in yeast using mfe secondary structure prediction. *Bioinformatics*, 19(7):865–873, 2003.
- [118] David Edwards. Non-linear normalization and background correction in one-channel cdna microarray studies. *Bioinformatics*, 19(7):825–833, 2003.
- [119] Gabriel S. Eichler, Sui Huang, and Donald E. Ingber. Gene expression dynamics inspector (gedi): For integrative analysis of expression profiles. *Bioinformatics*, 19(17):2321–2322, 2003.
- [120] F. Enault, K. Suhre, C. Abergel, O. Poirot, and J.-M. Claverie. Annotation of bacterial genomes using improved phylogenomic profiles. *Bioinformatics*, 19(S1):105–107, 2003.
- [121] Kristof Engelen, Bert Coessens, Kathleen Marchal, and Bart de Moor. Maran: Normalizing micro-array data. *Bioinformatics*, 19(7):893–894, 2003.
- [122] Ivan Erill, Marcos Escribano, Susana Campoy, and Jordi Barbé. In silico analysis reveals substantial variability in the gene contents of the gamma proteobacteria lex-a-regulon. *Bioinformatics*, 19(17):2225–2236, 2003.
- [123] Peter Ernst, Karl-Heinz Glatting, and Sándor Suhai. A task framework for the web interface w2h. *Bioinformatics*, 19(2):278–282, 2003.
- [124] Mounir Errami, Christophe Geourjon, and Gilbert Deléage. Detection of unrelated proteins in sequences multiple alignments by using predicted secondary structures. *Bioinformatics*, 19(4):506–512, 2003.
- [125] Z. Fang, K. Cone, H. Sanchez-Villeda, M. Polacco, M. McMullen, S. Schroeder, J. Gardiner, G. Davis, S. Havermann, Y. Yim, I. Vroh Bi, and E. Coe. imap: A database-driven utility to integrate and access the genetic and physical maps of maize. *Bioinformatics*, 19(16):2105–2111, 2003.

- [126] Z. Fang, M. Polacco, S. Chen, S. Schroeder, D. Hancock, H. Sanchez, and E. Coe. cmap: The comparative genetic map viewer. *Bioinformatics*, 19(3):416–417, 2003.
- [127] Kamyar Farahi, William B. Whitman, and Eileen T. Kraemer. Red-t: Utilizing the ratios of evolutionary distances for determination of alternative phylogenetic events. *Bioinformatics*, 19(16):2152–2154, 2003.
- [128] Piero Fariselli, Michele Finelli, Davide Marchignoli, Pier Luigi Martelli, Ivan Rossi, and Rita Casadio. Maxsubseq: An algorithm for segment-length optimization. the case study of the transmembrane spanning segments. *Bioinformatics*, 19(4):500–505, 2003.
- [129] Piero Fariselli, Giacomo Finocchiaro, and Rita Casadio. Speplip: The detection of signal peptide and lipoprotein cleavage sites. *Bioinformatics*, 19(18):2498–2499, 2003.
- [130] J. Lynn Fink, Scott Drewes, Hiren Patel, John B. Welsh, Daniel R. Masys, Jacques Corbeil, and Michael R. Gribskov. 2hapi: A microarray data analysis system. *Bioinformatics*, 19(11):1443–1445, 2003.
- [131] Gábor Firneisz, Idit Zehavi, Csaba Vermes, Anita Hanyecz, Joshua A. Frieman, and Tibor T. Glant. Identification and quantification of disease-related gene clusters. *Bioinformatics*, 19(14):1781–1786, 2003.
- [132] T.B. Fischer, K.V. Arunachalam, D. Bailey, V. Mangual, S. Bakhru, R. Russo, D. Huang, M. Paczkowski, V. Lalchandani, C. Ramachandra, B. Ellison, S. Galer, J. Shapley, E. Fuentes, and J. Tsai. The binding interface database (bid): A compilation of amino acid hot spots in protein interfaces. *Bioinformatics*, 19(11):1453–1454, 2003.
- [133] András Fiser and Andrej Sali. Modloop: Automated modeling of loops in protein structures. *Bioinformatics*, 19(18):2500–2501, 2003.
- [134] Nir Friedman. Probabilistic models for identifying regulation networks. *Bioinformatics*, 19(S2):57–57, 2003.
- [135] Cornelius Frömmel, Christoph Gille, Andrean Goede, Clemens Gröpl, Stefan Hougardy, Till Nierhoff, Robert Preißner, and Martin Thimm. Accelerating screening of 3d protein data with a graph theoretical approach. *Bioinformatics*, 19(18):2442–2447, 2003.

- [136] Razif R. Gabdoulline, René Hoffmann, Florian Leitner, and Rebecca C. Wade. Prosat: Functional annotation of protein 3d structures. *Bioinformatics*, 19(13):1723–1725, 2003.
- [137] Julien Gagneur, David B. Jackson, and Georg Casari. Hierarchical analysis of dependency in metabolic networks. *Bioinformatics*, 19(8):1027–1034, 2003.
- [138] R. Gaizauskas, G. Demetriou, P.J. Artymiuk, and P. Willett. Protein structures and information extraction from biological texts: The pasta system. *Bioinformatics*, 19(1):135–143, 2003.
- [139] Vitaly L. Galinsky. Automatic registration of microarray images. i. rectangular grid. *Bioinformatics*, 19(14):1824–1831, 2003.
- [140] Vitaly L. Galinsky. Automatic registration of microarray images. ii. hexagonal grid. *Bioinformatics*, 19(14):1832–1836, 2003.
- [141] Jorge García de la Nava, Daniel Franco Santaella, Jesús Cuenca Alba, José María Carazo, Oswaldo Trelles, and Alberto Pascual-Montano. Engene: The processing and exploratory analysis of gene expression data. *Bioinformatics*, 19(5):657–658, 2003.
- [142] Jorge García de la Nava, Sacha van Hijum, and Oswaldo Trelles. Prep: Gene expression data pre-processing. *Bioinformatics*, 19(17):2328–2329, 2003.
- [143] I. Gat-Viks and R. Shamir. Chain functions and scoring functions in genetic networks. *Bioinformatics*, 19(S1):108–117, 2003.
- [144] I. Gat-Viks, R. Sharan, and R. Shamir. Scoring clustering solutions by their biological relevance. *Bioinformatics*, 19(18):2381–2389, 2003.
- [145] Sue C. Geller, Jeff P. Gregg, Paul Hagerman, and David M. Rocke. Transformation and normalization of oligonucleotide microarray data. *Bioinformatics*, 19(14):1817–1823, 2003.
- [146] Jason Gertz, Georgiy Elfond, Anna Shustrova, Matt Weisinger, Matteo Pellegrini, Shawn Cokus, and Bruce Rothschild. Inferring protein interactions from phylogenetic distance matrices. *Bioinformatics*, 19(16):2039–2045, 2003.

- [147] Gad Getz and Eytan Domany. Coupled two-way clustering server. *Bioinformatics*, 19(9):1153–1154, 2003.
- [148] Gad Getz, Hilah Gal, Itai Kela, Daniel A. Notterman, and Eytan Domany. Coupled two-way clustering analysis of breast cancer and colon cancer gene expression data. *Bioinformatics*, 19(9):1079–1089, 2003.
- [149] René Gibson and Douglas R. Smith. Genome visualization made fast and simple. *Bioinformatics*, 19(11):1449–1450, 2003.
- [150] Peter J. Giles and David Kipling. Normality of oligonucleotide microarray data and implications for parametric statistical analyses. *Bioinformatics*, 19(17):2254–2262, 2003.
- [151] Christoph Gille, Stephan Lorenzen, Elke Michalsky, and Cornelius Frömmel. Kiss for strap: User extensions for a protein alignment editor. *Bioinformatics*, 19(18):2489–2491, 2003.
- [152] Krzysztof Ginalski, Arne Elofsson, Daniel Fischer, and Leszek Rychlewski. 3d-jury: A simple approach to improve protein structure predictions. *Bioinformatics*, 19(8):1015–1018, 2003.
- [153] M. Ginkel, A. Kremling, T. Nutsch, R. Rehner, and E.D. Gilles. Modular modeling of cellular systems with promot/diva. *Bioinformatics*, 19(9):1169–1176, 2003.
- [154] C.A. Glasbey and P. Ghazal. Combinatorial image analysis of dna microarray features. *Bioinformatics*, 19(2):194–203, 2003.
- [155] Fabian Glaser, Tal Pupko, Inbal Paz, Rachel E. Bell, Dalit Bechor-Shental, Eric Martz, and Nir Ben-Tal. Consurf: Identification of functional regions in proteins by surface-mapping of phylogenetic information. *Bioinformatics*, 19(1):163–164, 2003.
- [156] Nicolas Goffard, Virginie Garcia, Florian Iragne, Alexis Groppi, and Antoine de Daruvar. Ippred: Server for proteins interactions inference. *Bioinformatics*, 19(7):903–904, 2003.
- [157] Antonio Gómez, Nuria Domedel, Juan Cedano, Jaume Piñol, and Enrique Querol. Do current sequence analysis algorithms disclose multifunctional (moonlighting) proteins? *Bioinformatics*, 19(7):895–896, 2003.

- [158] Shawn M. Gomez, William Stafford Noble, and Andrey Rzhetsky. Learning to predict protein-protein interactions from protein sequences. *Bioinformatics*, 19(15):1875–1881, 2003.
- [159] Leo Gordon, Alexey Ya. Chervonenkis, Alex J. Gammerman, Ilham A. Shahmuradov, and Victor V. Solovyev. Sequence alignment kernel for recognition of promoter regions. *Bioinformatics*, 19(15):1964–1971, 2003.
- [160] Kunde Ramamoorthy Govindarajan, Pandjassaram Kangueane, Tin Wee Tan, and Shoba Ranganathan. Mpid: Mhc-peptide interaction database for sequence-structure-function information on peptides binding to mhc molecules. *Bioinformatics*, 19(2):309–310, 2003.
- [161] Catherine Grasso, Michael Quist, Kevin Ke, and Christopher Lee. Poaviz: A partial order multiple sequence alignment visualizer. *Bioinformatics*, 19(11):1446–1448, 2003.
- [162] Richard E. Green, Benjamin P. Lewis, R. Tyler Hillman, Marco Blanchette, Liana F. Lareau, Aaron T. Garnett, Donald C. Rio, and Steven E. Brenner. Widespread predicted nonsense-mediated mrna decay of alternatively-spliced transcripts of human normal and disease genes. *Bioinformatics*, 19(S1):118–121, 2003.
- [163] Sinan Güler, Andreas Eberhart, and Isabel Rojas. Web-based exchange of biochemical information. *Bioinformatics*, 19(13):1730–1731, 2003.
- [164] Xu Guo, Huilin Qi, Catherine M. Verfaillie, and Wei Pan. Statistical significance analysis of longitudinal gene expression data. *Bioinformatics*, 19(13):1628–1635, 2003.
- [165] Lance W. Hahn, Marylyn D. Ritchie, and Jason H. Moore. Multifactor dimensionality reduction software for detecting gene-gene and gene-environment interactions. *Bioinformatics*, 19(3):376–382, 2003.
- [166] E. Halperin, J. Buhler, R. Karp, R. Krauthgamer, and B. Westover. Detecting protein sequence conservation via metric embeddings. *Bioinformatics*, 19(S1):122–129, 2003.

- [167] Thomas Hamelryck and Bernard Manderick. Pdf file parser and structure class implemented in python. *Bioinformatics*, 19(17):2308–2310, 2003.
- [168] Kyungsook Han and Byong-Hyon Ju. A fast layout algorithm for protein interaction networks. *Bioinformatics*, 19(15):1882–1888, 2003.
- [169] Gregory P. Harhay and John W. Keele. Positional candidate gene selection from livestock est databases using gene ontology. *Bioinformatics*, 19(2):249–255, 2003.
- [170] Mark Harris, Jeremy M.R. Martin, John F. Peden, and Christopher J. Rawlings. Snp cherry picker: Maximizing the chance of finding an association with a disease snp. *Bioinformatics*, 19(16):2141–2143, 2003.
- [171] Andrew Harrison, Frances Pearl, Ian Sillitoe, Tim Slidel, Richard Mott, Janet Thornton, and Christine Orengo. Recognizing the fold of a protein structure. *Bioinformatics*, 19(14):1748–1759, 2003.
- [172] Sampsa Hautaniemi, Henrik Edgren, Petri Vesanan, Maija Wolf, Anna-Kaarina Järvinen, Olli Yli-Harja, Jaakko Astola, Olli Kallioniemi, and Outi Monni. A novel strategy for microarray quality control using bayesian networks. *Bioinformatics*, 19(16):2031–2038, 2003.
- [173] Yoshiharu Hayashi, Katsuyoshi Sakaguchi, Mime Kobayashi, Masaki Kobayashi, Yo Kikuchi, and Eiichiro Ichiishi. Molecular evaluation using in silico protein interaction profiles. *Bioinformatics*, 19(12):1514–1523, 2003.
- [174] Morihiro Hayashida, Nobuhisa Ueda, and Tatsuya Akutsu. Inferring strengths of protein-protein interactions from experimental data using linear programming. *Bioinformatics*, 19(S2):58–65, 2003.
- [175] Yudong D. He, Hongyue Dai, Eric E. Schadt, Guy Cavet, Stephen W. Edwards, Sergey B. Stepaniants, Sven Duenwald, Robert Kleinhanz, Allan R. Jones, Daniel D. Shoemaker, and Roland B. Stoughton. Microarray standard data set and figures of merit for comparing data processing methods and experiment designs. *Bioinformatics*, 19(8):956–965, 2003.

- [176] Andreas Heger and Liisa Holm. Sensitive pattern discovery with "fuzzy" alignments of distantly related proteins. *Bioinformatics*, 19(S1):130–137, 2003.
- [177] C. Helma and S. Kramer. A survey of the predictive toxicology challenge 2000-2001. *Bioinformatics*, 19(10):1179–1182, 2003.
- [178] Michael D. Hendy and Barbara R. Holland. Upper bounds on maximum likelihood for phylogenetic trees. *Bioinformatics*, 19(S2):66–72, 2003.
- [179] J. Herrero, R. Díaz-Uriarte, and J. Dopazo. Gene expression data preprocessing. *Bioinformatics*, 19(5):655–656, 2003.
- [180] Maureen Heymans and Ambuj K. Singh. Deriving phylogenetic trees from the similarity analysis of metabolic pathways. *Bioinformatics*, 19(S1):138–146, 2003.
- [181] Aubrey Hill and Helen Kim. The uab proteomics database. *Bioinformatics*, 19(16):2149–2151, 2003.
- [182] Mark Hoebeke, Pierre Nicolas, and Philippe Bessières. Mugen: Simultaneous exploration of multiple genomes and computer analysis results. *Bioinformatics*, 19(7):859–864, 2003.
- [183] Karsten Hokamp, Denis C. Shields, Kenneth H. Wolfe, and Daniel R. Caffrey. Wrapping up blast and other applications for use on unix clusters. *Bioinformatics*, 19(3):441–442, 2003.
- [184] Petter Holme, Mikael Huss, and Hawoong Jeong. Subnetwork hierarchies of biochemical pathways. *Bioinformatics*, 19(4):532–538, 2003.
- [185] I. Holmes. Using guide trees to construct multiple-sequence evolutionary hmms. *Bioinformatics*, 19(S1):147–157, 2003.
- [186] Yair Horesh, Amihood Amir, Shulamit Michaeli, and Ron Unger. A rapid method for detection of putative rnai target genes in genomic data. *Bioinformatics*, 19(S2):73–80, 2003.
- [187] David Horn and Inon Axel. Erratum to "novel clustering algorithm for microarray expression data in a truncated svd space". *Bioinformatics*,

- 19(15):2004–2004, 2003. Originally in Bioinformatics, Vol. 19, 2003, No. 16, 1110-1115.
- [188] David Horn and Inon Axel. Novel clustering algorithm for microarray expression data in a truncated svd space. *Bioinformatics*, 19(9):1110–1115, 2003. see Erratum in Bioinformatics, Vol. 19, 2003, No. 15, 2004-2004.
 - [189] D.S. Horner and G. Pesole. The estimation of relative site variability among aligned homologous protein sequences. *Bioinformatics*, 19(5):600–606, 2003.
 - [190] Yuna Hou, Wynne Hsu, Mong Li Lee, and Christopher Bystroff. Efficient remote homology detection using local structure. *Bioinformatics*, 19(17):2294–2301, 2003.
 - [191] William Hsiao, Ivan Wan, Steven J. Jones, and Fiona S.L. Brinkman. Islandpath: Aiding detection of genomic islands in prokaryotes. *Bioinformatics*, 19(3):418–420, 2003.
 - [192] Ming-Hua Hsieh, Wei-Che Hsu, Sung-Kay Chiu, and Chi-Meng Tzeng. An efficient algorithm for minimal primer set selection. *Bioinformatics*, 19(2):285–286, 2003.
 - [193] Arthur L. Hsu, Sen-Lin Tang, and Saman K. Halgamuge. An unsupervised hierarchical dynamic self-organizing approach to cancer class discovery and marker gene identification in microarray data. *Bioinformatics*, 19(16):2131–2140, 2003.
 - [194] Jinling Huang and Suchendra M. Bhandarkar. A comparison of physical mapping algorithms based on the maximum likelihood model. *Bioinformatics*, 19(11):1303–1310, 2003.
 - [195] Xiaohong Huang and Wei Pan. Linear regression and two-class classification with gene expression data. *Bioinformatics*, 19(16):2072–2078, 2003.
 - [196] Xiaoqiu Huang and Kun-Mao Chao. A generalized global alignment algorithm. *Bioinformatics*, 19(2):228–233, 2003.

- [197] Yihua Huang, Tianyun Ni, Lei Zhou, and Stanley Su. Jxp4bigi: A generalized, java xml-based approach for biological information gathering and integration. *Bioinformatics*, 19(18):2351–2358, 2003.
- [198] M. Hucka, A. Finney, H.M. Sauro, H. Bolouri, J.C. Doyle, H. Kitano, Forum:, the rest of the SBML, A.P. Arkin, B.J. Bornstein, D. Bray, A. Cornish-Bowden, A.A. Cuellar, S. Dronov, E.D. Gilles, M. Ginkel, V. Gor, I.I. Goryanin, W.J. Hedley, T.C. Hodgman, J.-H. Hofmeyr, P.J. Hunter, N.S. Juty, J.L. Kasberger, A. Kremling, U. Kummer, N. le Novère, L.M. Loew, D. Lucio, P. Mendes, E. Minch, E.D. Mjolsness, Y. Nakayama, M.R. Nelson, P.F. Nielsen, T. Sakurada, J.C. Schaff, B.E. Shapiro, T.S. Shimizu, H.D. Spence, J. Stelling, K. Takahashi, M. Tomita, J. Wagner, and J. Wang. The systems biology markup language (sbml): A medium for representation and exchange of biochemical network models. *Bioinformatics*, 19(4):524–531, 2003.
- [199] Alexander K. Hudek, Joseph Cheung, Andrew P. Boright, and Stephen W. Scherer. Genescrypt: Dna sequence annotation pipeline. *Bioinformatics*, 19(9):1177–1178, 2003.
- [200] Johannes Hüsing, Michael Zeschnigk, Tanja Boes, and Karl-Heinz Jöckel. Combining dna expression with positional information to detect functional silencing of chromosomal regions. *Bioinformatics*, 19(18):2335–2342, 2003.
- [201] Dirk Husmeier. Sensitivity and specificity of inferring genetic regulatory interactions from microarray experiments with dynamic bayesian networks. *Bioinformatics*, 19(17):2271–2282, 2003.
- [202] Torgeir R. Hvidsten, Andriy Kryshtafovych, Jan Komorowski, and Krzysztof Fidelis. A novel approach to fold recognition using sequence-derived properties from sets of structurally similar local fragments of proteins. *Bioinformatics*, 19(S2):81–91, 2003. see Erratum in Bioinformatics, Vol. 20, 2004, No. 2, 293-293.
- [203] Torgeir R. Hvidsten, Astrid Lægreid, and Jan Komorowski. Learning rule-based models of biological process from gene expression time profiles using gene ontology. *Bioinformatics*, 19(9):1116–1123, 2003.

- [204] Jason S. Iacovoni. Genehuggers: Database mining and application connectivity tools for subsequence analyses of the human genome. *Bioinformatics*, 19(17):2316–2318, 2003.
- [205] Ioannis Iliopoulos, Sophia Tsoka, Miguel A. Andrade, Anton J. Enright, Mark Carroll, Patrick Poulet, Vassilis Promponas, Theodore Liakopoulos, Giorgos Palaios, Claude Pasquier, Stavros Hamodrakas, Javier Tamames, Asutosh T. Yagnik, Anna Tramontano, Damien Devos, Christian Blaschke, Alfonso Valencia, David Brett, David Martin, Christophe Leroy, Isidore Rigoutsos, Chris Sander, and Christos A. Ouzounis. Evaluation of annotation strategies using an entire genome sequence. *Bioinformatics*, 19(6):717–726, 2003.
- [206] Valentin A. Ilyin, Ursula Pieper, Ashley C. Stuart, Marc A. Marti-Renom, Linda McMahan, and Andrej Sali. Modview, visualization of multiple protein sequences and structures. *Bioinformatics*, 19(1):165–166, 2003.
- [207] Yuval Inbar, Hadar Benyamin, Ruth Nussinov, and Haim J. Wolfson. Protein structure prediction via combinatorial assembly of substructural units. *Bioinformatics*, 19(S1):158–168, 2003.
- [208] Nitin Jain, Jayant Thatte, Thomas Braciale, Klaus Ley, Michael O’Connell, and Jae K. Lee. Local-pooled-error test for identifying differentially expressed genes with a small number of replicated microarrays. *Bioinformatics*, 19(15):1945–1951, 2003.
- [209] Paul Janssen, Anton J. Enright, Benjamin Audit, Ildefonso Cases, Leon Goldovsky, Nicola Harte, Victor Kunin, and Christos A. Ouzounis. Complete genome tracking (cogent): A flexible data environment for computational genomics. *Bioinformatics*, 19(11):1451–1452, 2003.
- [210] L.J. Jensen, R. Gupta, H.-H. Stærfeldt, and S. Brunak. Prediction of human protein function according to gene ontology categories. *Bioinformatics*, 19(5):635–642, 2003.
- [211] Andrew I. Jewett, Conrad C. Huang, and Thomas E. Ferrin. Minrms: An efficient algorithm for determining protein structure similarity using root-mean-squared-distance. *Bioinformatics*, 19(5):625–634, 2003.

- [212] Daniel Johansson, Petter Lindgren, and Anders Berglund. A multivariate approach applied to microarray data for identification of genes with cell cycle-coupled transcription. *Bioinformatics*, 19(4):467–473, 2003.
- [213] Ö. Johansson, W. Alkema, W.W. Wasserman, and J. Lagergren. Identification of functional clusters of transcription factor binding motifs in genome sequences: The mscan algorithm. *Bioinformatics*, 19(S1):169–176, 2003.
- [214] James E. Johnson, Martina V. Stromvik, Kevin A.T. Silverstein, John A. Crow, Elizabeth Shoop, and Ernest F. Retzel. Tableview: Portable genomic data visualization. *Bioinformatics*, 19(10):1292–1293, 2003.
- [215] Jason M. Johnson, Keith Mason, Ciamac Moallemi, Hualin Xi, Shyamal Somaroo, and Enoch S. Huang. Protein family annotation in a multiple alignment viewer. *Bioinformatics*, 19(4):544–545, 2003.
- [216] Rebecka Jörnsten and Bin Yu. Simultaneous gene clustering and subset selection for sample classification via mdl. *Bioinformatics*, 19(9):1100–1109, 2003.
- [217] Byong-Hyon Ju and Kyungsook Han. Complexity management in visualizing protein interaction networks. *Bioinformatics*, 19(S1):177–179, 2003.
- [218] Byong-Hyon Ju, Byungkyu Park, Jong H. Park, and Kyungsook Han. Visualization and analysis of protein interactions. *Bioinformatics*, 19(2):317–318, 2003.
- [219] Atsushi Kajita, Masayuki Yamamura, and Yuji Kohara. Computer simulation of the cellular arrangement using physical model in early cleavage of the nematode *caenorhabditis elegans*. *Bioinformatics*, 19(6):704–716, 2003.
- [220] Georgy P. Karev, Yuri I. Wolf, and Eugene V. Koonin. Simple stochastic birth and death models of genome evolution: Was there enough time for us to evolve? *Bioinformatics*, 19(15):1889–1900, 2003.

- [221] Jyotsna Kasturi, Raj Acharya, and Murali Ramanathan. An information theoretic approach for analyzing temporal patterns of gene expression. *Bioinformatics*, 19(4):449–458, 2003.
- [222] Gerhard Kauer and Helmut Blöcker. Applying signal theory to the analysis of biomolecules. *Bioinformatics*, 19(16):2016–2021, 2003.
- [223] Xiayi Ke and Lon R. Cardon. Efficient selective screening of haplotype tag snps. *Bioinformatics*, 19(2):287–288, 2003.
- [224] Salim Khan, Gang Situ, Keith Decker, and Carl J. Schmidt. Gofigure: Automated gene ontologyTM annotation. *Bioinformatics*, 19(18):2484–2485, 2003.
- [225] Shinichi Kikuchi, Daisuke Tominaga, Masanori Arita, Katsutoshi Takahashi, and Masaru Tomita. Dynamic modeling of genetic networks using genetic algorithm and *s*-system. *Bioinformatics*, 19(5):643–650, 2003.
- [226] J.-D. Kim, T. Ohta, Y. Tateisi, and J. Tsujii. Genia corpus — a semantically annotated corpus for bio-textmining. *Bioinformatics*, 19(S1):180–182, 2003.
- [227] Oliver D. King, Jeffrey C. Lee, Aimée M. Dudley, Daniel M. Janse, George M. Church, and Frederick P. Roth. Predicting phenotype from patterns of annotation. *Bioinformatics*, 19(S1):183–189, 2003.
- [228] Steffen Klamt, Jörg Stelling, Martin Ginkel, and Ernst Dieter Gilles. Fluxanalyzer: Exploring structure, pathways, and flux distributions in metabolic networks on interactive flux maps. *Bioinformatics*, 19(2):261–269, 2003.
- [229] Jacob Köhler, Stephan Philippi, and Matthias Lange. Semeda: Ontology based semantic integration of biological databases. *Bioinformatics*, 19(18):2420–2427, 2003.
- [230] Felix Kokocinski, Gunnar Wrobel, Meinhard Hahn, and Peter Lichter. Quicklims: Facilitating the data management for dna-microarray fabrication. *Bioinformatics*, 19(2):283–284, 2003.

- [231] Ian Korf. Serial blast searching. *Bioinformatics*, 19(12):1492–1496, 2003.
- [232] Andrew Kossenkov, Frank J. Manion, Eugene Korotkov, Thomas D. Moloshok, and Michael F. Ochs. Asap: Automated sequence annotation pipeline for web-based updating of sequence information with a local dynamic database. *Bioinformatics*, 19(5):675–676, 2003.
- [233] Roland Krause, Christian von Mering, and Peer Bork. A comprehensive set of protein complexes in yeast: Mining large scale protein-protein interaction screens. *Bioinformatics*, 19(15):1901–1908, 2003.
- [234] David P. Kreil and Christos A. Ouzounis. Comparison of sequence masking algorithms and the detection of biased protein sequence regions. *Bioinformatics*, 19(13):1672–1681, 2003.
- [235] Bala Krishnamoorthy and Alexander Tropsha. Development of a four-body statistical pseudo-potential to discriminate native from non-native protein conformations. *Bioinformatics*, 19(12):1540–1548, 2003.
- [236] L. Krishnamurthy, J. Nadeau, G. Ozsoyoglu, M. Ozsoyoglu, G. Schaeffer, M. Tasan, and W. Xu. Pathways database system: An integrated system for biological pathways. *Bioinformatics*, 19(8):930–937, 2003.
- [237] V.G. Krishnan and D.R. Westhead. A comparative study of machine-learning methods to predict the effects of single nucleotide polymorphisms on protein function. *Bioinformatics*, 19(17):2199–2209, 2003.
- [238] Victor Kunin and Christos A. Ouzounis. Genetrace-reconstruction of gene content of ancestral species. *Bioinformatics*, 19(11):1412–1416, 2003.
- [239] Andrew T. Kwon, Holger H. Hoos, and Raymond Ng. Inference of transcriptional regulation relationships from gene expression data. *Bioinformatics*, 19(8):905–912, 2003.
- [240] Patrick Lambrix, Manal Habbouche, and Marta Pérez. Evaluation of ontology development tools for bioinformatics. *Bioinformatics*, 19(12):1564–1571, 2003.

- [241] I. Landais, M. Ogliastro, K. Mita, J. Nohata, M. López-Ferber, M. Duonor-Cérutti, T. Shimada, P. Fournier, and G. Devauchelle. Annotation pattern of ests from spodoptera frugiperda sf9 cells and analysis of the ribosomal protein genes reveal insect-specific features and unexpectedly low codon usage bias. *Bioinformatics*, 19(18):2343–2350, 2003.
- [242] R.J. Laws, T.L. Bergemann, F. Quiaoit, and L.P. Zhao. Signalviewer: Analyzing microarray images. *Bioinformatics*, 19(13):1716–1717, 2003.
- [243] Shu-Yun Le, Jih-H. Chen, Danielle Konings, Jr., and Jacob V. Maizel. Discovering well-ordered folding patterns in nucleotide sequences. *Bioinformatics*, 19(3):354–361, 2003.
- [244] Michael LeBlanc, Charles Kooperberg, Thomas M. Grogan, and Thomas P. Miller. Directed indices for exploring gene expression data. *Bioinformatics*, 19(6):686–693, 2003.
- [245] Christopher Lee. Generating consensus sequences from partial order multiple sequence alignment graphs. *Bioinformatics*, 19(8):999–1008, 2003.
- [246] Dong-Yup Lee, Hongsoek Yun, Sunwon Park, and Sang Yup Lee. Metafluxnet: The management of metabolic reaction information and quantitative metabolic flux analysis. *Bioinformatics*, 19(16):2144–2146, 2003.
- [247] Kyeong Eun Lee, Naijun Sha, Edward R. Dougherty, Marina Vannucci, and Bani K. Mallick. Gene selection: A bayesian variable selection approach. *Bioinformatics*, 19(1):90–97, 2003.
- [248] Kyungjoon Lee, Isaac S. Kohane, and Atul J. Butte. Pgagene: Integrating quantitative gene-specific results from the nhlbi programs for genomic applications. *Bioinformatics*, 19(6):778–779, 2003.
- [249] Richard A. Lee, Moe Razaz, and Steven Hayward. The dyndom database of protein domain motions. *Bioinformatics*, 19(10):1290–1291, 2003.

- [250] Yoonkyung Lee and Cheol-Koo Lee. Classification of multiple cancer types by multiclass support vector machines using gene expression data. *Bioinformatics*, 19(9):1132–1139, 2003.
- [251] A. Lefebvre, T. Lecroq, H. Dauchel, and J. Alexandre. Forrepeats: Detects repeats on entire chromosomes and between genomes. *Bioinformatics*, 19(3):319–326, 2003.
- [252] J.F. Lefebvre, N. El-Mabrouk, E. Tillier, and D. Sankoff. Detection and validation of single gene inversions. *Bioinformatics*, 19(S1):190–196, 2003.
- [253] Rasko Leinonen, Francesco Nardone, Olalekan Oyewole, Nicole Redaschi, and Peter Stoehr. The embl sequence version archive. *Bioinformatics*, 19(14):1861–1862, 2003.
- [254] Jacek Leluk, Leszek Konieczny, and Irena Roterman. Search for structural similarity in proteins. *Bioinformatics*, 19(1):117–124, 2003.
- [255] Thomas Lengauer. Analyzing resistance phenomena in hiv with bioinformatics methods. *Bioinformatics*, 19(S2):92–92, 2003.
- [256] Stanley Letovsky and Simon Kasif. Predicting protein function from protein/protein interaction data: A probabilistic approach. *Bioinformatics*, 19(S1):197–204, 2003.
- [257] Jack A.M. Leunissen. Chimera: Construction of chimeric sequences for phylogenetic analysis. *Bioinformatics*, 19(2):303–304, 2003.
- [258] Paul O. Lewis. Ncl: A c++ class library for interpreting data files in nexus format. *Bioinformatics*, 19(17):2330–2331, 2003.
- [259] Matej Lexa and Giorgio Valle. Primex: Rapid identification of oligonucleotide matches in whole genomes. *Bioinformatics*, 19(18):2486–2488, 2003.
- [260] Jinyan Li, Huiqing Liu, James R. Downing, Allen Eng-Juh Yeoh, and Limsoon Wong. Simple rules underlying gene expression profiles of more than six subtypes of acute lymphoblastic leukemia (all) patients. *Bioinformatics*, 19(1):71–78, 2003.

- [261] Jinyan Li, Huiqing Liu, See-Kiong Ng, and Limsoon Wong. Discovery of significant rules for classifying cancer diagnosis data. *Bioinformatics*, 19(S2):93–102, 2003.
- [262] Kuo-Bin Li. Clustalw-mpi: Clustalw analysis using distributed and parallel computing. *Bioinformatics*, 19(12):1585–1586, 2003.
- [263] Shuyu Li, Gene Cutler, Jane Jijun Liu, Timothy Hoey, Liangbiao Chen, Peter G. Schultz, Jiayu Liao, and Xuefeng Bruce Ling. A comparative analysis of hgsc and celera human genome assemblies and gene sets. *Bioinformatics*, 19(13):1597–1605, 2003.
- [264] Wuju Li, Ming Fan, and Momiao Xiong. Samcluster: An integrated scheme for automatic discovery of sample classes using gene expression profile. *Bioinformatics*, 19(7):811–817, 2003.
- [265] Yong Li, Mario G. Rosso, Nicolai Strizhov, Prisca Viehoever, and Bernd Weisshaar. Gabi-kat simplesearch: A flanking sequence tag (fst) database for the identification of t-dna insertion mutants in arabidopsis thaliana. *Bioinformatics*, 19(11):1441–1442, 2003.
- [266] Yaw-Ling Lin, Xiaoqiu Huang, Tao Jiang, and Kun-Mao Chao. Mavg: Locating non-overlapping maximum average segments in a given sequence. *Bioinformatics*, 19(1):151–152, 2003.
- [267] Jens P. Linge, Michael Habeck, Wolfgang Rieping, and Michael Nilges. Aria: Automated noe assignment and nmr structure calculation. *Bioinformatics*, 19(2):315–316, 2003.
- [268] Pietro Liò. Wavelets in bioinformatics and computational biology: State of art and perspectives. *Bioinformatics*, 19(1):2–9, 2003.
- [269] Wei-min Liu, Xiaojun Di, Geoffrey Yang, Hajime Matsuzaki, Jing Huang, Rui Mei, Thomas B. Ryder, Teresa A. Webster, Shoulian Dong, Guoying Liu, Keith W. Jones, Giulia C. Kennedy, and David Kulp. Algorithms for large-scale genotyping microarrays. *Bioinformatics*, 19(18):2397–2403, 2003.
- [270] Xueli Liu and Hans-Georg Müller. Modes and clustering for time-warped gene expression profile data. *Bioinformatics*, 19(15):1937–1944, 2003.

- [271] K. Livingstone and L. Rieseberg. Mendb: A database of polymorphic loci from natural populations. *Bioinformatics*, 19(5):663–664, 2003.
- [272] Rodrigo Lopez, Stephen Robinson, Asif Kibria, Nicola Harte, Gulam Patel, Rob Harper, Emmanuel Quevillon, Ville Silventoinen, Kimmo Kallio, and Petteri Jokinen. The european bioinformatics institute web site: A new view. *Bioinformatics*, 19(4):546–547, 2003.
- [273] P.W. Lord, R.D. Stevens, A. Brass, and C.A. Goble. Investigating semantic similarity measures across the gene ontology: The relationship between sequence and annotation. *Bioinformatics*, 19(10):1275–1283, 2003.
- [274] C. Lottaz, C. Iseli, C.V. Jongeneel, and P. Bucher. Modeling sequencing errors by combining hidden markov models. *Bioinformatics*, 19(S2):103–112, 2003.
- [275] Ari Löytynoja and Michel C. Milinkovitch. A hidden markov model for progressive multiple alignment. *Bioinformatics*, 19(12):1505–1513, 2003.
- [276] Bingwen Lu and Ting Chen. A suffix tree approach to the interpretation of tandem mass spectra: Applications to peptides of non-specific digestion and post-translational modifications. *Bioinformatics*, 19(S2):113–121, 2003.
- [277] Yihui Luan and Hongzhe Li. Clustering of time-course gene expression data using a mixed-effects model with b-splines. *Bioinformatics*, 19(4):474–482, 2003.
- [278] Alexander V. Lukashin, Matvey E. Lukashev, and Rainer Fuchs. Topology of gene expression networks as revealed by data mining and modeling. *Bioinformatics*, 19(15):1909–1916, 2003.
- [279] T. Lütteke, P. Krieg, G. Fürstenberger, and C.-W. von der Lieth. Loxdb — a database on lipoxygenases. *Bioinformatics*, 19(18):2482–2483, 2003.
- [280] Hong-Wu Ma and An-Ping Zeng. The connectivity structure, giant strong component and centrality of metabolic networks. *Bioinformatics*, 19(11):1423–1430, 2003.

- [281] Hongwu Ma and An-Ping Zeng. Reconstruction of metabolic networks from genome data and analysis of their global structure for various organisms. *Bioinformatics*, 19(2):270–277, 2003.
- [282] Stephen F. Madden, Barry O’Donovan, Simon J. Furney, Hugh R. Brady, Guenole Silvestre, and Peter P. Doran. Digital extractor: Analysis of digital differential display output. *Bioinformatics*, 19(12):1594–1595, 2003.
- [283] Paul M. Magwene, Paul Lizardi, and Junhyong Kim. Reconstructing the temporal ordering of biological samples using microarray data. *Bioinformatics*, 19(7):842–850, 2003.
- [284] W.H. Majoros, G.M. Subramanian, and M.D. Yandell. Identification of key concepts in biomedical literature using a modified markov heuristic. *Bioinformatics*, 19(3):402–407, 2003.
- [285] Lee Makowski and Alexei Soares. Estimating the diversity of peptide populations from limited sequence data. *Bioinformatics*, 19(4):483–489, 2003.
- [286] Ketil Malde, Eivind Coward, and Inge Jonassen. Fast sequence clustering using a suffix array algorithm. *Bioinformatics*, 19(10):1221–1226, 2003.
- [287] Gianmaria Mancosu, Giuseppe Ledda, and Paola M. Melis. Pednavigator: A pedigree drawing servlet for large and inbred populations. *Bioinformatics*, 19(5):669–670, 2003.
- [288] Chunhong Mao, John C. Cushman, Gregory D. May, and Jennifer W. Weller. Estap — an automated system for the analysis of est data. *Bioinformatics*, 19(13):1720–1722, 2003.
- [289] Alessandro Marongiu, Paolo Palazzari, and Vittorio Rosato. Designing hardware for protein sequence analysis. *Bioinformatics*, 19(14):1739–1740, 2003.
- [290] Pier Luigi Martelli, Piero Fariselli, and Rita Casadio. An ensemble machine learning approach for the prediction of all-alpha membrane proteins. *Bioinformatics*, 19(S1):205–211, 2003.

- [291] David M.A. Martin, Pamela Hill, Geoffrey J. Barton, and Andrew J. Flavell. Visual representation of database search results: The rhims plot. *Bioinformatics*, 19(8):1037–1038, 2003.
- [292] Jeremy M.R. Martin, Ian J. Mackay, and Christopher J. Rawlings. Ped-strip: Extracting a maximal subset of available, unrelated individuals from a pedigree. *Bioinformatics*, 19(2):291–292, 2003.
- [293] Luis A. Martínez-Cruz, Angel Rubio, María L. Martínez-Chantar, Alberto Labarga, Isabel Barrio, Adam Podhorski, Victor Segura, José L. Sevilla Campo, Matías A. Avila, and Jose M. Mato. Garban: Genomic analysis and rapid biological annotation of cdna microarray and proteomic data. *Bioinformatics*, 19(16):2158–2160, 2003.
- [294] M. Masseroli, P. Cerveri, P.G. Pelicci, and M. Alcalay. Gaas: Gene array analyzer software for management, analysis and visualization of gene expression data. *Bioinformatics*, 19(6):774–775, 2003.
- [295] David R. Mathog. Parallel blast on split databases. *Bioinformatics*, 19(14):1865–1866, 2003.
- [296] Venkatarajan S. Mathura, Catherine H. Schein, and Werner Braun. Identifying property based sequence motifs in protein families and superfamilies: Application to dnase-1 related endonucleases. *Bioinformatics*, 19(11):1381–1390, 2003.
- [297] R. Matthiesen, M. Lundsgaard, K.G. Welinder, and G. Bauw. Interpreting peptide mass spectra by vems. *Bioinformatics*, 19(6):792–793, 2003.
- [298] M.W. Matthiessen. Biowaredb: The biomedical software and database search engine. *Bioinformatics*, 19(17):2319–2320, 2003.
- [299] Eugene M. McCarthy and John F. McDonald. Ltr_struc: A novel search and identification program for ltr retrotransposons. *Bioinformatics*, 19(3):362–367, 2003.
- [300] Liam J. McGuffin and David T. Jones. Improvement of the genthreader method for genomic fold recognition. *Bioinformatics*, 19(7):874–881, 2003.