

References

- [1] G.L. Atkins. Nonlinear regression on a microcomputer: Which program? *Bioinformatics*, 1(2):79–82, 1985.
- [2] R.J. Beynon. Computing in the biological sciences — a survey. *Bioinformatics*, 1(1):7–9, 1985.
- [3] R.J. Beynon. A general purpose non-linear curve fitting program for the british broadcasting corporation microcomputer. *Bioinformatics*, 1(2):111–115, 1985.
- [4] T.N. Bryant, A.G. Capey, and R.C. Berkeley. Microcomputer assisted identification of bacillus species. *Bioinformatics*, 1(1):23–27, 1985.
- [5] C. Burks, J.W. Fickett, W.B. Goad, M. Kanehisa, F.I. Lewitter, W.P. Rindone, C.D. Swindell, C.S. Tung, and H.S. Bilofsky. The genbank nucleic acid sequence database. *Bioinformatics*, 1(4):225–233, 1985.
- [6] L. Burnett, A. Basten, and W.J. Hensley. The seqanal and seqtalk programs: A new method of access to high-resolution nucleotide sequence comparison and analysis programs from a remote laboratory mini- or microcomputer. *Bioinformatics*, 1(4):241–247, 1985.
- [7] L .and A. Basten Burnett and W.J. Hensley. An exhaustive tree-searching algorithm for high-resolution computer-assisted nucleotide sequence analysis. *Bioinformatics*, 1(3):153–160, 1985.
- [8] J.M. Claverie and I. Sauvaget. Assessing the biological significance of primary structure consensus patterns using sequence databanks — i. heat-shock and glucocorticoid control elements in eukaryotic promoters. *Bioinformatics*, 1(2):95–104, 1985.
- [9] F. Dardel. A microcomputer program for comparison and alignment of dna sequence gel readings. *Bioinformatics*, 1(3):173–175, 1985.
- [10] F. Dardel. Pegase: A machine language program for dna sequence analysis on apple ii microcomputer using a binary coding of nucleotides. *Bioinformatics*, 1(1):19–22, 1985.
- [11] R. Franco and E.I. Canela. Computer-based learning of cooperativity and allostery. *Bioinformatics*, 1(3):161–165, 1985.

- [12] P.J. Fraser. Microcomputers and neurobiology: A short review. *Bioinformatics*, 1(4):219–224, 1985.
- [13] M. Gouy, C. Gautier, M. Attimonelli, C. Lanave, and G. di Paola. Ac-nuc — a portable retrieval system for nucleic acid sequence databases: Logical and physical designs and usage. *Bioinformatics*, 1(3):167–172, 1985.
- [14] G.J. Hannon and J.E. Jentoft. Molecular-designer: An interactive program for the display of protein structure on the ibm-pc. *Bioinformatics*, 1(3):177–181, 1985.
- [15] M.R. Kibby. The electronic spreadsheet as a general-purpose programming tool. *Bioinformatics*, 1(2):73–78, 1985.
- [16] G.G. Kneale and M.J. Bishop. Nucleic acid and protein sequence databases. *Bioinformatics*, 1(1):11–17, 1985.
- [17] T.J. Lott, J.H. Yang, J.H. Ye, and D.C. Wallace. The use of microcomputers for the quantitation of light intensity patterns using digitized video signals. *Bioinformatics*, 1(4):249–252, 1985.
- [18] A.C. Maan. Data transfer from beckman ls 5800 liquid scintillation counters to ibm personal computers. *Bioinformatics*, 1(3):183–184, 1985.
- [19] D. Myers and G. Palmer. Microcomputer tools for steady-state enzyme kinetics. *Bioinformatics*, 1(2):105–110, 1985.
- [20] M.T. Nilsson and G.O. Klein. Seq-ed: An interactive computer program for editing, analysis and storage of long dna sequences. *Bioinformatics*, 1(1):29–34, 1985.
- [21] G. Paolella. A fast dna sequence handling program for apple ii computer in basic and 6502 assembler. *Bioinformatics*, 1(1):43–49, 1985.
- [22] G. Paolella and T. Russo. A microcomputer program for the identification of trna genes. *Bioinformatics*, 1(3):149–151, 1985.
- [23] J.A. Peterson. The ibm-pc network: A review of the network and associated programs. *Bioinformatics*, 1(3):143–148, 1985.

- [24] J.A. Peterson. A microcomputer network for biochemistry. *Bioinformatics*, 1(1):3–5, 1985.
- [25] Jr. Roome, P.W., C. Brewer, and J.A. Peterson. An approach to the collection and manipulation of time-based data using the ibm pc and basica. *Bioinformatics*, 1(1):51–54, 1985.
- [26] Manesh Shah, Sergei Passovets, Dongsup Kim, Kyle Ellrott, Li Wang, Inna Vokler, Philip LoCascio, Dong Xu, and Ying Xu. A computational pipeline for protein structure prediction and analysis at genome scale. *Bioinformatics*, 19(15):1985–1996, 2003.
- [27] P.A. Stockwell. Vtutin: A full screen gel management editor. *Bioinformatics*, 1(4):253–259, 1985.
- [28] K. Stuber. Visualization of nucleic acid sequence structural information. *Bioinformatics*, 1(1):35–42, 1985.
- [29] K. Watanabe, Y. Urano, and T. Tamaoki. Optimal alignments of biological sequences on a microcomputer. *Bioinformatics*, 1(2):83–87, 1985.
- [30] M. Wulkan and T.J. Lott. Computer-aided construction of nucleic acid restriction maps using defined vectors. *Bioinformatics*, 1(4):235–239, 1985.
- [31] K. Yamamoto and H. Yoshikura. Computer program for prediction of the optimal and suboptimal secondary structures of long rna molecules. *Bioinformatics*, 1(2):89–94, 1985.