References

[1] H.L. Abbott and A. Liu. On a problem of p. erdős concerning property k. *Combinatorica*, 7(3):215–220, 1987.

[2] N. Alon and R.B. Boppana. The monotone circuit complexity of boolean functions. *Combinatorica*, 7(1):1–22, 1987.

[3] N. Alon, D.J. Kleitman, C. Pomerance, M. Saks, and P. Seymour. The smallest n-uniform hypergraph with positive discrepancy. *Combinatorica*, 7(2):151–160, 1987.

[4] R. Anderson. A parallel algorithm for the maximal path problem. *Combinatorica*, 7(4):315–326, 1987.

[5] I. Bárány. An extension of the erdős-szekeres theorem on large angles. *Combinatorica*, 7(2):161–170, 1987.

[6] M. Bern, M. Klawe, and A. Wong. Bounds on the convex label number of trees. *Combinatorica*, 7(3):221–230, 1987.

[7] R.E. Bixby and C.R. Coullard. Finding a small 3-connected minor maintaining a fixed minor and a fixed element. *Combinatorica*, 7(3):231–242, 1987.

[8] A. Björner, P. Frankl, and R. Stanley. The number of faces of balanced cohen-macaulay complexes and a generalized macaulay theorem. *Combinatorica*, 7(1):23–34, 1987.

[9] B. Bollobás, T.I. Fenner, and A.M. Frieze. An algorithm for finding hamilton cycles in a random graph. *Combinatorica*, 7(4):327–342, 1987.

[10] B. Bollobás and A. Thomason. Threshold functions. *Combinatorica*, 7(1):35–38, 1987.

[11] A. Bouchet. Reducing prime graphs and recognizing circle graphs. *Combinatorica*, 7(3):243–254, 1987.

[12] T.N. Bui, S. Chaudhuri, F.T. Leighton, and M. Sipser. Graph bisection algorithms with good average case behavior. *Combinatorica*, 7(2):171–192, 1987.

[13] A. Dress and L. Lovász. On some combinatorial properties of algebraic matroids. *Combinatorica*, 7(1):39–48, 1987.

[14] P. Feofiloff and D.H. Younger. Directed cut transversal packing for source-sink connected graphs. *Combinatorica*, 7(3):255–264, 1987.

[15] A. Frank and éva Tardos. An application of simultaneous diophantine approximation in combinatorial optimization. *Combinatorica*, 7(1):49–66, 1987.

[16] P. Frankl. On a pursuit game on cayley graphs. *Combinatorica*, 7(1):67–70, 1987.

[17] J. Friedman and N. Pippenger. Expanding graphs contain all small trees. *Combinatorica*, 7(1):71–76, 1987.

[18] A.M. Frieze and B. Jackson. Large holes in sparse random graphs. *Combinatorica*, 7(3):265–274, 1987.

[19] H. Gröflin. On switching path polyhedra. *Combinatorica*, 7(2):193–204, 1987.

[20] J.I. Hall. A local characterization of the johnson scheme. *Combinatorica*, 7(1):77–86, 1987.

[21] S. Jimbo and A. Maruoka. Expanders obtained from affine transformations. *Combinatorica*, 7(4):343–356, 1987.

[22] M. Kano. Maximum and k-th maximal spanning trees of a weighted graph. *Combinatorica*, 7(2):205–214, 1987.

[23] L.A. Levin. One-way functions and pseudorandom generators. *Combinatorica*, 7(4):357–364, 1987.

[24] E.M. Luks. Computing the composition factors of a permutation group in polynomial time. *Combinatorica*, 7(1):87–100, 1987.

[25] D.W. Matula. Expose-and-merge exploration and the chromatic number of random graphs. *Combinatorica*, 7(3):275–284, 1987.

[26] K. Mulmuley. A fast parallel algorithm to compute the rank of a matrix over an arbitrary field. *Combinatorica*, 7(1):101–104, 1987.

[27] K. Mulmuley, U.V. Vazirani, and V.V. Vazirani. Matching is as easy as matrix inversion. *Combinatorica*, 7(1):105–120, 1987.

[28] J.E. Olson. A problem of erdős on abelian groups. *Combinatorica*, 7(3):285–290, 1987.

[29] H.-J. Prömel and B.L. Rotschild. A canonical restricted version of van der waerden's theorem. *Combinatorica*, 7(1):121–130, 1987.

[30] P. Raghavan and C.D. Thompson. Randomized rounding: a technique for provably good algorithms and algorithmic proofs. *Combinatorica*, 7(4):365–374, 1987.

[31] S.S. Sane and M.S. Shrikhande. Quasi-symmetric 2, 3, 4-designs. *Combinatorica*, 7(3):291–302, 1987.

[32] E. Shamir and J. Spencer. Sharp concentration of the chromatic number on random graphs gn, p. *Combinatorica*, 7(1):131–138, 1987.

[33] M. Sharir. Almost linear upper bounds on the length of general davenport-schinzel sequences. *Combinatorica*, 7(1):139–144, 1987.

[34] M. Stiebitz. Subgraphs of colour-critical graphs. *Combinatorica*, 7(3):303–312, 1987.

[35] C. Thomassen. On digraphs with no two disjoint directed cycles. *Combinatorica*, 7(1):145–150, 1987.

[36] U. Vazirani. Strong communication complexity or generating quasirandom sequences from two communicating semi-random sources. *Combinatorica*, 7(4):375–392, 1987.