

References

- [1] Vladmir Baláž, Vladimír Kvasnička, and Jiří Pospíchal. Two metrics in a graph theory modeling of organic chemistry. *Discrete Appl. Math.*, 35:1–19, 1992.
- [2] D. Banković. Certain boolean equations. *Discrete Appl. Math.*, 35:21–27, 1992.
- [3] P. Butkovič and R.A. Cuninghame-Green. An $o(n^2)$ algorithm for the maximum cycle mean of an $n \times n$ bivalent matrix. *Discrete Appl. Math.*, 35:157–162, 1992.
- [4] Mirjana Čangalović and Jan A.M. Schreuder. Modelling and solving an acyclic multi-period timetabling problem. *Discrete Appl. Math.*, 35:177–195, 1992.
- [5] J. Csima and L. Lovász. A matching algorithm for regular bipartite graphs. *Discrete Appl. Math.*, 35:197–203, 1992.
- [6] Peter Damaschke. Distances in cocomparability graphs and their powers. *Discrete Appl. Math.*, 35:67–72, 1992.
- [7] D. de Werra and J. Błażewicz. Some preemptive open shop scheduling problems with a renewable or a nonrenewable resource. *Discrete Appl. Math.*, 35:205–219, 1992. see Addendum in *Discrete Appl. Math.* 43, 103.
- [8] R. Fahrion and G. Dollansky. Construction of university faculty timetables using logic programming techniques. *Discrete Appl. Math.*, 35:221–236, 1992.
- [9] Ulrich Faigle and Rainer Schrader. A greedy reduction algorithm for setup optimization. *Discrete Appl. Math.*, 35:73–79, 1992.
- [10] Jacques A. Ferland and Alain Lavoie. Exchanges procedures for timetabling problems. *Discrete Appl. Math.*, 35:237–253, 1992.
- [11] Wolfgang Gutjahr, Emo Welzl, and Gerhard Woeginger. Polynomial graph-colorings. *Discrete Appl. Math.*, 35:29–45, 1992.

- [12] Wenjie He, Wenchen He, and Suling Xie. Algebraic expressions for kekulé structure counts of nonbranched cata-condensed benzenoid. *Discrete Appl. Math.*, 35:91–106, 1992.
- [13] Tor Hellesest. Legendre sums and codes related to qr codes. *Discrete Appl. Math.*, 35:107–113, 1992.
- [14] Alain Hertz. Finding a feasible course schedule using tabu search. *Discrete Appl. Math.*, 35:255–270, 1992.
- [15] A.J.W. Hilton. Alternating hamiltonian circuits in edge-coloured bipartite graphs. *Discrete Appl. Math.*, 35:271–273, 1992.
- [16] B. Jamison and S. Olariu. A tree representation for p_4 -sparse graphs. *Discrete Appl. Math.*, 35:115–129, 1992.
- [17] N. Katoh. A fully polynomial time approximation scheme for minimum cost-reliability ratio problems. *Discrete Appl. Math.*, 35:143–155, 1992.
- [18] Naoki Katoh. An ε -approximation scheme for combinatorial optimization problems with minimum variance criterion. *Discrete Appl. Math.*, 35:131–141, 1992.
- [19] Naoki Katoh, Junji Koyanagi, Masamitsu Ohnishi, and Toshihide Ibaraki. Optimal strategies for some team games. *Discrete Appl. Math.*, 35:275–291, 1992.
- [20] Shigeru Masuyama. On the tree packing problem. *Discrete Appl. Math.*, 35:163–166, 1992.
- [21] Owen J. Murphy. Computing independent sets in graphs with large girth. *Discrete Appl. Math.*, 35:167–170, 1992.
- [22] Alexander Rosa. On a class of completable partial edge-colourings. *Discrete Appl. Math.*, 35:293–299, 1992.
- [23] Charles T. Ryan. Linear sections of the general linear group: A geometric approach. *Discrete Appl. Math.*, 35:81–86, 1992.
- [24] Jan A.M. Schreuder. Combinatorial aspects of construction of competition dutch professional football leagues. *Discrete Appl. Math.*, 35:301–312, 1992.

- [25] Arabinda Tripathy. Computerised decision aid for timetabling - a case analysis. *Discrete Appl. Math.*, 35:313–323, 1992.
- [26] Stephen J. Willson. Calculating growth rates and moments for additive cellular automata. *Discrete Appl. Math.*, 35:47–65, 1992.