

References

- [1] Brian Alspach, Peter Eades, and Gordon Rose. A lower-bound for the number of productions required for a certain class of languages. *Discrete Appl. Math.*, 6:109–115, 1983.
- [2] Susan F. Assmann and Daniel J. Kleitman. The number of rounds needed to exchange information within a graph. *Discrete Appl. Math.*, 6:117–125, 1983.
- [3] Michael D. Beeler. A new van der waerden number. *Discrete Appl. Math.*, 6:207, 1983.
- [4] Béla Bollobás and Andrew Thomason. Parallel sorting. *Discrete Appl. Math.*, 6:1–11, 1983.
- [5] M.S. Burgin and E.Ya. Gabovich. Equivalence among optimization problems on matrix sets. *Discrete Appl. Math.*, 6:13–24, 1983.
- [6] P.L. Buzytsky and G.A. Freiman. An effective formula for the number of solutions of a system of two 0,1-equations. *Discrete Appl. Math.*, 6:127–133, 1983.
- [7] Margaret B. Cozzens and Fred S. Roberts. Computing the boxicity of a graph by covering its complement by cointerval graphs. *Discrete Appl. Math.*, 6:217–228, 1983.
- [8] N.G. de Bruijn. Denumerations of rooted trees and multisets. *Discrete Appl. Math.*, 6:25–33, 1983.
- [9] J. Demetrovics and Gy. Gyepesi. Some generalized type functional dependencies formalized as equality set on matrices. *Discrete Appl. Math.*, 6:35–47, 1983.
- [10] Dietmar Dorninger and Helmut Länger. An explicit formula for the solution of the fisher-wright selection model in population genetics. *Discrete Appl. Math.*, 6:209–211, 1983.
- [11] R.D. Dutton and R.C. Brigham. A characterization of competition graphs. *Discrete Appl. Math.*, 6:315–317, 1983.

- [12] F. Fogelman, E. Goles, and G. Weisbuch. Transient length in sequential iteration of threshold functions. *Discrete Appl. Math.*, 6:95–98, 1983.
- [13] A.M. Frieze. An extension of christofides heuristic to the k -person travelling salesman problem. *Discrete Appl. Math.*, 6:79–83, 1983.
- [14] Mark K. Goldberg. A nonfactorial algorithm for testing isomorphism of two graphs. *Discrete Appl. Math.*, 6:229–236, 1983.
- [15] Pierre Hansen. Recognizing sign solvable graphs. *Discrete Appl. Math.*, 6:237–241, 1983.
- [16] A.C. Hayes and D.G. Larman. The vertices of the knapsack polytope. *Discrete Appl. Math.*, 6:135–138, 1983.
- [17] Dorit S. Hochbaum. Efficient bounds for the stable set, vertex cover and set packing problems. *Discrete Appl. Math.*, 6:243–254, 1983.
- [18] Tetsuo Ichimori, Hiroaki Ishii, and Toshio Nishida. Two routing problems with the limitation of fuel. *Discrete Appl. Math.*, 6:85–89, 1983.
- [19] Rolf G. Karlsson and Patricio V. Poblete. An $o(m \log \log d)$ algorithm for shortest paths. *Discrete Appl. Math.*, 6:91–93, 1983.
- [20] Manohar Lal Kaushik. Comments on “ a note on reed-muller codes”. *Discrete Appl. Math.*, 6:213–214, 1983.
- [21] Daniel J. Kleitman and Robert A. Lew. An algorithm for collapsing sign alternating sequences of real numbers. *Discrete Appl. Math.*, 6:49–53, 1983.
- [22] Renu Laskar and Douglas Shier. On powers and centers of chordal graphs. *Discrete Appl. Math.*, 6:139–147, 1983.
- [23] Chien-Hua M. Lin and Harvey M. Salkin. An efficient algorithm for the complete set partitioning problem. *Discrete Appl. Math.*, 6:149–156, 1983.
- [24] J. Richard Lundgren and John S. Maybee. A characterization of graphs of competition number m . *Discrete Appl. Math.*, 6:319–322, 1983.

- [25] Christoph Maas. Some results about the interval number of a graph. *Discrete Appl. Math.*, 6:99–102, 1983.
- [26] George Markowsky and Andrew Wohlgemuth. Intersection-union systems. *Discrete Appl. Math.*, 6:255–262, 1983.
- [27] Willi Maurer. Bivalent trees and forests or upper bounds for the probability of a union revisited. *Discrete Appl. Math.*, 6:157–171, 1983.
- [28] I. Mori hara, T. Ibaraki, and T. Hasegawa. Bin packing and multiprocessor scheduling problems with side constraint on job types. *Discrete Appl. Math.*, 6:173–191, 1983.
- [29] Haruko Okamura. Multicommodity flows in graphs. *Discrete Appl. Math.*, 6:55–62, 1983.
- [30] Savetopluk Poljak, Aleš Pultr, and Voljtečh Rödl. On qualitatively independent partitions and related problems. *Discrete Appl. Math.*, 6:193–205, 1983.
- [31] Fred S. Roberts and Jeffrey E. Steif. A characterization of competition graphs of arbitrary digraphs. *Discrete Appl. Math.*, 6:323–326, 1983.
- [32] Marc Roubens and Philippe Vincke. Linear orders and semiorders close to an interval order. *Discrete Appl. Math.*, 6:311–314, 1983.
- [33] G. Rozenberg and R. Verraedt. The goodness of $\{S, a\}$ -e0l forms is decidable. *Discrete Appl. Math.*, 6:263–299, 1983.
- [34] Rainer Schrader. Approximations to clustering and subgraph problems on trees. *Discrete Appl. Math.*, 6:301–309, 1983.
- [35] Toshimasa Watanabe, Tadashi Ae, and Akira Nakamura. On the np-hardness of edge-deletion and -contraction problems. *Discrete Appl. Math.*, 6:63–78, 1983.