

References

- [1] Thomas Andreae, Martin Hintz, Michael Nölle, Gerald Schreiber, and Gerald W. Schuster Hajo Seng. Cartesian products of graphs as subgraphs of de bruijn graphs of dimension at least three. *Discrete Appl. Math.*, 79(1-3):3–34, 1997.
- [2] D. Bauer, J. van den Heuvel, A. Morgana, and E. Schmeichel. The complexity of recognizing tough cubic graphs. *Discrete Appl. Math.*, 79(1-3):35–44, 1997.
- [3] Hans L. Bodlaender and Dimitrios M. Thilikos. Treewidth for graphs with small chordality. *Discrete Appl. Math.*, 79(1-3):45–61, 1997.
- [4] Stephan Brandt. A sufficient condition for all short cycles. *Discrete Appl. Math.*, 79(1-3):63–66, 1997.
- [5] Elias Dahlhaus, Jan Kratochvíl, Paul D. Manuel, and Mirka Miller. Transversal partitioning in balanced hypergraphs. *Discrete Appl. Math.*, 79(1-3):75–89, 1997.
- [6] Peter Dankelmann, Henda C. Swart, and Ortrud R. Oellermann. On the average steiner distance of graphs with prescribed properties. *Discrete Appl. Math.*, 79(1-3):91–103, 1997.
- [7] Theo S.H. Driessen. Tree enterprises and bankruptcy ventures — a game theoretic similarity due to a graph theoretic proof. *Discrete Appl. Math.*, 79(1-3):105–117, 1997.
- [8] Yubao Guo. Spanning local tournaments in locally semicomplete digraphs. *Discrete Appl. Math.*, 79(1-3):119–125, 1997.
- [9] Yubao Guo and Lutz Volkmann. Bypaths in tournaments. *Discrete Appl. Math.*, 79(1-3):127–135, 1997.
- [10] Min-Jen Jou and Gerard J. Chang. Maximal independent sets in graphs with at most one cycle. *Discrete Appl. Math.*, 79(1-3):67–73, 1997.
- [11] Anuj Mehrotra. Cardinality constrained boolean quadratic polytope. *Discrete Appl. Math.*, 79(1-3):137–154, 1997.

- [12] Thomas Niessen. Optimal channel allocation for several types of cellular radio networks. *Discrete Appl. Math.*, 79(1-3):155–170, 1997.
- [13] Andreas Parra and Petra Scheffler. Characterizations and algorithmic applications of chordal graph embeddings. *Discrete Appl. Math.*, 79(1-3):171–188, 1997.
- [14] Annette Schelten and Ingo Schiermeyer. Ramsey numbers $r(k_3, g)$ for connected graphs g of order seven. *Discrete Appl. Math.*, 79(1-3):189–200, 1997.
- [15] Uwe Schelten and Ingo Schiermeyer. Small cycles in hamiltonian graphs. *Discrete Appl. Math.*, 79(1-3):201–211, 1997.
- [16] Rainer Schrader and Georg Wambach. The setup polyhedron of series-parallel posets. *Discrete Appl. Math.*, 79(1-3):213–221, 1997.
- [17] Anand Srivastav and Peter Stangier. Tight approximations for resource constrained scheduling and bin packing. *Discrete Appl. Math.*, 79(1-3):223–245, 1997.
- [18] Zs. Tuza and M. Voigt. List colorings and reducibility. *Discrete Appl. Math.*, 79(1-3):247–256, 1997.
- [19] Hansjoachim Walther. Polyhedral graphs without hamiltonian cycles. *Discrete Appl. Math.*, 79(1-3):257–263, 1997.
- [20] P. Wittmann. Vertex-distinguishing edge-colorings of 2-regular graphs. *Discrete Appl. Math.*, 79(1-3):265–277, 1997.
- [21] A. Paweł Wojda and Małgorzata Zwonek. Coloring edges of self-complementary graphs. *Discrete Appl. Math.*, 79(1-3):279–284, 1997.