

References

- [1] Claudio Arbib, Dario Pacciarelli, and Stefano Smriglio. A three-dimensional matching model for perishable production scheduling. *Discrete Appl. Math.*, 92(1):1–15, 1999.
- [2] Ulrik Brandes, Wolfram Schlickerrieder, Gabriele Neyer, Dorothea Wagner, and Karsten Weihe. Planet — a software package of algorithms and heuristics for disjoint paths in *planar networks*. *Discrete Appl. Math.*, 92(2-3):91–110, 1999.
- [3] Alberto Caprara and Juan José Salazar González. Separating lifted odd-hole inequalities to solve the index selection problem. *Discrete Appl. Math.*, 92(2-3):111–134, 1999.
- [4] Soo Y. Chang and Hark-Chin Hwang. The worst-case analysis of the multifit algorithm for scheduling nonsimultaneous parallel machines. *Discrete Appl. Math.*, 92(2-3):135–147, 1999.
- [5] Jürgen Dassow and Gheorghe Păun. On the regularity of languages generated by context-free evolutionary grammars. *Discrete Appl. Math.*, 92(2-3):205–209, 1999.
- [6] Hikoe Enomoto, Miki Shimabara Miyauchi, and Katsuhiko Ota. Lower bounds for the number of edge-crossings over the spine in a topological book embedding of a graph. *Discrete Appl. Math.*, 92(2-3):149–155, 1999.
- [7] Satoru Fujishige and Satoru Iwata. Minimizing a submodular function arising from a concave function. *Discrete Appl. Math.*, 92(2-3):211–215, 1999.
- [8] Venkatesan Guruswami. Maximum cut on line and total graphs. *Discrete Appl. Math.*, 92(2-3):217–221, 1999.
- [9] Jeffrey Jackson, Eli Shamir, and Clara Shwartzman. Learning with queries corrupted by classification noise. *Discrete Appl. Math.*, 92(2-3):157–175, 1999.

- [10] Masahiro Miyakawa, Akihiro Nozaki, Grant Pogosyan, and Ivo G. Rosenberg. A map from the lower-half of the n -cube onto the $(n - 1)$ -cube which preserves intersecting antichains. *Discrete Appl. Math.*, 92(2-3):223–228, 1999.
- [11] Raffaele Mosca. Stable sets in certain p_6 -free graphs. *Discrete Appl. Math.*, 92(2-3):177–191, 1999.
- [12] Ján Plesník. Constrained weighted matchings and edge coverings in graphs. *Discrete Appl. Math.*, 92(2-3):229–241, 1999.
- [13] Mathieu Raffinot. Asymptotic estimation of the average number of terminal states in dawgs. *Discrete Appl. Math.*, 92(2-3):193–203, 1999.
- [14] R.A. Sitters. A short proof of a conjecture on the t_r -choice number of even cycles. *Discrete Appl. Math.*, 92(2-3):243–246, 1999.
- [15] L.G. Tallini and U. Vaccaro. Efficient m -ary balanced codes. *Discrete Appl. Math.*, 92(1):17–56, 1999.
- [16] Feng Tian, Bing Wei, and Lei Zhang. Hamiltonicity in 3-domination-critical graphs with $\alpha = \delta + 2$. *Discrete Appl. Math.*, 92(1):57–70, 1999.
- [17] Gerhard J. Woeginger. Sensitivity analysis for knapsack problems: Another negative result. *Discrete Appl. Math.*, 92(2-3):247–251, 1999.
- [18] Fuji Zhang and Huaien Li. On acyclic conjugated molecules with minimal energies. *Discrete Appl. Math.*, 92(1):71–84, 1999.