

References

- [1] Thomas Andreae. A ternary search problem on graphs. *Discrete Appl. Math.*, 23:1–10, 1989.
- [2] Stefan Arnborg and Andrzej Proskurowski. Linear time algorithms for np-hard problems restricted to partial k -trees. *Discrete Appl. Math.*, 23:11–24, 1989.
- [3] D. Arquès. Combinatoire des mots et étude quantitative de la sérialisabilité: Application à la concurrence d'accès à une base de données. *Discrete Appl. Math.*, 24:3–23, 1989.
- [4] David W. Ash, Ian F. Blake, and Scott A. Vanstone. Low complexity normal bases. *Discrete Appl. Math.*, 25:191–210, 1989.
- [5] Larry Aupperle and J. Mark Keil. Polynomial algorithms for restricted euclidean p -centre problems. *Discrete Appl. Math.*, 23:25–31, 1989.
- [6] Egon Balas and Matthew J. Saltzman. Facets of the three-index assignment polytope. *Discrete Appl. Math.*, 23:201–229, 1989.
- [7] C. Berge. A new color change to improve the coloring of a graph. *Discrete Appl. Math.*, 24:25–28, 1989.
- [8] F. Bergeron. Algorithms for sequential generation of combinatorial structures. *Discrete Appl. Math.*, 24:29–35, 1989.
- [9] Anselm Blumer, Andrzej Ehrenfeucht, and David Haussler. Average sizes of suffix trees and dawgs. *Discrete Appl. Math.*, 24:37–45, 1989.
- [10] Anselm Blumer and Nick Littlestone. Learning faster than promised by the vapnik-chervonenkis dimension. *Discrete Appl. Math.*, 24:47–53, 1989.
- [11] André Bouchet. Matchings and δ -matroids. *Discrete Appl. Math.*, 24:55–62, 1989.
- [12] Jean-Marie Bourjolly and William R. Pulleyblank. König-egerváry graphs, 2-bicritical graphs and fractional matchings. *Discrete Appl. Math.*, 24:63–82, 1989.

- [13] Srećko Brlek. Enumeration of factors in the thue-morse word. *Discrete Appl. Math.*, 24:83–96, 1989.
- [14] Richard A. Brualdi and Vera S. Pless. Polyadic codes. *Discrete Appl. Math.*, 25:3–17, 1989.
- [15] W. Bucher. On the generation of powers by os schemes. *Discrete Appl. Math.*, 23:33–43, 1989.
- [16] Peter Butkovič and Ján Plávka. On the dependence of the maximum cycle mean of a matrix on permutations of the rows and columns. *Discrete Appl. Math.*, 23:45–53, 1989.
- [17] Charles Cable, Kathryn F. Jones, J. Richard Lundgren, and Suzanne Seager. Niche graphs. *Discrete Appl. Math.*, 23:231–241, 1989.
- [18] Kathie Cameron. Induced matchings. *Discrete Appl. Math.*, 24:97–102, 1989.
- [19] Renato M. Capocelli and Ugo Vaccaro. Structure of decoders for multi-valued encodings. *Discrete Appl. Math.*, 23:55–71, 1989.
- [20] J.-M. Champarnaud and J.-E. Pin. A maxmin problem on finite automata. *Discrete Appl. Math.*, 23:91–96, 1989.
- [21] Soo Y. Chang and Katta G. Murty. The steepest descent gravitational method for linear programming. *Discrete Appl. Math.*, 25:211–239, 1989.
- [22] Jian-er Chen. A new complete language for $d\text{space}(\log n)$. *Discrete Appl. Math.*, 25:19–26, 1989.
- [23] Gérard Cohen and Gábor Simonyi. Coding for write-unidirectional memories and conflict resolution. *Discrete Appl. Math.*, 24:103–114, 1989.
- [24] Karen L. Collins. On a conjecture of graham and lovász about distance matrices. *Discrete Appl. Math.*, 25:27–35, 1989.
- [25] Nachum Dershowitz and Shmuel Zaks. Patterns in trees. *Discrete Appl. Math.*, 25:241–255, 1989.

- [26] M.R. Emamy. The worst case behavior of a greedy algorithm for a class of pseudo-boolean functions. *Discrete Appl. Math.*, 23:285–287, 1989.
- [27] P. Erdős and A. Hajnal. Ramsey-type theorems. *Discrete Appl. Math.*, 25:37–52, 1989.
- [28] Herbert Fleischner. Elementary proofs of (relatively) recent characterizations of eulerian graphs. *Discrete Appl. Math.*, 24:115–119, 1989.
- [29] Aviezri S. Fraenkel and Mordechai Lorberbom. Epidemiography with various growth functions. *Discrete Appl. Math.*, 25:53–71, 1989.
- [30] Shmuel Friedland. Coherent algebras and the graph isomorphism problem. *Discrete Appl. Math.*, 25:73–98, 1989.
- [31] Irène Guessarian. Fixpoint strategies for deductive databases. *Discrete Appl. Math.*, 24:121–131, 1989.
- [32] Lucien Haddad and I.G. Rosenberg. Maximal partial clones determined by the areflexive relations. *Discrete Appl. Math.*, 24:133–143, 1989.
- [33] Jr. Hall, Marshall. Codes and matrices in studies on designs. *Discrete Appl. Math.*, 24:145–152, 1989.
- [34] Pentti Hämäläinen. The absolute center of a unicyclic network. *Discrete Appl. Math.*, 25:311–315, 1989.
- [35] Y.O. Hamidoune. Factorisations courtes dans un groupe fini. *Discrete Appl. Math.*, 24:153–165, 1989.
- [36] Simone Hazan. Tc operations and latin bricks. *Discrete Appl. Math.*, 24:167–177, 1989.
- [37] M.C. Heydemann, J.C. Meyer, and D. Sotteau. On forwarding indices of networks. *Discrete Appl. Math.*, 23:103–123, 1989.
- [38] Nathalie Homobono and Claudine Peyrat. Fault-tolerant routings in kautz and de bruijn networks. *Discrete Appl. Math.*, 24:179–186, 1989.
- [39] M. Ito, H. Jürgensen, H.J. Shyr, and G. Thierrin. Anti-commutative languages and n -codes. *Discrete Appl. Math.*, 24:187–196, 1989.

- [40] R.G. Jeroslow. Representability of functions. *Discrete Appl. Math.*, 23:125–137, 1989.
- [41] W.M. Kantor. Some cayley graphs for simple groups. *Discrete Appl. Math.*, 25:99–104, 1989.
- [42] Louis H. Kauffman. A tutte polynomial for signed graphs. *Discrete Appl. Math.*, 25:105–127, 1989.
- [43] Peter Kirschenhofer, Helmut Prodinger, and Wojciech Szpankowski. On the variance of the external path length in a symmetric digital trie. *Discrete Appl. Math.*, 25:129–143, 1989.
- [44] Jean-Claude König. Extensions de réseaux de connexité donnée. *Discrete Appl. Math.*, 24:197–211, 1989.
- [45] Hugo Krawczyk and Azaria Paz. The diophantine problem of frobenius: A close bound. *Discrete Appl. Math.*, 23:289–291, 1989.
- [46] Roger Labahn. Extremal broadcasting problems. *Discrete Appl. Math.*, 23:139–155, 1989.
- [47] Jacques Labelle and Yeong-Nan Yeh. Dyck paths of knight moves. *Discrete Appl. Math.*, 24:213–221, 1989.
- [48] Donna Crystal Llewellyn, Craig Tovey, and Michael Trick. Local optimization on graphs. *Discrete Appl. Math.*, 23:157–178, 1989. see Erratum in *Discrete Appl. Math.*, Vol. 46, 93-94.
- [49] Michael G. Main. Detecting leftmost maximal periodicities. *Discrete Appl. Math.*, 25:145–153, 1989.
- [50] Fillia Makedon and Ivan Hal Sudborough. On minimizing width in linear layouts. *Discrete Appl. Math.*, 23:243–265, 1989.
- [51] Masahiro Miyakawa and Ivan Stojmenović. Classification of p_{k2} . *Discrete Appl. Math.*, 23:179–192, 1989.
- [52] Yehoshua Perl. Better understanding of batcher’s merging networks. *Discrete Appl. Math.*, 25:257–271, 1989.

- [53] Nicholas Pippenger. Knots in random walks. *Discrete Appl. Math.*, 25:273–278, 1989.
- [54] S.S. Ravi. On the orderability problem for pla folding. *Discrete Appl. Math.*, 25:317–320, 1989.
- [55] Moshe Rosenfeld. On spanning subgraphs of 4-connected planar graphs. *Discrete Appl. Math.*, 25:279–287, 1989.
- [56] N. Saheb. Concurrency measure in commutation monoids. *Discrete Appl. Math.*, 24:223–236, 1989.
- [57] Edward R. Scheinerman and John C. Wierman. Optimal and near-optimal broadcast in random graphs. *Discrete Appl. Math.*, 25:289–297, 1989.
- [58] Xiaojun Shen, Y.Z. Cai, C.L. Liu, and Clyde P. Kruskal. Generalized latin squares i. *Discrete Appl. Math.*, 25:155–178, 1989.
- [59] Wei-Kuan Shih and Wen-Lian Hsu. An $o(n^{1.5})$ algorithm to color proper circular arcs. *Discrete Appl. Math.*, 25:321–323, 1989.
- [60] Randy Shull, James B. Orlin, Alan Shuchat, and Marianne L. Gardner. The structure of bases in bicircular matroids. *Discrete Appl. Math.*, 23:267–283, 1989.
- [61] Rodica E. Simion. Finite automata for languages of combinatorial interest: An order theoretical point of view. *Discrete Appl. Math.*, 24:237–246, 1989.
- [62] Dan A. Simovici and Corina Reischer. An algebraic point of view of the data structures of database systems. *Discrete Appl. Math.*, 24:247–260, 1989.
- [63] Vijay V. Vazirani and Mihalis Yannakakis. Pfaffian orientations, 0-1 permanents, and even cycles in directed graphs. *Discrete Appl. Math.*, 25:179–190, 1989.
- [64] A. Vince. Scheduling periodic events. *Discrete Appl. Math.*, 25:299–310, 1989.

- [65] Stanislaw Zdrzałka and Józef Grabowski. An algorithm for single machine sequencing with release dates to minimize maximum cost. *Discrete Appl. Math.*, 23:73–89, 1989.
- [66] Gilles Zemor. On positive and negative atoms of cayley digraphs. *Discrete Appl. Math.*, 23:193–195, 1989.