References

[1] F. Aurenhammer. A relationship between gale transforms and voronoi diagrams. *Discrete Appl. Math.*, 28:83–91, 1990.

[2] D. Bauer, S.L. Hakimi, and E. Schmeichel. Recognizing tough graphs is np-hard. *Discrete Appl. Math.*, 28:191–195, 1990.

[3] J. Błażewicz, M. Drozdowski, G. Schmidt, and D. de Werra. Scheduling independent two processor tasks on a uniform duo-processor system. *Discrete Appl. Math.*, 28:11–20, 1990.

[4] E. Andrew Boyd and Ulrich Faigle. An algorithmic characterization of antimatroids. *Discrete Appl. Math.*, 28:197–205, 1990.

[5] Rainer E. Burkard and En-Yu Yao. Constrained partitioning problems. *Discrete Appl. Math.*, 28:21–34, 1990. see Erratum in Discrete Appl. Math., Vol. 46, 185.

[6] R.S. Chang and R.C.T. Lee. On the continuous working problem. *Discrete Appl. Math.*, 28:93–109, 1990.

[7] Peter Eades and Nicholas C. Wormald. Fixed edge-length graph drawing is np-hard. *Discrete Appl. Math.*, 28:111–134, 1990.

[8] Zoltán Füredi. Perfect error-correcting databases. *Discrete Appl. Math.*, 28:171–176, 1990.

[9] Peter L. Hammer, Uri N. Peled, and Xiaorong Sun. Difference graphs. *Discrete Appl. Math.*, 28:35–44, 1990.

[10] Dorit S. Hochbaum and Ron Shamir. Minimizing the number of tardy job units under release time constraints. *Discrete Appl. Math.*, 28:45–57, 1990.

[11] Adam Idzik. Communication in m-connected graphs. *Discrete Appl. Math.*, 28:297–301, 1990.

[12] Michael A. Langston and Michael P. Morford. Resource allocation under limited sharing. *Discrete Appl. Math.*, 28:135–147, 1990.

[13] Jon Lee. Canonical equation sets for classes of concordant polytopes. *Discrete Appl. Math.*, 28:207–221, 1990.

[14] John W. Mamer and Kenneth E. Schilling. On the growth of random knapsacks. *Discrete Appl. Math.*, 28:223–230, 1990.

[15] Silvano Martello and Paolo Toth. Lower bounds and reduction procedures for the bin packing problem. *Discrete Appl. Math.*, 28:59–70, 1990.

[16] Masahiro Miyakawa, Ivo G. Rosenberg, and Ivan Stojmenović. Classification of three-valued logical functions preserving 0. *Discrete Appl. Math.*, 28:231–249, 1990.

[17] Moni Naor. Succinct representation of general unlabeled graphs. *Discrete Appl. Math.*, 28:303–307, 1990.

[18] Charles T. Ryan and Kevin M. Ryan. The minimum weight of the grassmann codes $c(k, n)$. *Discrete Appl. Math.*, 28:149–156, 1990.

[19] Jennifer Ryan. The structure of an integral monoid and integer programming feasibility. *Discrete Appl. Math.*, 28:251–263, 1990.

[20] Suzanne M. Seager. The double competition number of some triangle-free graphs. *Discrete Appl. Math.*, 28:265–269, 1990.

[21] Gérald E. Séguin. Low complexity normal bases for $f_{2^{mn}}$. *Discrete Appl. Math.*, 28:309–312, 1990.

[22] Annelie von Arnim, Ulrich Faigle, and Rainer Schrader. The permutahedron of series-parallel posets. *Discrete Appl. Math.*, 28:3–9, 1990.

[23] Zhixiong Wang. The solution of a nonlinear partial difference equation. *Discrete Appl. Math.*, 28:177–181, 1990.

[24] Toshimasa Watanabe and Akira Nakamura. A smallest augmentation to 3-connect a graph. *Discrete Appl. Math.*, 28:183–186, 1990.

[25] Marcelo J. Weinberger and Abraham Lempel. Factorization of symmetric circulant matrices in finite fields. *Discrete Appl. Math.*, 28:271–285, 1990.

[26] Heiko Wittenberg. Local medians in chordal graphs. *Discrete Appl. Math.*, 28:287–296, 1990.

[27] Feng Yang and Ding-Zhu Du. The complexity of determinacy problem on group testing. *Discrete Appl. Math.*, 28:71–81, 1990.

[28] Zhuocheng Yang. On optimal strategies for a betting game. *Discrete Appl. Math.*, 28:157–169, 1990.