References

[1] C.K. Bailey, J.W. Kennedy, and E.M. Palmer. Points by degree and orbit size in chemical trees, ii. *Discrete Appl. Math.*, 5:157–164, 1983.

[2] E. Balas. Erratum to "disjunctive programming". *Discrete Appl. Math.*, 5:247–248, 1983. Originally in Discrete Optimization II. Ann. Discr. Math., Vol. 5, 3-51.

[3] E.M.L. Beale. A mathematical programming model for the long-term development of an off-shore gas field. *Discrete Appl. Math.*, 5:1–9, 1983.

[4] J. Błażewicz, J.K. Lenstra, and A.H.G. Rinnooy Kan. Scheduling subject to resource constraints: Classification and complexity. *Discrete Appl. Math.*, 5:11–24, 1983.

[5] T.B. Boffey and J.R. Green. Design of electricity supply networks. *Discrete Appl. Math.*, 5:25–38, 1983.

[6] P.M. Camerini, G. Galbiati, and F. Maffioli. On the complexity of finding multi-constrained spanning trees. *Discrete Appl. Math.*, 5:39–50, 1983.

[7] V. Chvátal. On the bicycle problem. *Discrete Appl. Math.*, 5:165–173, 1983.

[8] M. Davio and C. Ronse. Rotator design. *Discrete Appl. Math.*, 5:253–277, 1983.

[9] C.S. Edwards and C.H. Elphick. Lower bounds for the clique and the chromatic numbers of a graph. *Discrete Appl. Math.*, 5:51–64, 1983.

[10] M.L. Fisher, B.J. Lageweg, J.K. Lenstra, and A.H.G. Rinnooy Kan. Surrogate duality relaxation for job shop scheduling. *Discrete Appl. Math.*, 5:65–75, 1983.

[11] John Franco and Marvin Paull. Probabilistic analysis of the davis putnam procedure for solving the satisfiability problem. *Discrete Appl. Math.*, 5:77–87, 1983.

[12] A.M. Frieze and J. Yadegar. On the quadratic assignment problem. *Discrete Appl. Math.*, 5:89–98, 1983.

[13] Satoru Fujishige. Canonical decompositions of symmetric submodular systems. *Discrete Appl. Math.*, 5:175–190, 1983.

[14] A.M.A. Hariri and C.N. Potts. An algorithm for single machine sequencing with release dates to minimize total weighted completion time. *Discrete Appl. Math.*, 5:99–109, 1983.

[15] Robert W. Irving. Np-completeness of a family of graph-colouring problems. *Discrete Appl. Math.*, 5:111–117, 1983.

[16] Juhani Karhumäki. On cube-free ω-words generated by binary morphisms. *Discrete Appl. Math.*, 5:279–297, 1983.

[17] Juhani Karhumäki and Matti Linna. A note on morphic characterization of languages. *Discrete Appl. Math.*, 5:243–246, 1983.

[18] John W. Kennedy and Louis V. Quintas. Extremal f-trees and embedding spaces for molecular graphs. *Discrete Appl. Math.*, 5:191–209, 1983.

[19] Tohru Kikuno, Noriyoshi Yoshida, and Yoshiaki Kakuda. A linear algorithm for the domination number of a series-parallel graph. *Discrete Appl. Math.*, 5:299–311, 1983.

[20] Anthony Mansfield. On the computational complexity of a merge recognition problem. *Discrete Appl. Math.*, 5:119–122, 1983.

[21] Colin McDiarmid. On the chromatic forcing number of a random graph. *Discrete Appl. Math.*, 5:123–132, 1983.

[22] Takao Nishizeki, Takao Asano, and Takahiro Watanabe. An approximation algorithm for the hamiltonian walk problem on maximal planar graphs. *Discrete Appl. Math.*, 5:211–222, 1983.

[23] Helmut Prodinger and Friedrich J. Urbanek. On monotone functions of tree structures. *Discrete Appl. Math.*, 5:223–239, 1983.

[24] Arun K. Pujari, Ashok K. Mittal, and S.K. Gupta. A convex polytope of diameter one. *Discrete Appl. Math.*, 5:241–242, 1983.

[25] Kōkichi Sugihara. A unifying approach to descriptive geometry and mechanisms. *Discrete Appl. Math.*, 5:313–328, 1983.

[26] D.J.A. Welsh. Randomised algorithms. *Discrete Appl. Math.*, 5:133–145, 1983.

[27] H.P. Williams. A characterisation of all feasible solutions to an integer program. *Discrete Appl. Math.*, 5:147–155, 1983.