References

[1] Brian Alspach, Peter Eades, and Gordon Rose. A lower-bound for the number of productions required for a certain class of languages. *Discrete Appl. Math.*, 6:109–115, 1983.

[2] Susan F. Assmann and Daniel J. Kleitman. The number of rounds needed to exchange information within a graph. *Discrete Appl. Math.*, 6:117–125, 1983.

[3] C.K. Bailey, J.W. Kennedy, and E.M. Palmer. Points by degree and orbit size in chemical trees, ii. *Discrete Appl. Math.*, 5:157–164, 1983.

[4] E. Balas. Erratum to "disjunctive programming". *Discrete Appl. Math.*, 5:247–248, 1983. Originally in Discrete Optimization II. Ann. Discr. Math., Vol. 5, 3-51.

[5] E.M.L. Beale. A mathematical programming model for the long-term development of an off-shore gas field. *Discrete Appl. Math.*, 5:1–9, 1983.

[6] Michael D. Beeler. A new van der waerden number. *Discrete Appl. Math.*, 6:207, 1983.

[7] J. Błażewicz, J.K. Lenstra, and A.H.G. Rinnooy Kan. Scheduling subject to resource constraints: Classification and complexity. *Discrete Appl. Math.*, 5:11–24, 1983.

[8] T.B. Boffey and J.R. Green. Design of electricity supply networks. *Discrete Appl. Math.*, 5:25–38, 1983.

[9] Béla Bollobás and Andrew Thomason. Parallel sorting. *Discrete Appl. Math.*, 6:1–11, 1983.

[10] M.S. Burgin and E.Ya. Gabovich. Equivalence among optimization problems on matrix sets. *Discrete Appl. Math.*, 6:13–24, 1983.

[11] P.L. Buzytsky and G.A. Freiman. An effective formula for the number of solutions of a system of two $0, 1$-equations. *Discrete Appl. Math.*, 6:127–133, 1983.

[12] P.M. Camerini, G. Galbiati, and F. Maffioli. On the complexity of finding multi-constrained spanning trees. *Discrete Appl. Math.*, 5:39–50, 1983.

[13] V. Chvátal. On the bicycle problem. *Discrete Appl. Math.*, 5:165–173, 1983.

[14] Margaret B. Cozzens and Fred S. Roberts. Computing the boxicity of a graph by covering its complement by cointerval graphs. *Discrete Appl. Math.*, 6:217–228, 1983.

[15] M. Davio and C. Ronse. Rotator design. *Discrete Appl. Math.*, 5:253–277, 1983.

[16] N.G. de Bruijn. Denumerations of rooted trees and multisets. *Discrete Appl. Math.*, 6:25–33, 1983.

[17] J. Demetrovics and Gy. Gyepesi. Some generalized type functional dependencies formalized as equality set on matrices. *Discrete Appl. Math.*, 6:35–47, 1983.

[18] Dietmar Dorninger and Helmut Länger. An explicit formula for the solution of the fisher-wright selection model in population genetics. *Discrete Appl. Math.*, 6:209–211, 1983.

[19] R.D. Dutton and R.C. Brigham. A characterization of competition graphs. *Discrete Appl. Math.*, 6:315–317, 1983.

[20] C.S. Edwards and C.H. Elphick. Lower bounds for the clique and the chromatic numbers of a graph. *Discrete Appl. Math.*, 5:51–64, 1983.

[21] M.L. Fisher, B.J. Lageweg, J.K. Lenstra, and A.H.G. Rinnooy Kan. Surrogate duality relaxation for job shop scheduling. *Discrete Appl. Math.*, 5:65–75, 1983.

[22] F. Fogelman, E. Goles, and G. Weisbuch. Transient length in sequential iteration of threshold functions. *Discrete Appl. Math.*, 6:95–98, 1983.

[23] John Franco and Marvin Paull. Probabilistic analysis of the davis putnam procedure for solving the satisfiability problem. *Discrete Appl. Math.*, 5:77–87, 1983.

[24] A.M. Frieze. An extension of christofides heuristic to the k-person travelling salesman problem. *Discrete Appl. Math.*, 6:79–83, 1983.

[25] A.M. Frieze and J. Yadegar. On the quadratic assignment problem. *Discrete Appl. Math.*, 5:89–98, 1983.

[26] Satoru Fujishige. Canonical decompositions of symmetric submodular systems. *Discrete Appl. Math.*, 5:175–190, 1983.

[27] Mark K. Goldberg. A nonfactorial algorithm for testing isomorphism of two graphs. *Discrete Appl. Math.*, 6:229–236, 1983.

[28] Pierre Hansen. Recognizing sign solvable graphs. *Discrete Appl. Math.*, 6:237–241, 1983.

[29] A.M.A. Hariri and C.N. Potts. An algorithm for single machine sequencing with release dates to minimize total weighted completion time. *Discrete Appl. Math.*, 5:99–109, 1983.

[30] A.C. Hayes and D.G. Larman. The vertices of the knapsack polytope. *Discrete Appl. Math.*, 6:135–138, 1983.

[31] Dorit S. Hochbaum. Efficient bounds for the stable set, vertex cover and set packing problems. *Discrete Appl. Math.*, 6:243–254, 1983.

[32] Tetsuo Ichimori, Hiroaki Ishii, and Toshio Nishida. Two routing problems with the limitation of fuel. *Discrete Appl. Math.*, 6:85–89, 1983.

[33] Robert W. Irving. Np-completeness of a family of graph-colouring problems. *Discrete Appl. Math.*, 5:111–117, 1983.

[34] Juhani Karhumäki. On cube-free ω-words generated by binary morphisms. *Discrete Appl. Math.*, 5:279–297, 1983.

[35] Juhani Karhumäki and Matti Linna. A note on morphic characterization of languages. *Discrete Appl. Math.*, 5:243–246, 1983.

[36] Rolf G. Karlsson and Patricio V. Poblete. An $o(m \log \log d)$ algorithm for shortest paths. *Discrete Appl. Math.*, 6:91–93, 1983.

[37] Manohar Lal Kaushik. Comments on " a note on reed-muller codes". *Discrete Appl. Math.*, 6:213–214, 1983.

[38] John W. Kennedy and Louis V. Quintas. Extremal f-trees and embedding spaces for molecular graphs. *Discrete Appl. Math.*, 5:191–209, 1983.

[39] Tohru Kikuno, Noriyoshi Yoshida, and Yoshiaki Kakuda. A linear algorithm for the domination number of a series-parallel graph. *Discrete Appl. Math.*, 5:299–311, 1983.

[40] Daniel J. Kleitman and Robert A. Lew. An algorithm for collapsing sign alternating sequences of real numbers. *Discrete Appl. Math.*, 6:49–53, 1983.

[41] Renu Laskar and Douglas Shier. On powers and centers of chordal graphs. *Discrete Appl. Math.*, 6:139–147, 1983.

[42] Chien-Hua M. Lin and Harvey M. Salkin. An efficient algorithm for the complete set partitioning problem. *Discrete Appl. Math.*, 6:149–156, 1983.

[43] J. Richard Lundgren and John S. Maybee. A characterization of graphs of competition number m. *Discrete Appl. Math.*, 6:319–322, 1983.

[44] Christoph Maas. Some results about the interval number of a graph. *Discrete Appl. Math.*, 6:99–102, 1983.

[45] Anthony Mansfield. On the computational complexity of a merge recognition problem. *Discrete Appl. Math.*, 5:119–122, 1983.

[46] George Markowsky and Andrew Wohlgemuth. Intersection-union systems. *Discrete Appl. Math.*, 6:255–262, 1983.

[47] Willi Maurer. Bivalent trees and forests or upper bounds for the probability of a union revisited. *Discrete Appl. Math.*, 6:157–171, 1983.

[48] Colin McDiarmid. On the chromatic forcing number of a random graph. *Discrete Appl. Math.*, 5:123–132, 1983.

[49] I. Morihara, T. Ibaraki, and T. Hasegawa. Bin packing and multiprocessor scheduling problems with side constraint on job types. *Discrete Appl. Math.*, 6:173–191, 1983.

[50] Takao Nishizeki, Takao Asano, and Takahiro Watanabe. An approximation algorithm for the hamiltonian walk problem on maximal planar graphs. *Discrete Appl. Math.*, 5:211–222, 1983.

[51] Haruko Okamura. Multicommodity flows in graphs. *Discrete Appl. Math.*, 6:55–62, 1983.

[52] Savtopluk Poljak, Aleš Pultr, and Voljtěch Rödl. On qualitatively independent partitions and related problems. *Discrete Appl. Math.*, 6:193–205, 1983.

[53] Helmut Prodinger and Friedrich J. Urbanek. On monotone functions of tree structures. *Discrete Appl. Math.*, 5:223–239, 1983.

[54] Arun K. Pujari, Ashok K. Mittal, and S.K. Gupta. A convex polytope of diameter one. *Discrete Appl. Math.*, 5:241–242, 1983.

[55] Fred S. Roberts and Jeffrey E. Steif. A characterization of competition graphs of arbitrary digraphs. *Discrete Appl. Math.*, 6:323–326, 1983.

[56] Marc Roubens and Philippe Vincke. Linear orders and semiorders close to an interval order. *Discrete Appl. Math.*, 6:311–314, 1983.

[57] G. Rozenberg and R. Verraedt. The goodness of $\{S, a\}$-e0l forms is decidable. *Discrete Appl. Math.*, 6:263–299, 1983.

[58] Rainer Schrader. Approximations to clustering and subgraph problems on trees. *Discrete Appl. Math.*, 6:301–309, 1983.

[59] Kōkichi Sugihara. A unifying approach to descriptive geometry and mechanisms. *Discrete Appl. Math.*, 5:313–328, 1983.

[60] Toshimasa Watanabe, Tadashi Ae, and Akira Nakamura. On the np-hardness of edge-deletion and -contraction problems. *Discrete Appl. Math.*, 6:63–78, 1983.

[61] D.J.A. Welsh. Randomised algorithms. *Discrete Appl. Math.*, 5:133–145, 1983.

[62] H.P. Williams. A characterisation of all feasible solutions to an integer program. *Discrete Appl. Math.*, 5:147–155, 1983.