References

[1] C.M. Adams and S.E. Tavares. Generating bent sequences. *Discrete Appl. Math.*, 39:155–159, 1992.

[2] Foto Afrati. The parallel complexity of single rule logic programs. *Discrete Appl. Math.*, 40:107–126, 1992.

[3] J. Aleš and R. Bačik. Strong elimination ordering of the total graph of a tree. *Discrete Appl. Math.*, 39:293–295, 1992.

[4] James Allwright. New (δ, d) graphs discovered by heuristic search. *Discrete Appl. Math.*, 37/38:3–8, 1992.

[5] Noga Alon. Transmitting in the n-dimensional cube. *Discrete Appl. Math.*, 37/38:9–11, 1992.

[6] Thomas Andreae. Some results on visibility graphs. *Discrete Appl. Math.*, 40:5–17, 1992.

[7] Alberto Apostolico, Mikhail J. Atallah, and Susanne E. Hambrusch. New clique and independent set algorithms for circle graphs. *Discrete Appl. Math.*, 36:1–24, 1992. see Erratum in Discrete Appl. Math., Vol. 41, 179-180.

[8] K.S. Bagga, L.W. Beineke, W.D. Goddard, M.J. Lipman, and R.E. Pippert. A survey of integrity. *Discrete Appl. Math.*, 37/38:13–28, 1992.

[9] Vladmir Baláž, Vladimir Kvasnička, and Jiří Pospíchal. Two metrics in a graph theory modeling of organic chemistry. *Discrete Appl. Math.*, 35:1–19, 1992.

[10] D. Banković. Certain boolean equations. *Discrete Appl. Math.*, 35:21–27, 1992.

[11] Reuven Bar-Yehuda and Tuvi Etzion. Connections between two cycles - a new design of dense processor interconnection networks. *Discrete Appl. Math.*, 37/38:29–43, 1992.

[12] H. Belouadah, M.E. Posner, and C.N. Potts. Scheduling with release dates on a single machine to minimize total weighted completion time. *Discrete Appl. Math.*, 36:213–231, 1992.

[13] J.-C. Bermond, C. Delorme, and J.J. Quisquater. Table of large (δ, d)-graphs. *Discrete Appl. Math.*, 37/38:575–577, 1992.

[14] Jean Claude Bermond, Pavol Hell, Arthur L. Liestman, and Joseph G. Peters. Sparse broadcast graphs. *Discrete Appl. Math.*, 36:97–130, 1992.

[15] Anders Björner, Johan Karlander, and Bernt Lindström. Communication complexity of two decision problems. *Discrete Appl. Math.*, 39:161–163, 1992.

[16] F. Blanchet-Sadri. Games, equations and dot-depth two monoids. *Discrete Appl. Math.*, 39:99–111, 1992.

[17] P. Butkovič and R.A. Cuninghame-Green. An $o(n^2)$ algorithm for the maximum cycle mean of an $n \times n$ bivalent matrix. *Discrete Appl. Math.*, 35:157–162, 1992.

[18] Leizhen Cai and John A. Ellis. Edge colouring line graphs of unicyclic graphs. *Discrete Appl. Math.*, 36:75–82, 1992.

[19] Pietro Camarda and Mario Gerla. Design and analysis of fault-tolerant multibus interconnection networks. *Discrete Appl. Math.*, 37/38:45–64, 1992.

[20] Lowell Campbell. Dense group networks. *Discrete Appl. Math.*, 37/38:65–71, 1992.

[21] Mirjana Čangalović and Jan A.M. Schreuder. Modelling and solving an acyclic multi-period timetabling problem. *Discrete Appl. Math.*, 35:177–195, 1992.

[22] Paul A. Catlin, Jerrold W. Grossmann, Arthur M. Hobbs, and Hong-Jian Lai. Fractional arboricity, strength, and principal partitions in graphs and matroids. *Discrete Appl. Math.*, 40:285–302, 1992.

[23] Israel Cederbaum, Israel Koren, and Shmuel Wimer. Balanced block spacing for vlsi layout. *Discrete Appl. Math.*, 40:303–318, 1992.

[24] Srimat T. Chakradhar and Michael L. Bushnell. A solvable class of quadratic 0-1 programming. *Discrete Appl. Math.*, 36:233–251, 1992.

[25] M.S. Chang, C.Y. Tang, and R.C.T. Lee. Solving the euclidean bottleneck biconnected edge subgraph problem by 2-relative neighborhood graphs. *Discrete Appl. Math.*, 39:1–12, 1992.

[26] F.R.K. Chung. Graphs with small diameter after edge deletion. *Discrete Appl. Math.*, 37/38:73–94, 1992.

[27] Gene Cooperman and Larry Finkelstein. New methods for using cayley graphs in interconnection networks. *Discrete Appl. Math.*, 37/38:95–118, 1992.

[28] J. Csima and L. Lovász. A matching algorithm for regular bipartite graphs. *Discrete Appl. Math.*, 35:197–203, 1992.

[29] Peter Damaschke. Distances in cocomparability graphs and their powers. *Discrete Appl. Math.*, 35:67–72, 1992.

[30] Sajal K. Das, Joydeep Ghosh, and Narsingh Deo. Stirling networks: A versatile combinatorial topology for multiprocessor systems. *Discrete Appl. Math.*, 37/38:119–146, 1992.

[31] D. de Werra and J. Błażewicz. Some preemptive open shop scheduling problems with a renewable or a nonrenewable resource. *Discrete Appl. Math.*, 35:205–219, 1992. see Addendum in Discrete Appl. Math. 43, 103.

[32] C. Delorme. Examples of products giving large graphs with given degree and diameter. *Discrete Appl. Math.*, 37/38:157–167, 1992.

[33] J. Demetrovics, Gyula O.H. Katona, and D. Miklós. Partial dependencies in relational databases and their realization. *Discrete Appl. Math.*, 40:127–138, 1992.

[34] János Demetrovics, Gyula O.H. Katona, and Attila Sali. The characterization of branching dependencies. *Discrete Appl. Math.*, 40:139–153, 1992.

[35] János Demetrovics, Leonid Libkin, and Ilya B. Muchnik. Functional dependencies in relational databases: A lattice point of view. *Discrete Appl. Math.*, 40:155–185, 1992.

[36] Jitender S. Deogun and George Steiner. Hamiltonian cycle is polynomial on cocomparability graphs. *Discrete Appl. Math.*, 39:165–172, 1992.

[37] Moshe Dror. Openshop scheduling with machine dependent processing times. *Discrete Appl. Math.*, 39:197–205, 1992.

[38] D.-Z. Du, D.F. Hsu, and G.W. Peck. Connectivity of consecutive-d digraphs. *Discrete Appl. Math.*, 37/38:169–177, 1992.

[39] Keith Edwards. The complexity of some graph colouring problems. *Discrete Appl. Math.*, 36:131–140, 1992.

[40] R. Fahrion and G. Dollansky. Construction of university faculty timetables using logic programming techniques. *Discrete Appl. Math.*, 35:221–236, 1992.

[41] Ulrich Faigle and Rainer Schrader. A greedy reduction algorithm for setup optimization. *Discrete Appl. Math.*, 35:73–79, 1992.

[42] Ulrich Faigle, Rainer Schrader, and György Turán. The communication complexity of interval orders. *Discrete Appl. Math.*, 40:19–28, 1992.

[43] R.J. Faudree, R.J. Gould, and L.M. Lesniak. Generalized degrees and menger path systems. *Discrete Appl. Math.*, 37/38:179–191, 1992.

[44] Jacques A. Ferland and Alain Lavoie. Exchanges procedures for timetabling problems. *Discrete Appl. Math.*, 35:237–253, 1992.

[45] W. Fernandez de la Vega and Y. Manoussakis. The forwarding index of communication networks with given connectivity. *Discrete Appl. Math.*, 37/38:147–155, 1992.

[46] Peter C. Fishburn. Correlation in partially ordered sets. *Discrete Appl. Math.*, 39:173–191, 1992.

[47] Philippe Flajolet, Danièle Gardy, and Loÿs Thimonier. Birthday paradox, coupon collectors, caching algorithms and self-organizing search. *Discrete Appl. Math.*, 39:207–229, 1992.

[48] András Frank, Takao Nishizeki, Nobuji Saito, Hitoshi Suzuki, and éva Tardos. Algorithms for routing around a rectangle. *Discrete Appl. Math.*, 40:363–378, 1992.

[49] Reinhard Franzkeit. A binary search problem on graphs. *Discrete Appl. Math.*, 36:83–86, 1992.

[50] Harold Fredricksen. A new look at the de bruijn graph. *Discrete Appl. Math.*, 37/38:193–203, 1992.

[51] L. Gargano, J. Körner, and U. Vaccaro. Search problems for two irregular coins with incomplete feedback: The underweight model. *Discrete Appl. Math.*, 36:191–197, 1992.

[52] L. Gargano, V. Montuori, G. Setaro, and U. Vaccaro. An improved algorithm for quantitative group testing. *Discrete Appl. Math.*, 36:299–306, 1992.

[53] F. Gécseg and B. Imreh. Finite isomorphically complete systems. *Discrete Appl. Math.*, 36:307–311, 1992.

[54] Arif Ghafoor. Connectivity, persistence and fault diagnosis of interconnection networks based on o_k and $2o_k$ graphs. *Discrete Appl. Math.*, 37/38:205–226, 1992.

[55] J. Gómez, M.A. Fiol, and J.L.A. Yebra. Graphs on alphabets as models for large interconnection networks. *Discrete Appl. Math.*, 37/38:227–243, 1992.

[56] Jesse M. Gordon. Analysis of minimal path routing schemes in the presence of faults. *Discrete Appl. Math.*, 37/38:245–263, 1992.

[57] G. Gottlob, M. Schrefl, and M. Stumptner. Selective inheritance of attribute values in relational databases. *Discrete Appl. Math.*, 40:187–216, 1992.

[58] Niall Graham and Frank Harary. Changing and unchanging the diameter of a hypercube. *Discrete Appl. Math.*, 37/38:265–274, 1992.

[59] Wolfgang Gutjahr, Emo Welzl, and Gerhard Woeginger. Polynomial graph-colorings. *Discrete Appl. Math.*, 35:29–45, 1992.

[60] Y.O. Hamidoune, A.S. Llado, and O. Serra. The connectivity of hierarchical cayley digraphs. *Discrete Appl. Math.*, 37/38:275–280, 1992.

[61] Yijie Han, Yoshihide Igarashi, and Mirosław Truszczynski. Indexing functions and time lower bounds for sorting on a mesh-connected computer. *Discrete Appl. Math.*, 36:141–152, 1992.

[62] David Hartvigsen and Eitan Zemel. The complexity of lifted inequalities for the knapsack problem. *Discrete Appl. Math.*, 39:113–123, 1992.

[63] Wenjie He, Wenchen He, and Suling Xie. Algebraic expressions for kekulé structure counts of nonbranched cata-condensed benzenoid. *Discrete Appl. Math.*, 35:91–106, 1992.

[64] Katherine Heinrich, Kichul Kim, and V.K. Prasanna Kumar. Perfect latin squares. *Discrete Appl. Math.*, 37/38:281–286, 1992.

[65] Tor Helleseth. Legendre sums and codes related to qr codes. *Discrete Appl. Math.*, 35:107–113, 1992.

[66] Alain Hertz. Finding a feasible course schedule using tabu search. *Discrete Appl. Math.*, 35:255–270, 1992.

[67] M.C. Heydemann, J.C. Meyer, J. Opatrny, and D. Sotteau. Forwarding indices of k-connected graphs. *Discrete Appl. Math.*, 37/38:287–296, 1992.

[68] M.C. Heydemann, J. Opatrny, and D. Sotteau. Broadcasting and spanning trees in de bruijn and kautz networks. *Discrete Appl. Math.*, 37/38:297–317, 1992.

[69] A.J.W. Hilton. Alternating hamiltonian circuits in edge-coloured bipartite graphs. *Discrete Appl. Math.*, 35:271–273, 1992.

[70] H.D.L. Hollmann and Jr. Lint, J.H. van. Nonblocking self-routing switching networks. *Discrete Appl. Math.*, 37/38:319–340, 1992.

[71] X.D. Hu and F.K. Hwang. An improved upper bound for the subarray partial concentrators. *Discrete Appl. Math.*, 37/38:341–346, 1992.

[72] F.K. Hwang and G.W. Richards. The capacity of the subarray partial concentrators. *Discrete Appl. Math.*, 39:231–240, 1992.

[73] Shin'ichirou Ishii. Measure theoretic approach to the classification of cellular automata. *Discrete Appl. Math.*, 39:125–136, 1992.

[74] B. Jamison and S. Olariu. A tree representation for p_4-sparse graphs. *Discrete Appl. Math.*, 35:115–129, 1992.

[75] Leif K. Jørgensen. Diameters of cubic graphs. *Discrete Appl. Math.*, 37/38:347–351, 1992.

[76] Martin Juvan and Bojan Mohar. Optimal linear labelings and eigenvalues of graphs. *Discrete Appl. Math.*, 36:153–168, 1992.

[77] William M. Kantor. Some large trivalent graphs having small diameters. *Discrete Appl. Math.*, 37/38:353–357, 1992.

[78] N. Katoh. A fully polynomial time approximation scheme for minimum cost-reliability ratio problems. *Discrete Appl. Math.*, 35:143–155, 1992.

[79] Naoki Katoh. An ε-approximation scheme for combinatorial optimization problems with minimum variance criterion. *Discrete Appl. Math.*, 35:131–141, 1992.

[80] Naoki Katoh, Toshihide Ibaraki, and Tiko Kameda. A multiversion cautious scheduler with dynamic serialization constraints for database concurrency control. *Discrete Appl. Math.*, 40:379–395, 1992.

[81] Naoki Katoh, Junji Koyanagi, Masamitsu Ohnishi, and Toshihide Ibaraki. Optimal strategies for some team games. *Discrete Appl. Math.*, 35:275–291, 1992.

[82] J. Mark Keil and Doug Schaefer. An optimal algorithm for finding dominating cycles in circular-arc graphs. *Discrete Appl. Math.*, 36:25–34, 1992.

[83] M.T. Ko and Y.T. Ching. Linear time algorithms for the weighted tailored 2-partition problem and the weighted 2-center problem under l_∞-distance. *Discrete Appl. Math.*, 40:397–410, 1992.

[84] András Kornai and Zsolt Tuza. Narrowness, pathwidth, and their application in natural language processing. *Discrete Appl. Math.*, 36:87–92, 1992.

[85] Jan Kratochvil and Svatopluk Poljak. Compatible 2-factors. *Discrete Appl. Math.*, 36:253–266, 1992.

[86] Clyde P. Kruskal and Marc Snir. Cost-performance tradeoffs for interconnection networks. *Discrete Appl. Math.*, 37/38:359–385, 1992.

[87] Marek Kubale. Some results concerning the complexity of restricted colorings of graphs. *Discrete Appl. Math.*, 36:35–46, 1992.

[88] Georg Lausen. Locking based on a pairwise decomposition of the transaction system. *Discrete Appl. Math.*, 40:217–236, 1992.

[89] E. Lazard. Broadcasting in dma-bound bounded degree graphs. *Discrete Appl. Math.*, 37/38:387–400, 1992.

[90] Hsun-Ming Lee and Gerard J. Chang. Set to set broadcasting in communication networks. *Discrete Appl. Math.*, 40:411–421, 1992.

[91] Christos Levcopoulos and Ola Petersson. Matching parentheses in parallel. *Discrete Appl. Math.*, 40:423–431, 1992.

[92] Chung-Lun Li, S. Thomas McCormick, and David Simchi-Levi. The point-to-point delivery and connection problems: Complexity and algorithms. *Discrete Appl. Math.*, 36:267–292, 1992.

[93] Arthur L. Liestman and Joseph G. Peters. Minimum broadcast digraphs. *Discrete Appl. Math.*, 37/38:401–419, 1992.

[94] R.D. Lou and M. Sarrafzadeh. Circular permutation graph family with applications. *Discrete Appl. Math.*, 40:433–457, 1992.

[95] Heikki Mannila and Kari-Jouko Räihä. On the complexity of inferring functional dependencies. *Discrete Appl. Math.*, 40:237–243, 1992.

[96] Joseph Manning and Mikhail J. Atallah. Fast detection and display of symmetry in outerplanar graphs. *Discrete Appl. Math.*, 39:13–35, 1992.

[97] Y. Manoussakis. A linear-time algorithm for finding hamiltonian cycles in tournaments. *Discrete Appl. Math.*, 36:199–201, 1992.

[98] Madhav V. Marathe, R. Ravi, and C. Pandu Rangan. Generalized vertex covering in interval graphs. *Discrete Appl. Math.*, 39:87–93, 1992.

[99] Shigeru Masuyama. On the tree packing problem. *Discrete Appl. Math.*, 35:163–166, 1992.

[100] Ueli M. Maurer. Asymptotically-tight bounds on the number of cycles in generalized de bruijn-good graphs. *Discrete Appl. Math.*, 37/38:421–436, 1992.

[101] Bojan Mohar. A domain monotonicity theorem for graphs and hamiltonicity. *Discrete Appl. Math.*, 36:169–177, 1992.

[102] Jr. Morris, Walter D. The maximum number of complementary facets of a simplicial polytope. *Discrete Appl. Math.*, 36:293–298, 1992.

[103] Owen J. Murphy. Computing independent sets in graphs with large girth. *Discrete Appl. Math.*, 35:167–170, 1992.

[104] Giri Narasimhan and Rachel Manber. Stability number and chromatic number of tolerance graphs. *Discrete Appl. Math.*, 36:47–56, 1992.

[105] C. Pandu Rangan and Ramesh Govindan. An $o(n \log n)$ algorithm for a maxmin location problem. *Discrete Appl. Math.*, 36:203–205, 1992.

[106] Nicholas Pippenger. The asymptotic optimality of spider-web networks. *Discrete Appl. Math.*, 37/38:437–450, 1992.

[107] J. Plesník. Heuristics for the steiner problem in graphs. *Discrete Appl. Math.*, 37/38:451–463, 1992.

[108] Prabhakar Raghavan. Integer programming in vlsi design. *Discrete Appl. Math.*, 40:29–43, 1992.

[109] Ronald L. Rardin and Moises Sudit. Paroids: A canonical format for combinatorial optimization. *Discrete Appl. Math.*, 39:37–56, 1992.

[110] Arundhati Raychaudhuri. Optimal multiple interval assignments in frequency assignment and traffic phasing. *Discrete Appl. Math.*, 40:319–332, 1992.

[111] András Recski and Werner Schwärzler. One-story buildings as tensegrity frameworks iii. *Discrete Appl. Math.*, 39:137–146, 1992.

[112] Michael B. Richey and Abraham P. Punnen. Minimum perfect bipartite matchings and spanning trees under categorization. *Discrete Appl. Math.*, 39:147–153, 1992.

[113] D. Roelants van Baronaigien and Frank Ruskey. Generating permutations with given ups and downs. *Discrete Appl. Math.*, 36:57–65, 1992.

[114] Alexander Rosa. On a class of completable partial edge-colourings. *Discrete Appl. Math.*, 35:293–299, 1992.

[115] Arnold L. Rosenberg. Product-shuffle networks: Toward reconciling shuffles and butterflies. *Discrete Appl. Math.*, 37/38:465–488, 1992.

[116] Uriel G. Rothblum, Hans Schneider, and Michael H. Schneider. Characterizations of max-balanced flows. *Discrete Appl. Math.*, 39:241–261, 1992.

[117] Charles T. Ryan. Linear sections of the general linear group: A geometric approach. *Discrete Appl. Math.*, 35:81–86, 1992.

[118] Yehoshua Sagiv and Yatin Saraiya. Minimizing restricted-fanout queries. *Discrete Appl. Math.*, 40:245–264, 1992.

[119] Stephen T. Schibell and Richard M. Stafford. Processor interconnection networks from cayley graphs. *Discrete Appl. Math.*, 40:333–357, 1992.

[120] Jan A.M. Schreuder. Combinatorial aspects of construction of competition dutch professional football leagues. *Discrete Appl. Math.*, 35:301–312, 1992.

[121] Louis Shapiro. Random walks with absorbing points. *Discrete Appl. Math.*, 39:57–67, 1992.

[122] D.R. Shier, E.J. Valvo, and R.E. Jamison. Generating the states of a binary stochastic system. *Discrete Appl. Math.*, 37/38:489–500, 1992.

[123] Patrick Solé, Arif Ghafoor, and Sohail A. Sheikh. The covering radius of hadamard codes in odd graphs. *Discrete Appl. Math.*, 37/38:501–510, 1992.

[124] Terunao Soneoka. Super edge-connectivity of dense digraphs and graphs. *Discrete Appl. Math.*, 37/38:511–523, 1992.

[125] Jeremy Spinrad. p_4-trees and substitution decomposition. *Discrete Appl. Math.*, 39:263–291, 1992.

[126] B. Thalheim. The number of keys in relational and nested relational databases. *Discrete Appl. Math.*, 40:265–282, 1992.

[127] Arabinda Tripathy. Computerised decision aid for timetabling - a case analysis. *Discrete Appl. Math.*, 35:313–323, 1992.

[128] John H. Vande Vate. Structural properties of matroid matchings. *Discrete Appl. Math.*, 39:69–85, 1992.

[129] J.L. Villar. The underlying graph of a line digraph. *Discrete Appl. Math.*, 37/38:525–538, 1992.

[130] Stefan Voß. Steiner's problem in graphs: heuristic methods. *Discrete Appl. Math.*, 40:45–72, 1992.

[131] Koichi Wada and Kimio Kawaguchi. Efficient fault-tolerant fixed routings on $(k+1)$-connected digraphs. *Discrete Appl. Math.*, 37/38:539–552, 1992.

[132] Dorothea Wagner and Frank Wagner. An efficient parallel logarithmic time algorithm for the channel routing problem. *Discrete Appl. Math.*, 40:73–81, 1992.

[133] Charlotte Wieners-Lummer. A manhattan channel router with good theoretical and practical performance. *Discrete Appl. Math.*, 40:83–104, 1992.

[134] Stephen J. Willson. Calculating growth rates and moments for additive cellular automata. *Discrete Appl. Math.*, 35:47–65, 1992.

[135] Gilles Zémor and Gérard D. Cohen. Application of coding theory to interconnection networks. *Discrete Appl. Math.*, 37/38:553–562, 1992.

[136] Fuji Zhang and Maolin Zheng. Generalized hexagonal systems with each hexagon being resonant. *Discrete Appl. Math.*, 36:67–73, 1992.

[137] Xuding Zhu. A simple proof of the multiplicativity of directed cycles of prime power length. *Discrete Appl. Math.*, 36:313–316, 1992.

[138] Guy W. Zimmermann and Abdol-Hossein Esfahanian. Chordal rings as fault-tolerant loops. *Discrete Appl. Math.*, 37/38:563–573, 1992.

[139] Uwe Zimmermann. Negative circuits for flows and submodular flows. *Discrete Appl. Math.*, 36:179–189, 1992.