References

[1] A. Agnetis, D. Pacciarelli, and F. Rossi. Batch scheduling in a two-machine flow shop with limited buffer. *Discrete Appl. Math.*, 72(3):243–260, 1997.

[2] Martin Aigner. Finding the maximum and minimum. *Discrete Appl. Math.*, 74(1):1–12, 1997.

[3] Thomas Andreae, Martin Hintz, Michael Nölle, Gerald Schreiber, and Gerald W. Schuster Hajo Seng. Cartesian products of graphs as subgraphs of de bruijn graphs of dimension at least three. *Discrete Appl. Math.*, 79(1-3):3–34, 1997.

[4] Martin Anthony and John Shawe-Taylor. A sufficient condition for polynomial distribution-dependent learnability. *Discrete Appl. Math.*, 77(1):1–12, 1997.

[5] Srinivasa R. Arikati, Anil Maheshwari, and Christos D. Zaroliagis. Efficient computation of implicit representations of sparse graphs. *Discrete Appl. Math.*, 78(1-3):1–16, 1997.

[6] Igor Averbakh and Oded Berman. $(p-1)/(p+1)$-approximate algorithms for p-traveling salesmen problems on a tree with minmax objective. *Discrete Appl. Math.*, 75(3):201–216, 1997.

[7] Evripidis Bampis, Frédéric Guinand, and Denis Trystram. Some models for scheduling parallel programs with communication delays. *Discrete Appl. Math.*, 72(1-2):5–24, 1997.

[8] C.A. Barefoot, R.C. Entringer, and L.A. Székeley. Extremal values for ratios of distances in trees. *Discrete Appl. Math.*, 80(1):37–56, 1997.

[9] Tiffany M. Barnes and Carla D. Savage. Efficient generation of graphical partitions. *Discrete Appl. Math.*, 78(1-3):17–26, 1997.

[10] Dominique Barth and Marie-Claude Heydemann. A new digraphs composition with applications to de bruijn and generalized de bruijn digraphs. *Discrete Appl. Math.*, 77(2):99–118, 1997.

[11] D. Bauer, J. van den Heuvel, A. Morgana, and E. Schmeichel. The complexity of recognizing tough cubic graphs. *Discrete Appl. Math.*, 79(1-3):35–44, 1997.

[12] Christiane Bercoff. Uniform tag systems for paperfolding sequences. *Discrete Appl. Math.*, 77(2):119–138, 1997.

[13] Kenneth A. Berman and Yanpei Liu. Generalized bicycles. *Discrete Appl. Math.*, 78(1-3):27–40, 1997.

[14] Paola Bertolazzi, Caterina de Simone, and Anna Galuccio. A nice class for the vertex packing problem. *Discrete Appl. Math.*, 76(1-3):3–19, 1997.

[15] D. Bhagavathi, V. Bokka, H. Gurla, S. Olariu, and J.L. Schwing. Time-optimal tree computations on sparse meshes. *Discrete Appl. Math.*, 77(3):201–220, 1997.

[16] L. Bianco, J. Błażewicz, P. Dell'Olmo, and M. Drozdowski. Linear algorithms for preemptive scheduling of multiprocessor tasks subject to minimal lateness. *Discrete Appl. Math.*, 72(1-2):25–46, 1997.

[17] Alain Billionnet and Alain Faye. A lower bound for a constrained quadratic 0-1 minimization problem. *Discrete Appl. Math.*, 74(2):135–146, 1997.

[18] Błażewicz and Maciej Drozdowski. Distributed processing of divisible jobs with communication startup costs. *Discrete Appl. Math.*, 76(1-3):21–41, 1997.

[19] C. Blundo and D.R. Stinson. Anonymous secret sharing schemes. *Discrete Appl. Math.*, 77(1):13–28, 1997.

[20] Hans L. Bodlaender and Dimitrios M. Thilikos. Treewidth for graphs with small chordality. *Discrete Appl. Math.*, 79(1-3):45–61, 1997.

[21] Béla Bollobás and Grahm Brightwell. Random walks and electrical resistances in products of graphs. *Discrete Appl. Math.*, 73(1):69–79, 1997.

[22] Béla Bollobás and Imre Leader. Matchings and paths in the cube. *Discrete Appl. Math.*, 75(1):1–8, 1997.

[23] Stephan Brandt. A sufficient condition for all short cycles. *Discrete Appl. Math.*, 79(1-3):63–66, 1997.

[24] Richard A. Brualdi and Jia-yu Shao. Generalized exponents of primitive symmetric digraphs. *Discrete Appl. Math.*, 74(3):275–293, 1997.

[25] Peter Brucker, Johann Hurink, Bernd Jurisch, and Birgit Wöstmann. A branch & bound algorithm for the open-shop problem. *Discrete Appl. Math.*, 76(1-3):43–59, 1997.

[26] Peter Brucker, Johann Hurink, and Frank Werner. Improving local search heuristics for some scheduling problems. part ii. *Discrete Appl. Math.*, 72(1-2):47–69, 1997.

[27] Elena Bulgaru and Vitaly I. Voloshin. Mixed interval hypergrahs. *Discrete Appl. Math.*, 77(1):29–41, 1997.

[28] Leizhen Cai. On spanning 2-trees in a graph. *Discrete Appl. Math.*, 74(3):203–216, 1997.

[29] Leizhen Cai and Baruch Schieber. A linear-time algorithm for computing the intersection of all odd cycles in a graph. *Discrete Appl. Math.*, 73(1):27–34, 1997.

[30] Cristian Calude and Sheng Yu. Language-theoretic complexity of disjunctive sequences. *Discrete Appl. Math.*, 80(2-3):203–209, 1997.

[31] C. Carcia and C. Peyrat. Large cayley graphs on an abelian group. *Discrete Appl. Math.*, 75(2):125–133, 1997.

[32] Jacques Carlier, Yu Li, and Jean-luc Lutton. Reliability evaluation of large telecommunication networks. *Discrete Appl. Math.*, 76(1-3):61–80, 1997.

[33] Maw-Shang Chang. Weighted domination of cocomparability graphs. *Discrete Appl. Math.*, 80(2-3):135–148, 1997.

[34] Maw-Shang Chang and Chung-Chang Hsu. On minimum intersection of two minimum dominating sets of interval graphs. *Discrete Appl. Math.*, 78(1-3):41–50, 1997.

[35] Irène Charon, Olivier Hudry, and Frédéric Woirgard. A 16-vertex tournament for which banks slater set are disjoint. *Discrete Appl. Math.*, 80(2-3):211–215, 1997.

[36] Victor Chepoi. Peakless functions on graphs. *Discrete Appl. Math.*, 73(2):175–189, 1997.

[37] Victor Chepoi, Michel Deza, and Viatcheslav Grishukhin. Clin d'oeil on l_1-embeddable planar graphs. *Discrete Appl. Math.*, 80(1):3–19, 1997.

[38] A.A. Chernyak and Zh.A. Chernyak. Note on complexity of computing the domination of binary systems. *Discrete Appl. Math.*, 73(3):289–295, 1997.

[39] V. Chvátal. Resolution search. *Discrete Appl. Math.*, 73(1):81–99, 1997.

[40] Maurice Cochand, Arlette Gaillard, and Heinz Gröflin. Optimum partitioning into intersections of ring families. *Discrete Appl. Math.*, 76(1-3):81–91, 1997.

[41] Yves Crama, Oya Ekin, and Peter L. Hammer. Variable and term removal from boolean formulae. *Discrete Appl. Math.*, 75(3):217–230, 1997.

[42] Elias Dahlhaus, Jan Kratochvíl, Paul D. Manuel, and Mirka Miller. Transversal partitioning in balanced hypergraphs. *Discrete Appl. Math.*, 79(1-3):75–89, 1997.

[43] P. Dankelmann. Average distance and domination number. *Discrete Appl. Math.*, 80(1):21–35, 1997.

[44] Peter Dankelmann, Henda C. Swart, and Ortrud R. Oellermann. On the average steiner distance of graphs with prescribed properties. *Discrete Appl. Math.*, 79(1-3):91–103, 1997.

[45] Rowan Davies and Gordon F. Royle. Graph domination, tabu search and the football pool problem. *Discrete Appl. Math.*, 74(3):217–228, 1997.

[46] Roberto de Prisco and Alfredo de Santis. Catastrophic faults in reconfigurable systolic linear arrays. *Discrete Appl. Math.*, 75(2):105–123, 1997.

[47] Caterina de Simone and Michael Jünger. On the two-connected planar spanning subgraph polytope. *Discrete Appl. Math.*, 80(2-3):223–229, 1997.

[48] D. de Werra and N.V.R. Mahadev. Preassignment requirements in chromatic scheduling. *Discrete Appl. Math.*, 76(1-3):93–101, 1997.

[49] Alice M. Dean and Joan P. Hutchinson. Rectangle-visibility representations of bipartite graphs. *Discrete Appl. Math.*, 75(1):9–25, 1997.

[50] Mauro Dell'Amico and Silvano Martello. The k-cardinality assignment problem. *Discrete Appl. Math.*, 76(1-3):103–121, 1997.

[51] P. Dell'Olmo, M. Grazia Speranza, and Zs. Tuza. Comparability graph augmentation for some multiprocessor scheduling problems. *Discrete Appl. Math.*, 72(1-2):71–84, 1997.

[52] Theo S.H. Driessen. Tree enterprises and bankruptcy ventures — a game theoretic similarity due to a graph theoretic proof. *Discrete Appl. Math.*, 79(1-3):105–117, 1997.

[53] Ding-Zhu Du, Biao Gao, and Weili Wu. A special case for subset interconnection designs. *Discrete Appl. Math.*, 78(1-3):51–60, 1997.

[54] Manuel Duque-Antón. Constructing efficient simulated annealing algorithms. *Discrete Appl. Math.*, 77(2):139–159, 1997.

[55] Hazel Everett, Sulamita Klein, and Bruce Reed. An algorithm for finding homogeneous pairs. *Discrete Appl. Math.*, 72(3):209–218, 1997.

[56] J. Fàbrega and M. Zaragozà. Fault-tolerant routings in double fixed-step networks. *Discrete Appl. Math.*, 78(1-3):61–74, 1997.

[57] Isabelle Fagnot. On the subword equivalence problem for morphic words. *Discrete Appl. Math.*, 75(3):231–253, 1997.

[58] Aaron Feigelson and Lisa Hellerstein. The forbidden projections of unate functions. *Discrete Appl. Math.*, 77(3):221–236, 1997.

[59] Stefan Felsner, Rudolf Müller, and Lorenz Wernisch. Trapezoid graphs and generalizations, geometry and algorithms. *Discrete Appl. Math.*, 74(1):13–32, 1997.

[60] G. Finke and H. Jiang. A variant of the permutation flow shop model with variable processing times. *Discrete Appl. Math.*, 76(1-3):123–140, 1997.

[61] Peter Firby and Julie Haviland. Independence and average distance in graphs. *Discrete Appl. Math.*, 75(1):27–37, 1997.

[62] Peter Fishburn, F.K. Hwang, D.Z. Du, and B. Gao. On 1-rate wide-sense nonblocking for 3-stage clos networks. *Discrete Appl. Math.*, 78(1-3):75–87, 1997.

[63] Peter Fishburn, Peter Schwander, Larry Shepp, and Robert J. Vanderbei. The discrete radon transform and its approximate inversion via linear programming. *Discrete Appl. Math.*, 75(1):39–61, 1997.

[64] Satoshi Fujita and Arthur M. Farley. Minimum-cost line broadcast in paths. *Discrete Appl. Math.*, 75(3):255–268, 1997.

[65] A. Gaillard. Switchdec polyhedra. *Discrete Appl. Math.*, 76(1-3):141–163, 1997.

[66] Giorgio Gallo and Fulvio Piccinonno. b9000a 1/4 approximate algorithm for p2/tree/cmax. *Discrete Appl. Math.*, 72(1-2):85–98, 1997.

[67] Giorgio Gambosi, Marco Protasi, and Maurizio Talamo. Preserving approximation in the min-weighted set cover problem. *Discrete Appl. Math.*, 73(1):13–22, 1997.

[68] Ginette Gauyacq. Edge-forwarding index of star graphs and other cayley graphs. *Discrete Appl. Math.*, 80(2-3):149–160, 1997.

[69] Ginette Gauyacq. On quasi-cayley graphs. *Discrete Appl. Math.*, 77(1):43–58, 1997.

[70] Martin Gavalec. Computing matrix period in max-min algebra. *Discrete Appl. Math.*, 75(1):63–70, 1997.

[71] Vassilis Giakoumakis and Irena Rusu. Weighted parameters in $(p_5, \overline{P_5})$-free graphs. *Discrete Appl. Math.*, 80(2-3):255–261, 1997.

[72] A.A. Gladky. On complexity of minimizing weighted number of late jobs in unit time open shops. *Discrete Appl. Math.*, 74(2):197–201, 1997.

[73] Olivier Goldschmidt and Dorit S. Hochbaum. k-edge subgraph problems. *Discrete Appl. Math.*, 74(2):159–169, 1997.

[74] J. Gorodkin. Orbits of boolean functions. *Discrete Appl. Math.*, 75(3):269–275, 1997.

[75] Sylvain Gravier and Michel Mollard. On domination numbers of cartesian product of paths. *Discrete Appl. Math.*, 80(2-3):247–250, 1997.

[76] Yubao Guo. Spanning local tournaments in locally semicomplete digraphs. *Discrete Appl. Math.*, 79(1-3):119–125, 1997.

[77] Yubao Guo and Lutz Volkmann. Bypaths in tournaments. *Discrete Appl. Math.*, 79(1-3):127–135, 1997.

[78] K. Han, Chandra N. Sekharan, and R. Sridhar. Unified all-pairs shortest path algorithms in the chordal hierarchy. *Discrete Appl. Math.*, 77(1):59–71, 1997.

[79] Pierre Hansen, Giovanni Storchi, and Tsevi Vovor. Paths with minimum range and ratio of arc lenghts. *Discrete Appl. Math.*, 78(1-3):89–102, 1997.

[80] Toru Hasunuma and Yukio Shibata. Embedding de bruijn, kautz and shuffle-exchange networks in books. *Discrete Appl. Math.*, 78(1-3):103–116, 1997.

[81] Ryan B. Hayward. Meyniel weakly triangulated graphs — i: Co-perfect orderability. *Discrete Appl. Math.*, 73(3):199–210, 1997.

[82] Ryan B. Hayward. Meyniel weakly triangulated graphs ii: A theorem of dirac. *Discrete Appl. Math.*, 78(1-3):283–289, 1997.

[83] Alain Hertz. On the use of boolean methods for the computation of the stability number. *Discrete Appl. Math.*, 76(1-3):183–203, 1997.

[84] A.J.W. Hilton and C. Zhao. Vertex-splitting and chromatic index critical graphs. *Discrete Appl. Math.*, 76(1-3):205–211, 1997.

[85] Kevin I-J. Ho, Joseph Y-T. Leung, and W-D. Wei. Scheduling imprecise computation tasks with 0/1-constraint. *Discrete Appl. Math.*, 78(1-3):117–132, 1997.

[86] Dorit S. Hochbaum and Dan Landy. Scheduling with batching: Two job types. *Discrete Appl. Math.*, 72(1-2):99–114, 1997.

[87] Juha Honkala. A decision method for parikh slenderness of context-free languages. *Discrete Appl. Math.*, 73(1):1–4, 1997.

[88] Wen-Chung Huang, Bo-Yin Yang, and Yeong-Nan Yeh. From ternary strings to wiener indices of benzenoid chains. *Discrete Appl. Math.*, 73(2):113–131, 1997.

[89] Zhang Huaxiao, Zhang Fuji, and Huang Qiongxiang. On the number of spanning trees and eulerian tours in iterated line digraphs. *Discrete Appl. Math.*, 73(1):59–67, 1997.

[90] Frank K. Hwang, Y.C. Yao, and Miltos D. Grammatikakis. A d-move local permutation routing for the d-cube. *Discrete Appl. Math.*, 72(3):199–207, 1997.

[91] Yoshiyasu Ishigami and Sei'ichi Tani. Vc-dimensions of finite automata and commutative finite automata with k letters and n states. *Discrete Appl. Math.*, 74(2):123–134, 1997.

[92] Yoshiyasu Ishigami and Sei'ichi Tani. Vc-dimensions of finite automata and commutative finite automata with k letters and n states. *Discrete Appl. Math.*, 74(3):229–240, 1997.

[93] Klaus Jansen and Petra Scheffler. Generalized coloring for tree-like graphs. *Discrete Appl. Math.*, 75(2):135–155, 1997.

[94] Pranava K. Jha, Naveen Agnihotri, and Rajesh Kumar. Long cycles and long paths in the kronecker product of a cycle and a tree. *Discrete Appl. Math.*, 74(2):101–121, 1997.

[95] Min-Jen Jou and Gerard J. Chang. Maximal independent sets in graphs with at most one cycle. *Discrete Appl. Math.*, 79(1-3):67–73, 1997.

[96] Bernd Jurisch, Wieslaw Kubiak, and Joanna Józefowska. Algorithms for minclique scheduling problems. *Discrete Appl. Math.*, 72(1-2):115–139, 1997.

[97] Martin Juvan, Bojan Mohar, and Janez Žerovnik. Distance-related invariants on polygraphs. *Discrete Appl. Math.*, 80(1):57–71, 1997.

[98] Gyula Y. Katona. Edge disjoint polyp packing. *Discrete Appl. Math.*, 78(1-3):133–152, 1997.

[99] Suh-Ryung Kim and Fred S. Roberts. Competition numbers of graphs with a small number of triangles. *Discrete Appl. Math.*, 78(1-3):153–162, 1997.

[100] Sandi Klavžar and Ivan Gutman. Wiener number of vertex-weighted graphs and a chemical application. *Discrete Appl. Math.*, 80(1):73–81, 1997.

[101] K.M. Koh and E.G. Tay. Optimal orientations of products of paths and cycles. *Discrete Appl. Math.*, 78(1-3):163–174, 1997.

[102] Mikhail Y. Kovalyov. Batch scheduling and common due date assignment problem: An *np*-hard case. *Discrete Appl. Math.*, 80(2-3):251–254, 1997.

[103] Evangelos Kranakis, Danny Krizanc, Anil Maheshwari, Marc Noy, Jörg-Rüdiger Sack, and Jorge Urrutia. Stage-graph representations. *Discrete Appl. Math.*, 75(1):71–80, 1997.

[104] Evangelos Kranakis, Danny Krizanc, Berthold Ruf, Jorge Urrutia, and Gerhard Woeginger. The vc-dimension of set systems defined by graphs. *Discrete Appl. Math.*, 77(3):237–257, 1997.

[105] Dieter Kratsch, Ton Kloks, and Haiko Müller. Measuring the vulnerability for classes of intersection graphs. *Discrete Appl. Math.*, 77(3):259–270, 1997.

[106] Marek Kubale. Open shop problem with zero-one time operations and integer release date/deadline intervals. *Discrete Appl. Math.*, 76(1-3):213–223, 1997.

[107] Olaf Kyek, Ian Parberry, and Ingo Wegener. Bounds on the number of knight's tours. *Discrete Appl. Math.*, 74(2):171–181, 1997.

[108] George J. Kyparisis and Christos Koulamas. Open shop scheduling with maximal machines. *Discrete Appl. Math.*, 78(1-3):175–187, 1997.

[109] Roger Labahn and André Raspaud. Periodic gossiping in back-to-back trees. *Discrete Appl. Math.*, 75(2):157–168, 1997.

[110] C. Laforest. Broadcast and gossip in line-communication mode. *Discrete Appl. Math.*, 80(2-3):161–176, 1997.

[111] Ten-Hwang Lai and Shu-Shang Wei. Bipartite permutation graphs with application to the minimum buffer size problem. *Discrete Appl. Math.*, 74(1):33–55, 1997.

[112] Yung-Ling Lai and Kenneth Williams. On bandwidth for the tensor product of paths and cycles. *Discrete Appl. Math.*, 73(2):133–141, 1997.

[113] J.D. Lamb, G.M. Asher, and D.R. Woodall. Bond graphs iii: Bond graphs and electrical networks. *Discrete Appl. Math.*, 73(3):211–250, 1997.

[114] J.D. Lamb, D.R. Woodall, and G.M. Asher. Bond graphs i: Acausal equivalence. *Discrete Appl. Math.*, 72(3):261–293, 1997.

[115] J.D. Lamb, D.R. Woodall, and G.M. Asher. Bond graphs ii: Causality and singularity. *Discrete Appl. Math.*, 73(2):143–173, 1997.

[116] Sang-Kyu Lee, A. Duksu Oh, Hongsik Choi, and Hyeong-Ah Choi. Optimal transmission schedules in twdm optical passive star networks. *Discrete Appl. Math.*, 75(1):81–91, 1997.

[117] Wing Ning Li. Two-segmented channel routing is strong np-complete. *Discrete Appl. Math.*, 78(1-3):291–298, 1997.

[118] Xueliang Li. Hexagonal systems with forcing single edges. *Discrete Appl. Math.*, 72(3):295–301, 1997.

[119] Y. Daniel Liang. Parallel algorithms for the domination problems in trapezoid graphs. *Discrete Appl. Math.*, 74(3):241–249, 1997.

[120] Mulan Liu and Gary L. Mullen. Irreducible polynomials and linear recurring arrays. *Discrete Appl. Math.*, 74(1):93–99, 1997.

[121] Anthony J. Macula. Error-correcting nonadaptive group testing with d^e-disjunct matrices. *Discrete Appl. Math.*, 80(2-3):217–222, 1997.

[122] N.V.R. Mahadev and Fred S. Roberts. Amenable colorings. *Discrete Appl. Math.*, 76(1-3):225–238, 1997.

[123] Kazuhisa Makino, Kojin Yano, and Toshihide Ibaraki. Positive and horn decomposability of partially defined boolean functions. *Discrete Appl. Math.*, 74(3):251–274, 1997.

[124] Silvano Martello, François Soumis, and Paolo Toth. Exact and approximation algorithms for makespan minimization on unrelated parallel machines. *Discrete Appl. Math.*, 75(2):169–188, 1997.

[125] Martín Matamala and Eric Goles. Dynamic behavior of cyclic automata networks. *Discrete Appl. Math.*, 77(2):161–184, 1997.

[126] Colin McDiarmid. A doubly cyclic channel assignment problem. *Discrete Appl. Math.*, 80(2-3):263–268, 1997.

[127] Anuj Mehrotra. Cardinality constrained boolean quadratic polytope. *Discrete Appl. Math.*, 79(1-3):137–154, 1997.

[128] Avraham A. Melkman and Solomon E. Shimony. A note on approximate inclusion-exclusion. *Discrete Appl. Math.*, 73(1):23–26, 1997.

[129] Henry Martyn Mulder. The majority strategy on graphs. *Discrete Appl. Math.*, 80(1):97–105, 1997.

[130] Haiko Müller. Recognizing interval digraphs and interval bigraphs in polynomial time. *Discrete Appl. Math.*, 78(1-3):189–205, 1997.

[131] Hiroshi Narushima and Masazumi Hanazawa. A more efficient algorithm for mpr problems in phylogeny. *Discrete Appl. Math.*, 80(2-3):231–238, 1997.

[132] Madan Natu and Shu-Cherng Fang. The point-to-point connection problem — analysis and algorithms. *Discrete Appl. Math.*, 78(1-3):207–226, 1997.

[133] David Nehme and Gang Yu. The cardinality and precedence constrained maximum value sub-hypergraph problem and its applications. *Discrete Appl. Math.*, 74(1):57–68, 1997.

[134] Thomas Niessen. Optimal channel allocation for several types of cellular radio networks. *Discrete Appl. Math.*, 79(1-3):155–170, 1997.

[135] Luke O'Connor. Nondegenerate functions and permutations. *Discrete Appl. Math.*, 73(1):41–57, 1997.

[136] A.J. Orman and C.N. Potts. On the complexity of coupled-task scheduling. *Discrete Appl. Math.*, 72(1-2):141–154, 1997.

[137] Lior Pachter. Constructing status injective graphs. *Discrete Appl. Math.*, 80(1):107–113, 1997.

[138] Ian Parberry. An efficient algorithm for the knight's tour problem. *Discrete Appl. Math.*, 73(3):251–260, 1997.

[139] Kyungchul Park and Sungsoo Park. Lifting cover inequalities for the precedence-constrained knapsack problem. *Discrete Appl. Math.*, 72(3):219–241, 1997.

[140] Andreas Parra and Petra Scheffler. Characterizations and algorithmic applications of chordal graph embeddings. *Discrete Appl. Math.*, 79(1-3):171–188, 1997.

[141] David Peleg and Avishai Wool. The availability of crumbling wall quorum systems. *Discrete Appl. Math.*, 74(1):69–83, 1997.

[142] Stéphanie Perennes. A proof of jean de rumeur's conjecture. *Discrete Appl. Math.*, 74(3):295–299, 1997.

[143] Erwin Pesch and Fred Glover. Tsp ejection chains. *Discrete Appl. Math.*, 76(1-3):165–181, 1997.

[144] Ulrich Pferschy, David Pisinger, and Gerhard J. Woeginger. Simple but efficient approaches for the collapsing knapsack problem. *Discrete Appl. Math.*, 77(3):271–280, 1997.

[145] Abraham P. Punnen and Y.P. Aneja. Minimum dispersion problems. *Discrete Appl. Math.*, 75(1):93–102, 1997.

[146] M. Queyranne and F.C.R. Spieksma. Approximation algorithms for multi-index transportation problems with decomposable costs. *Discrete Appl. Math.*, 76(1-3):239–253, 1997.

[147] K.B. Reid. The k-ball l-path branch weight centroid. *Discrete Appl. Math.*, 80(2-3):239–246, 1997.

[148] Y. Roditty and B. Shoham. On broadcasting multiple messages in a d-dimensional grid. *Discrete Appl. Math.*, 75(3):277–284, 1997.

[149] Kathleen Romanik. Directed rectangle-visibility graphs have unbounded dimension. *Discrete Appl. Math.*, 73(1):35–39, 1997.

[150] Chen Rong-si and Zhang Fu-ji. Hamilton paths in z-transformation graphs of perfect matchings of hexagonal systems. *Discrete Appl. Math.*, 74(2):191–196, 1997.

[151] Chen Rong-si and Zhang Fu-ji. Regular coronoid systems. *Discrete Appl. Math.*, 74(2):147–158, 1997.

[152] Markus W. Schäffter. Scheduling with forbidden sets. *Discrete Appl. Math.*, 72(1-2):155–166, 1997.

[153] Annette Schelten and Ingo Schiermeyer. Ramsey numbers $r(k_3, g)$ for connected graphs g of order seven. *Discrete Appl. Math.*, 79(1-3):189–200, 1997.

[154] Uwe Schelten and Ingo Schiermeyer. Small cycles in hamiltonian graphs. *Discrete Appl. Math.*, 79(1-3):201–211, 1997.

[155] Rainer Schrader and Georg Wambach. The setup polyhedron of series-parallel posets. *Discrete Appl. Math.*, 79(1-3):213–221, 1997.

[156] A.D. Scott. Better bounds for perpetual gossiping. *Discrete Appl. Math.*, 75(2):189–197, 1997.

[157] Maiko Shigeno and Satoru Iwata. A cost-scaling algorithm for 0-1 submodular flows. *Discrete Appl. Math.*, 73(3):261–273, 1997.

[158] W.C. Shiu and Peter C.B. Lam. The wiener number of the hexagonal net. *Discrete Appl. Math.*, 73(2):101–111, 1997.

[159] W.C. Shiu, C.S. Tong, and P.C.B. Lam. Wiener number of hexagonal jagged-rectangles. *Discrete Appl. Math.*, 80(1):83–96, 1997.

[160] Randy Shull and Ann N. Trenk. Cliques that are tolerance digraphs. *Discrete Appl. Math.*, 80(2-3):119–134, 1997.

[161] Anand Srivastav and Peter Stangier. Tight approximations for resource constrained scheduling and bin packing. *Discrete Appl. Math.*, 79(1-3):223–245, 1997.

[162] Jan I.A. Stallaert. The complementary class of generalized flow cover inequalities. *Discrete Appl. Math.*, 77(1):73–80, 1997.

[163] George Steiner. Minimizing the number of tardy jobs with precedence constraints and agreeable due dates. *Discrete Appl. Math.*, 72(1-2):167–177, 1997.

[164] C. Stivaros and K. Sutner. Computing optimal assignments for residual network reliability. *Discrete Appl. Math.*, 75(3):285–295, 1997.

[165] Ivan Stojmenović. Multiplicative circulant networks topological properties and communication algorithms. *Discrete Appl. Math.*, 77(3):281–305, 1997.

[166] Wei Sun and Yi Xian Yang. Correlation functions of a family of generalized geometric sequences. *Discrete Appl. Math.*, 80(2-3):193–201, 1997.

[167] Vadim G. Timkovsky. A polynomial-time algortihm for the two-machine unit-time release-date job-shop schedule-length problem. *Discrete Appl. Math.*, 77(2):185–200, 1997.

[168] Zs. Tuza and M. Voigt. List colorings and reducibility. *Discrete Appl. Math.*, 79(1-3):247–256, 1997.

[169] Asoo J. Vakharia and Bülent Çatay. Two machine openshop scheduling with machine-dependent processing times. *Discrete Appl. Math.*, 73(3):283–288, 1997.

[170] Annelie von Arnim and Andreas S. Schulz. Facets of the generalized permutahedron of a poset. *Discrete Appl. Math.*, 72(1-2):179–192, 1997.

[171] Bernhard von Stengel and Ralph Werchner. Complexity of searching an immobile hider in a graph. *Discrete Appl. Math.*, 78(1-3):235–249, 1997.

[172] Hansjoachim Walther. Polyhedral graphs without hamiltonian cycles. *Discrete Appl. Math.*, 79(1-3):257–263, 1997.

[173] Jian-Zhong Wang and Ji-Xiang Meng. The exponent of the primitive cayley digraphs on finite abelian groups. *Discrete Appl. Math.*, 80(2-3):177–191, 1997.

[174] J.P. Warners, T. Terlaky, C. Roos, and B. Jansen. A potential reduction approach to the frequency assignment problem. *Discrete Appl. Math.*, 78(1-3):251–282, 1997.

[175] William A. Webb. How to cut a cake fairly using a minimal number of cuts. *Discrete Appl. Math.*, 74(2):183–190, 1997.

[176] P. Wittmann. Vertex-distinguishing edge-colorings of 2-regular graphs. *Discrete Appl. Math.*, 79(1-3):265–277, 1997.

[177] A. Paweł Wojda and Małgorzata Zwonek. Coloring edges of self-complementary graphs. *Discrete Appl. Math.*, 79(1-3):279–284, 1997.

[178] Douglas R. Woodall. Monotonicity of single-seat preferential election rules. *Discrete Appl. Math.*, 77(1):81–98, 1997.

[179] Jing-Ho Yan, Gerard J. Chang, Sandra M. Hedetniemi, and Stephen T. Hedetniemi. k-path partitions in trees. *Discrete Appl. Math.*, 78(1-3):227–233, 1997.

[180] Hananya Yinnone. On paths avoiding forbidden pairs of vertices in a graph. *Discrete Appl. Math.*, 74(1):85–92, 1997.

[181] Fuji Zhang and Heping Zhang. A note on the number of perfect matchings of bipartite graphs. *Discrete Appl. Math.*, 73(3):275–282, 1997.

[182] Guochuan Zhang. A new version of on-line variable-sized bin packing. *Discrete Appl. Math.*, 72(3):193–197, 1997.

[183] Haping Zhang and Fuji Zhang. The rotation graphs of perfect matchings of plane bipartite graphs. *Discrete Appl. Math.*, 73(1):5–12, 1997.