References

[1] Arshad Ali and Ramachandran Vaidyanathan. Exact bounds on running ascend/descend and fan-in algorithms on synchronous multiple bus networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(8):783–790, 1996.

[2] James D. Allen and David E. Schimmel. Issues in the design of high performance simd architectures. *IEEE Trans. Parallel and Distrib. Systems*, 7(8):818–829, 1996.

[3] José Nelson Amaral and Joydeep Ghosh. A concurrent architecture for serializable production systems. *IEEE Trans. Parallel and Distrib. Systems*, 7(12):1265–1280, 1996.

[4] Paul Ammann, Sushil Jajodia, and Phyllis G. Frankl. Globally consistent event ordering in one-directional distributed environments. *IEEE Trans. Parallel and Distrib. Systems*, 7(6):665–670, 1996.

[5] Amnon Barak and Eugen Schenfeld. Embedding classical communication topologies in the scalable opam architecture. *IEEE Trans. Parallel and Distrib. Systems*, 7(9):979–992, 1996.

[6] Benjamín Barán, Eugenius Kaszkurewicz, and Amit Bhaya. Parallel asynchronous team algorithms: Convergence and performance analysis. *IEEE Trans. Parallel and Distrib. Systems*, 7(7):677–688, 1996.

[7] Debashis Basak and Dhabaleswar K. Panda. Designing clustered multiprocessor systems under packaging and technological advancements. *IEEE Trans. Parallel and Distrib. Systems*, 7(9):962–978, 1996.

[8] Pascal Berthomé, Afonso Ferreira, and Stéphane Perennes. Optimal information dissemination in star and pancake networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(12):1292–1300, 1996.

[9] Dharmavani Bhagavathi, Himabindu Gurla, Stephan Olariu, James L. Schwing, and Jingyuan Zhang. Square meshes are not optimal for convex hull computation. *IEEE Trans. Parallel and Distrib. Systems*, 7(6):545–554, 1996.

[10] Aart J.C. Bik and Harry A.G. Wijshoff. Automatic data structure selection and transformation for sparse matrix computations. *IEEE Trans. Parallel and Distrib. Systems*, 7(2):109–126, 1996.

[11] Rajendra V. Boppana and Suresh Chalasani. A framework for designing deadlock-free wormhole routing algorithms. *IEEE Trans. Parallel and Distrib. Systems*, 7(2):169–183, 1996.

[12] Jehoshua Bruck, Luc De Coster, Natalie Dewulf, Ching-Tien Ho, and Rudy Lauwereins. On the design and implementation of broadcast and global combine operations using the postal model. *IEEE Trans. Parallel and Distrib. Systems*, 7(3):256–265, 1996.

[13] Benjamin Charny. Matrix partitioning on a virtual shared memory parallel machine. *IEEE Trans. Parallel and Distrib. Systems*, 7(4):343–355, 1996.

[14] Ding-Kai Chen and Pen-Chung Yew. On effective execution of nonuniform doacross loops. *IEEE Trans. Parallel and Distrib. Systems*, 7(5):463–476, 1996.

[15] Lin Chen. Graph isomorphism and identification matrices: Parallel algorithms. *IEEE Trans. Parallel and Distrib. Systems*, 7(3):308–319, 1996.

[16] Ming-Syan Chen, Jeng-Chun Chen, and Philip S. Yu. On general results for all-to-all broadcast. *IEEE Trans. Parallel and Distrib. Systems*, 7(4):363–370, 1996.

[17] Tzung-Shi Chen, Yu-Chee Tseng, and Jang-Ping Sheu. Balanced spanning trees in complete and incomplete star graphs. *IEEE Trans. Parallel and Distrib. Systems*, 7(7):717–723, 1996.

[18] Hsien-Kuang Chiou and Willard Korfhage. Enhancing distributed event predicate detection algorithms. *IEEE Trans. Parallel and Distrib. Systems*, 7(7):673–676, 1996.

[19] Ge-Ming Chiu and Cheng-Ru Young. Efficient rollback-recovery technique in distributed computing systems. *IEEE Trans. Parallel and Distrib. Systems*, 7(6):565–577, 1996.

[20] Manhoi Choy and Ambuj K. Singh. Localizing failures in distributed synchronization. *IEEE Trans. Parallel and Distrib. Systems*, 7(7):705–716, 1996.

[21] Po-Jen Chuang. Cgin: A fault tolerant modified gamma interconnection network. *IEEE Trans. Parallel and Distrib. Systems*, 7(12):1301–1306, 1996.

[22] Soon M. Chung and Jaerheen Yang. A parallel distributive join algorithm for cube-connected multiprocessors. *IEEE Trans. Parallel and Distrib. Systems*, 7(2):127–137, 1996.

[23] Adrian Colbrook, Eric A. Brewer, Chrysanthos N. Dellarocas, and William E. Weihl. Algorithms for search trees on message-passing architectures. *IEEE Trans. Parallel and Distrib. Systems*, 7(2):97–108, 1996.

[24] Fredrik Dahlgren and Per Stenström. Evaluation of hardware-based stride and sequential prefetching in shared-memory multiprocessors. *IEEE Trans. Parallel and Distrib. Systems*, 7(4):385–398, 1996.

[25] Sajal K. Das, M. Cristina Pinotti, and Falguni Sarkar. Correction to "optimal and load balanced mapping of parallel priority queues in hypercubes". *IEEE Trans. Parallel and Distrib. Systems*, 7(8):896–896, 1996. Originally in IEEE Trans. Parallel and Distrib. Systems, Vol. 7, 1996, No. 6, 555-564.

[26] Sajal K. Das, M. Cristina Pinotti, and Falguni Sarkar. Optimal and load balanced mapping of parallel priority queues in hypercubes. *IEEE Trans. Parallel and Distrib. Systems*, 7(6):555–564, 1996. see Erratum in IEEE Trans. Parallel and Distrib. Systems, Vol. 7, 1996, No. 8, 896.

[27] Renzo Davoli, Luigi-Alberto Giachini, Özalp Babaoglu, Alessandro Amoroso, and Lorenzo Alvisi. Parallel computing in networks of workstations with paralex. *IEEE Trans. Parallel and Distrib. Systems*, 7(4):371–384, 1996.

[28] Ashoke Deb. Multiskewing — a novel technique for optimal parallel memory access. *IEEE Trans. Parallel and Distrib. Systems*, 7(6):595–604, 1996.

[29] Phillip M. Dickens, Philip Heidelberger, and David M. Nicol. Parallelized direct execution simulation of message-passing parallel programs. *IEEE Trans. Parallel and Distrib. Systems*, 7(10):1090–1105, 1996.

[30] José Duato. A necessary and sufficient condition for deadlock-free routing in cut-through and store-and-forward networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(8):841–854, 1996.

[31] Dannie Durand, Thierry Montaut, Lionel Kervella, and William Jalby. Impact of memory contention on dynamic scheduling on numa multiprocessors. *IEEE Trans. Parallel and Distrib. Systems*, 7(11):1201–1214, 1996.

[32] Andrea C. Dusseau, David E. Culler, Klaus Erik Schauser, and Richard P. Martin. Fast parallel sorting under logp: Experience with the cm-5. *IEEE Trans. Parallel and Distrib. Systems*, 7(8):791–805, 1996.

[33] Kemal Efe and Antonio Fernández. Mesh-connected trees: A bridge between grids and meshes of trees. *IEEE Trans. Parallel and Distrib. Systems*, 7(12):1281–1291, 1996.

[34] John R. Feehrer and Lars H. Ramfelt. Packet synchronization for synchronous optical deflection-routed interconnection networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(6):605–611, 1996.

[35] Craig S. Freedman, Josef Burger, and David J. DeWitt. Spiff — a scalable parallel file system for the intel paragon. *IEEE Trans. Parallel and Distrib. Systems*, 7(11):1185–1200, 1996.

[36] Kumar N. Ganapathy and Benjamin W. Wah. Optimal synthesis of algorithm-specific lower-dimensional processor arrays. *IEEE Trans. Parallel and Distrib. Systems*, 7(3):274–287, 1996.

[37] Vijay K. Garg and Brian Waldecker. Detection of strong unstable predicates in distributed programs. *IEEE Trans. Parallel and Distrib. Systems*, 7(12):1323–1333, 1996.

[38] Christopher J. Glass and Lionel M. Ni. Fault-tolerant wormhole routing in meshes without virtual channels. *IEEE Trans. Parallel and Distrib. Systems*, 7(6):620–636, 1996.

[39] Chun Gong, Rami Melhem, and Rajiv Gupta. Loop transformations for fault detection in regular loops on massively parallel systems. *IEEE Trans. Parallel and Distrib. Systems*, 7(12):1238–1249, 1996.

[40] R. Govindarajan, Erik R. Altman, and Guang R. Gao. A framework for resource-constrained rate-optimal software pipelining. *IEEE Trans. Parallel and Distrib. Systems*, 7(11):1133–1149, 1996.

[41] Manish Gupta, Edith Schonberg, and Harini Srinivasan. A unified framework for optimizing communication in data-parallel programs. *IEEE Trans. Parallel and Distrib. Systems*, 7(7):689–704, 1996.

[42] Garng M. Huang and Shan Zhu. A new had algorithm for optimal routing of hierarchically structured data networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(9):939–953, 1996.

[43] Richard T. Hurley and Soon Aun Yeap. File migration and file replication: A symbiotic relationship. *IEEE Trans. Parallel and Distrib. Systems*, 7(6):578–586, 1996.

[44] Kai Hwang, Zhiwei Xu, and Masahiro Arakawa. Benchmark evaluation of the ibm sp2 for parallel signal processing. *IEEE Trans. Parallel and Distrib. Systems*, 7(5):522–536, 1996.

[45] Joseph F. JáJá and Kwan Woo Ryu. The block distributed memory model. *IEEE Trans. Parallel and Distrib. Systems*, 7(8):830–840, 1996.

[46] Sanjay Kamat and Wei Zhao. An efficient optimal reconfiguration algorithm for fddi-based networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(4):411–424, 1996.

[47] Benjamin Kao and Hector Garcia-Molina. Scheduling soft real-time jobs over dual non-real-time servers. *IEEE Trans. Parallel and Distrib. Systems*, 7(1):56–68, 1996.

[48] David M. Koppelman. A family of interconnection networks for nonuniform traffic. *IEEE Trans. Parallel and Distrib. Systems*, 7(5):486–492, 1996.

[49] David A. Koufaty, Xiangfeng Chen, David K. Poulsen, and Josep Torrellas. Data forwarding in scalable shared-memory multiprocessors. *IEEE Trans. Parallel and Distrib. Systems*, 7(12):1250–1264, 1996.

[50] Dina Kravets and C. Greg Plaxton. All nearest smaller values on the hypercube. *IEEE Trans. Parallel and Distrib. Systems*, 7(5):456–462, 1996.

[51] Yu-Kwong Kwok and Ishfaq Ahmad. Dynamic critical-path scheduling: An effective technique for allocating task graphs to multiprocessors. *IEEE Trans. Parallel and Distrib. Systems*, 7(5):506–521, 1996.

[52] Ten H. Lai and Ming-Jye Sheng. Constructing euclidean minimum spanning trees and all nearest neighbors on reconfigurable meshes. *IEEE Trans. Parallel and Distrib. Systems*, 7(8):806–817, 1996.

[53] Francis C.M. Lau and Guihai Chen. Optimal layouts of midimew networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(9):954–961, 1996.

[54] Chiung-San Lee and Tai-Ming Parng. A subsystem-oriented performance analysis methodology for shared-bus multiprocessors. *IEEE Trans. Parallel and Distrib. Systems*, 7(7):755–767, 1996.

[55] Sang-Kyu Lee and Hyeong-Ah Choi. Embedding of complete binary trees into meshes with row-column routing. *IEEE Trans. Parallel and Distrib. Systems*, 7(5):493–497, 1996.

[56] Soo-Young Lee and Kyung Geun Lee. Synchronous and asynchronous parallel simulated annealing with multiple markov chains. *IEEE Trans. Parallel and Distrib. Systems*, 7(10):993–1008, 1996.

[57] Avraham Leff, Joel L. Wolf, and Philip S. Yu. Efficient lru-based buffering in a lan remote caching architecture. *IEEE Trans. Parallel and Distrib. Systems*, 7(2):191–206, 1996.

[58] Gary Lewandowski, Anne Condon, and Eric Bach. Asynchronous analysis of parallel dynamic programming algorithms. *IEEE Trans. Parallel and Distrib. Systems*, 7(4):425–438, 1996.

[59] Hwa-Chun Lin and C.S. Raghavendra. An approximate analysis of the join the shortest queue (jsq) policy. *IEEE Trans. Parallel and Distrib. Systems*, 7(3):301–307, 1996.

[60] Virginia Lo, Sanjay Rajopadhye, Jan Arne Telle, and Xiaoxiong Zhong. Parallel divide and conquer on meshes. *IEEE Trans. Parallel and Distrib. Systems*, 7(10):1049–1058, 1996.

[61] David M. Mandelbaum and Stefanie G. Mandelbaum. A fast, efficient parallel-acting method of generating functions defined by power series, including logarithm, exponential, and sine, cosine. *IEEE Trans. Parallel and Distrib. Systems*, 7(1):33–45, 1996.

[62] Prasant Mohapatra and Chita R. Das. Performance analysis of finite-buffered asynchronous multistage interconnection networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(1):18–25, 1996.

[63] Jean Frédéric Myoupo and Anne Cécile Fabret. A modular systolic linearization of the warshall-floyd algorithm. *IEEE Trans. Parallel and Distrib. Systems*, 7(5):449–455, 1996.

[64] Arun K. Nanda and Lionel M. Ni. Mad kernels: An experimental testbed to study multiprocessor memory system behavior. *IEEE Trans. Parallel and Distrib. Systems*, 7(2):207–217, 1996.

[65] Nils Nieuwejaar, David Kotz, Apratim Purakayastha, Carla Schlatter Ellis, and Michael L. Best. File-access characteristics of parallel scientific workloads. *IEEE Trans. Parallel and Distrib. Systems*, 7(10):1075–1089, 1996.

[66] Sabine Öhring and Sajal K. Das. Folded petersen cube networks: New competitors for the hypercubes. *IEEE Trans. Parallel and Distrib. Systems*, 7(2):151–168, 1996.

[67] Stephan Olariu and Albert Y. Zomaya. A time- and cost-optimal algorithm for interlocking sets — with applications. *IEEE Trans. Parallel and Distrib. Systems*, 7(10):1009–1025, 1996.

[68] Michael A. Palis, Jing-Chiou Liou, and David S.L. Wei. Task clustering and scheduling for distributed memory parallel architectures. *IEEE Trans. Parallel and Distrib. Systems*, 7(1):46–55, 1996.

[69] Jong Won Park and David T. Harper III. An efficient memory system for the simd construction of a gaussian pyramid. *IEEE Trans. Parallel and Distrib. Systems*, 7(8):855–860, 1996.

[70] Ju-Young L. Park and Hyeong-Ah Choi. Circuit-switched broadcasting in torus and mesh networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(2):184–190, 1996.

[71] Nelson Luiz Passos and Edwin Hsing-Mean Sha. Achieving full parallelism using multidimensional retiming. *IEEE Trans. Parallel and Distrib. Systems*, 7(11):1150–1163, 1996.

[72] Joseph G. Peters and Michel Syska. Circuit-switched broadcasting in torus networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(3):246–255, 1996.

[73] Paul M. Petersen and David A. Padua. Static and dynamic evaluation of data dependence analysis techniques. *IEEE Trans. Parallel and Distrib. Systems*, 7(11):1121–1132, 1996.

[74] Dan Picker and Ronald D. Fellman. Successive superposition: A technique for the exact modeling of deterministic packet queuing networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(10):1106–1120, 1996.

[75] John R. Pilkington and Scott B. Baden. Dynamic partitioning of non-uniform structured workloads with spacefilling curves. *IEEE Trans. Parallel and Distrib. Systems*, 7(3):288–300, 1996.

[76] Ravi Prakash and Mukesh Singhal. Low-cost checkpointing and failure recovery in mobile computing systems. *IEEE Trans. Parallel and Distrib. Systems*, 7(10):1035–1048, 1996.

[77] G.N. Srinivasa Prasanna and B.R. Musicus. Generalized multiprocessor scheduling and applications to matrix computations. *IEEE Trans. Parallel and Distrib. Systems*, 7(6):650–664, 1996.

[78] Nageswara S.V. Rao. On parallel algorithms for single-fault diagnosis in fault propagation graph systems. *IEEE Trans. Parallel and Distrib. Systems*, 7(12):1217–1223, 1996.

[79] Minjoong Rim and Rajiv Jain. Valid transformations: A new class of loop transformations for high-level synthesis and pipelined scheduling applications. *IEEE Trans. Parallel and Distrib. Systems*, 7(4):399–410, 1996.

[80] Debanjan Saha, Sampath Rangarajan, and Satish K. Tripathi. An analysis of the average message overhead in replica control protocols. *IEEE Trans. Parallel and Distrib. Systems*, 7(10):1026–1034, 1996.

[81] Dilip K. Saikia and Ranjan K. Sen. Two ranking schemes for efficient computation on the star interconnection network. *IEEE Trans. Parallel and Distrib. Systems*, 7(4):321–327, 1996.

[82] Sol M. Shatz, Shengru Tu, Tadao Murata, and Sastry Duri. An application of petri net reduction for ada tasking deadlock analysis. *IEEE Trans. Parallel and Distrib. Systems*, 7(12):1307–1322, 1996.

[83] Kang G. Shin and Chao-Ju Hou. Evaluation of load sharing in harts with consideration of its communication activities. *IEEE Trans. Parallel and Distrib. Systems*, 7(7):724–739, 1996.

[84] Wei Shu and Min-You Wu. Runtime incremental parallel scheduling (rips) on distributed memory computers. *IEEE Trans. Parallel and Distrib. Systems*, 7(6):637–649, 1996.

[85] Gurdip Singh. Leader election in the presence of link failures. *IEEE Trans. Parallel and Distrib. Systems*, 7(3):231–236, 1996.

[86] Hin-Sing Siu, Yeh-Hao Chin, and Wei-Pang Yang. A note on consensus on dual failure modes. *IEEE Trans. Parallel and Distrib. Systems*, 7(3):225–230, 1996.

[87] Patrick G. Sobalvarro. Analytical modeling of multistage, multipath networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(10):1059–1064, 1996.

[88] Peter Steenkiste. Network-based multicomputers: A practical supercomputer architecture. *IEEE Trans. Parallel and Distrib. Systems*, 7(8):861–875, 1996.

[89] Ivan Stojmenovic. Constant time bsr solutions to parenthesis matching, tree decoding, and tree reconstruction from its traversals. *IEEE Trans. Parallel and Distrib. Systems*, 7(2):218–224, 1996.

[90] Douglas H. Summerville, José G. Delgado-Frias, and Stamatis Vassiliadis. A flexible bit-pattern associative router for interconnection

networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(5):477–485, 1996.

[91] D.L. Tao, C.R.P. Hartmann, and Yunghsing S. (Sam) Han. New encoding/decoding methods for designing fault-tolerant matrix operations. *IEEE Trans. Parallel and Distrib. Systems*, 7(9):931–938, 1996.

[92] Rajeev Thakur, Alok Choudhary, and J. Ramanujam. Efficient algorithms for array redistribution. *IEEE Trans. Parallel and Distrib. Systems*, 7(6):587–594, 1996.

[93] Oliver E. Theel and Brett D. Fleisch. A dynamic coherence protocol for distributed shared memory enforcing high data availability at low costs. *IEEE Trans. Parallel and Distrib. Systems*, 7(9):915–930, 1996.

[94] Evan Torrie, Margaret Martonosi, Chau-Wen Tseng, and Mary W. Hall. Characterizing the memory behavior of compiler-parallelized applications. *IEEE Trans. Parallel and Distrib. Systems*, 7(12):1224–1237, 1996.

[95] Yih-jia Tsai and Philip K. McKinley. A broadcast algorithm for all-port wormhole-routed torus networks. *IEEE Trans. Parallel and Distrib. Systems*, 7(8):876–885, 1996.

[96] Yu-Chee Tseng and Sandeep K.S. Gupta. All-to-all personalized communication in a wormhole-routed torus. *IEEE Trans. Parallel and Distrib. Systems*, 7(5):498–505, 1996.

[97] Yu-Chee Tseng, Dhabaleswar K. Panda, and Ten-Hwang Lai. A trip-based multicasting model in wormhole-routed networks with virtual channels. *IEEE Trans. Parallel and Distrib. Systems*, 7(2):138–150, 1996.

[98] Brian Tung and Leonard Kleinrock. Using finite state automata to produce self-optimization and self-control. *IEEE Trans. Parallel and Distrib. Systems*, 7(4):439–448, 1996.

[99] Nian-Feng Tzeng and Gui-Liang Feng. Resource allocation in cube network systems based on the covering radius. *IEEE Trans. Parallel and Distrib. Systems*, 7(4):328–342, 1996.

[100] Nian-Feng Tzeng and Harish Kumar. Traffic analysis and simulation performance of incomplete hypercubes. *IEEE Trans. Parallel and Distrib. Systems*, 7(7):740–754, 1996.

[101] Eli Upfal, Sergio Felperin, and Marc Snir. Randomized routing with shorter paths. *IEEE Trans. Parallel and Distrib. Systems*, 7(4):356–362, 1996.

[102] Premkumar Vadapalli and Pradip K. Srimani. A new family of cayley graph interconnection networks of constant degree four. *IEEE Trans. Parallel and Distrib. Systems*, 7(1):26–32, 1996.

[103] Kees van Reeuwijk, Will Denissen, Henk J. Sips, and Edwin M.R.M. Paalvast. An implementation framework for hpf distributed arrays on message-passing parallel computer systems. *IEEE Trans. Parallel and Distrib. Systems*, 7(9):897–914, 1996.

[104] Emmanouel A. Varvarigos and Ayan Banerjee. Routing schemes for multiple random broadcasts in arbitrary network topologies. *IEEE Trans. Parallel and Distrib. Systems*, 7(8):886–895, 1996.

[105] Theodora A. Varvarigou, Vwani P. Roychowdhury, Thomas Kailath, and Eugene Lawler. Scheduling in and out forests in the presence of communication delays. *IEEE Trans. Parallel and Distrib. Systems*, 7(10):1065–1074, 1996.

[106] Haigeng Wang, Alexandru Nicolau, Stephen Keung, and Kai-Yeung (Sunny) Siu. Computing programs containing band linear recurrences on vector supercomputers. *IEEE Trans. Parallel and Distrib. Systems*, 7(8):769–782, 1996.

[107] Zhaofang Wen. Multiway merging in parallel. *IEEE Trans. Parallel and Distrib. Systems*, 7(1):11–17, 1996.

[108] Shiow-Yang Wu, Daniel P. Miranker, and James C. Browne. Decomposition abstraction in parallel rule languages. *IEEE Trans. Parallel and Distrib. Systems*, 7(11):1164–1184, 1996.

[109] Chengzhong Xu and Francis C.M. Lau. Efficient termination detection for loosely synchronous applications in multicomputers. *IEEE Trans. Parallel and Distrib. Systems*, 7(5):537–544, 1996.

[110] Masafumi Yamashita and Tsunehiko Kameda. Computing on anonymous networks: Part i — characterizing the solvable cases. *IEEE Trans. Parallel and Distrib. Systems*, 7(1):69–89, 1996.

[111] Masafumi Yamashita and Tsunehiko Kameda. Computing on anonymous networks: Part ii — decision and membership problems. *IEEE Trans. Parallel and Distrib. Systems*, 7(1):90–96, 1996.

[112] Pei-Ji Yang and C.S. Raghavendra. Embedding and reconfiguration of binary trees in faulty hypercubes. *IEEE Trans. Parallel and Distrib. Systems*, 7(3):237–245, 1996.

[113] Hee Yong Youn and Jae Young Lee. An efficient dictionary machine using hexagonal processor arrays. *IEEE Trans. Parallel and Distrib. Systems*, 7(3):266–273, 1996.

[114] Chang-Wu Yu and Gen-Huey Chen. An efficient parallel recognition algorithm for bipartite-permutation graphs. *IEEE Trans. Parallel and Distrib. Systems*, 7(1):3–10, 1996.

[115] S.Q. Zheng and Shahram Latifi. Optimal simulation of linear multiprocessor architectures on multiply-twisted cube using generalized gray codes. *IEEE Trans. Parallel and Distrib. Systems*, 7(6):612–619, 1996.