

## References

- [1] Serge Abiteboul, Christos H. Papadimitriou, and V. Vianu. Reflective relational machines. *Inf. Comput.*, 143(2):110–136, 1998.
- [2] Beate Bollig and Ingo Wegener. Completeness and non-completeness results with respect to read-once projections. *Inf. Comput.*, 143(1):24–33, 1998.
- [3] Robert L. Constable. A note on complexity measures for inductive classes in constructive type theory. *Inf. Comput.*, 143(2):137–153, 1998.
- [4] Anuj Dawar. A restricted second order logic for finite structures. *Inf. Comput.*, 143(2):154–174, 1998.
- [5] Jean-Yves Girard. Light linear logic. *Inf. Comput.*, 143(2):175–204, 1998.
- [6] Hajime Ishihara, Bakhadyr Khoussainov, and Anil Nerode. Computable kripke models and intermediate logics. *Inf. Comput.*, 143(2):205–230, 1998.
- [7] Steven Lindell. A constant-space sequential model of computation for first-order logic. *Inf. Comput.*, 143(2):231–250, 1998.
- [8] Franco Montagna. Investigations on measure-one identification of classes of languages. *Inf. Comput.*, 143(1):74–107, 1998.
- [9] Davide Sangiorgi. An interpretation of typed objects into typed  $\pi$ -calculus. *Inf. Comput.*, 143(1):34–73, 1998.
- [10] Paula Severi. Type inference for pure type systems. *Inf. Comput.*, 143(1):1–23, 1998.