

## References

- [1] Shigeki Akiyama, Frédérique Bassino, and Christiane Frougny. Arithmetic meyer sets and finite automata. *Inf. Comput.*, 201(2):199–215, 2005.
- [2] G. Castagna, J. Vitek, and F. Zappa Nardelli. The seal calculus. *Inf. Comput.*, 201(1):1–54, 2005.
- [3] Jianer Chen, Benny Chor, Mike Fellows, Xiuzhen Huang, David Juedes, Iyad A. Kanj, and Ge Xia. Tight lower bounds for certain parameterized  $np$ -hard problems. *Inf. Comput.*, 201(2):216–231, 2005.
- [4] Venkatesh Choppella and Christopher T. Haynes. Source-tracking unification. *Inf. Comput.*, 201(2):121–159, 2005.
- [5] Yuri Kalnishkan, Vladimir Vovk, and Michael V. Vyugin. How many strings are easy to predict? *Inf. Comput.*, 201(1):55–71, 2005.
- [6] Matthias Krause, Petr Savický, and Ingo Wegener. On the influence of the variable ordering for algorithmic learning using obdds. *Inf. Comput.*, 201(2):160–177, 2005.
- [7] Atsuyoshi Nakamura. An efficient query learning algorithm for ordered binary decision diagrams. *Inf. Comput.*, 201(2):178–198, 2005.
- [8] Mark Reynolds. An axiomatization of  $pctl^*$ . *Inf. Comput.*, 201(1):72–119, 2005.