

References

- [1] Alok Aggarwal, Heather Booth, Joseph O'Rourke, Subhash Suri, and Chee K. Yap. Finding minimal convex nested polygons. *Inf. Comput.*, 83(1):98–110, 1989, October.
- [2] R. Ahlswede and Z. Zhang. Coding for write-efficient memory. *Inf. Comput.*, 83(1):80–97, 1989, October.
- [3] Pierre America, Jaco de Bakker, Joost N. Kok, and Jan Rutten. Denotational semantics of a parallel object-oriented language. *Inf. Comput.*, 83(2):152–205, 1989, November.
- [4] A. Arnold and S. Brlek. Optimal word chains for the thue-morse word. *Inf. Comput.*, 83(2):140–151, 1989, November.
- [5] Yongkyun Cho and Seymour Ginsburg. Decision problems of object histories. *Inf. Comput.*, 83(2):245–263, 1989, November.
- [6] Vladimir Estivill-Castro and Derick Wood. A new measure of presortedness. *Inf. Comput.*, 83(1):111–119, 1989, October.
- [7] F.E. Fich, M. Li, P. Ragde, and Y. Yesha. On the power of concurrent-write prams with read-only memory. *Inf. Comput.*, 83(2):234–244, 1989, November.
- [8] Steven M. German, Edmund M. Clarke, and Joseph Y. Halpern. Reasoning about procedures as parameters in the language l4. *Inf. Comput.*, 83(3):265–359, 1989, December.
- [9] Neil Immerman and Dexter Kozen. Definability with bounded number of bound variables. *Inf. Comput.*, 83(2):121–139, 1989, November.
- [10] Toshiya Itoh and Shigeo Tsujii. Structure of parallel multipliers for a class of fields $gf(2^m)$. *Inf. Comput.*, 83(1):21–40, 1989, October.
- [11] M. Nivat and A. Saoudi. Automata on infinite objects and their applications to logic and programming. *Inf. Comput.*, 83(1):41–64, 1989, October.

- [12] Michiel H.M. Smid, Mark H. Overmars, Leen Torenvliet, and Peter van Emde Boas. Maintaining multiple representations of dynamic data structures. *Inf. Comput.*, 83(2):206–233, 1989, November.
- [13] Jonathan S. Turner. Approximation algorithms for the shortest common superstring problem. *Inf. Comput.*, 83(1):1–20, 1989, October.
- [14] Bernd Voigt and Ingo Wegener. Minimal polynomials for the conjunction of functions on disjoint variables can be very simple. *Inf. Comput.*, 83(1):65–79, 1989, October.