

References

- [1] Martín Abadi and Luca Cardelli. A theory of primitive objects: Untyped and first-order systems. *Inf. Comput.*, 125(2):78–102, 1996.
- [2] Parosh Aziz Abdulla and Bengt Jonsson. Undecidable verification problems for programs with unreliable channels. *Inf. Comput.*, 130(1):71–90, 1996.
- [3] Parosh Aziz Abdulla and Bengt Jonsson. Verifying programs with unreliable channels. *Inf. Comput.*, 127(2):91–101, 1996.
- [4] Luca Aceto, Rob van Glabbeek, Wan Fokkink, and Anna Ingólfssdóttir. Axiomatizing prefix iteration with silent steps. *Inf. Comput.*, 127(1):26–40, 1996.
- [5] Luca Aceto and Anna Ingólfssdóttir. Cpo models for compact gsos languages. *Inf. Comput.*, 129(2):107–141, 1996.
- [6] M. Agrawal and V. Arvind. A note on decision versus search for graph automorphism. *Inf. Comput.*, 131(2):179–189, 1996.
- [7] Rajeev Alur and Gadi Taubenfeld. Contention-free complexity of shared memory algorithms. *Inf. Comput.*, 126(1):62–73, 1996.
- [8] James H. Anderson and Jae-Heon Yang. Time/contention trade-offs for multiprocessor synchronization. *Inf. Comput.*, 124(1):68–84, 1996.
- [9] Giuseppe Ateniese, Carlo Blundo, Alfredo de Santis, and Douglas R. Stinson. Visual cryptography for general access structures. *Inf. Comput.*, 129(2):86–106, 1996.
- [10] Judit Bar-Ilan and David Peleg. Scheduling jobs using common resources. *Inf. Comput.*, 125(1):52–61, 1996.
- [11] Franco Barbanera and Stefano Berardi. A symmetric lambda calculus for classical program extraction. *Inf. Comput.*, 125(2):103–117, 1996.
- [12] Paul Beame, Allan Borodin, Prabhakar Raghavan, Walter L. Ruzzo, and Martin Tompa. Time-space tradeoffs for undirected graph traversal by graph automata. *Inf. Comput.*, 130(2):101–129, 1996.

- [13] Rachel Ben-Eliyahu and Menachem Magidor. A temporal logic for proving properties of topologically general executions. *Inf. Comput.*, 124(2):127–144, 1996.
- [14] Claudia Bertram-Kretzberg and Thomas Hofmeister. Multiple product modulo arbitrary numbers. *Inf. Comput.*, 131(1):81–93, 1996.
- [15] Roel Bloo, Fairouz Kamareddine, and Rob Nederpelt. The barendregt cube with definitions and generalized reduction. *Inf. Comput.*, 126(2):123–143, 1996.
- [16] Carlo Blundo, Alfredo de Santis, and Ugo Vaccaro. Randomness in distribution protocols. *Inf. Comput.*, 131(2):111–139, 1996.
- [17] Ronald V. Book and Osamu Watanabe. On random hard sets for np. *Inf. Comput.*, 125(1):70–76, 1996.
- [18] Michele Boreale and Rocco de Nicola. A symbolic semantics for the π -calculus. *Inf. Comput.*, 126(1):34–52, 1996.
- [19] Gérard Boudol and Cosimo Laneve. The discriminating power of multiplicities in the λ -calculus. *Inf. Comput.*, 126(1):83–102, 1996.
- [20] Stephen Brookes. Full abstraction for a shared-variable parallel language. *Inf. Comput.*, 127(2):145–163, 1996.
- [21] Véronique Bruyère and Clelia de Felice. Any lifting of a trace coding is a word coding. *Inf. Comput.*, 130(2):183–193, 1996.
- [22] John Case, Sanjay Jain, and Arun Sharma. Machine induction without revolutionary changes in hypothesis size. *Inf. Comput.*, 128(2):73–86, 1996.
- [23] Gérard Cécé, Alain Finkel, and S. Purushothaman Iyer. Unreliable channels are easier to verify than perfect channels. *Inf. Comput.*, 124(1):20–31, 1996.
- [24] Mark Changizi. Self-monitoring machines and an ω^ω hierarchy of loops. *Inf. Comput.*, 128(2):127–138, 1996.
- [25] Shiva Chaudhuri. Sensitive functions and approximate problems. *Inf. Comput.*, 126(2):161–168, 1996.

- [26] Nadia Creignou and Miki Hermann. Complexity of generalized satisfiability counting problems. *Inf. Comput.*, 125(1):1–12, 1996.
- [27] Mads Dam. Model checking mobile processes. *Inf. Comput.*, 129(1):35–51, 1996.
- [28] Carsten Damm and Markus Holzer. Inductive counting for width-restricted branching programs. *Inf. Comput.*, 130(1):91–99, 1996.
- [29] Manfred Droste. Aperiodic languages in concurrency monoids. *Inf. Comput.*, 126(2):105–113, 1996.
- [30] Abbas Edalat. Power domains and iterated function systems. *Inf. Comput.*, 124(2):182–197, 1996.
- [31] Stephen Fenner, Lance Fortnow, and Lide Li. Gap-definability as a closure property. *Inf. Comput.*, 130(1):1–17, 1996.
- [32] F. Ferrucci, G. Pacini, G. Satta, M.I. Sessa, G. Tortora, M. Tucci, and G. Vitiello. Symbol-relation grammars: A formalism for graphical languages. *Inf. Comput.*, 131(1):1–46, 1996.
- [33] Marcelo P. Fiore. A coinduction principle for recursive data types based on bisimulation. *Inf. Comput.*, 127(2):186–198, 1996.
- [34] Wan Fokkink and Rob van Glabbeek. Ntyft/ntyxt rules reduce to ntree rules. *Inf. Comput.*, 126(1):1–10, 1996.
- [35] Lance Fortnow and Nick Reingold. Pp is closed under truth-table reductions. *Inf. Comput.*, 124(1):1–6, 1996.
- [36] Campbell B. Fraser, Robert W. Irving, and Martin Middendorf. Maximal common subsequences and minimal common supersequences. *Inf. Comput.*, 124(2):145–153, 1996.
- [37] Dora Giammarresi, Antonio Restivo, Sebastian Seibert, and Wolfgang Thomas. Monadic second-order logic over rectangular pictures and recognizability by tiling systems. *Inf. Comput.*, 125(1):32–45, 1996.
- [38] Pietro Di Gianantonio. Real number computability and domain theory. *Inf. Comput.*, 127(1):11–25, 1996.

- [39] Raffaele Giancarlo and Roberto Grossi. On the construction of classes of suffix trees for square matrices: Algorithms and applications. *Inf. Comput.*, 130(2):151–182, 1996.
- [40] Ursula Goltz, Roberto Gorrieri, and Arend Rensink. Comparing syntactic and semantic action refinement. *Inf. Comput.*, 125(2):118–143, 1996.
- [41] Andreas Gruchalski. Computability on dl-domains. *Inf. Comput.*, 124(1):7–19, 1996.
- [42] Christian Haack. A decomposition theorem for domains. *Inf. Comput.*, 124(1):62–67, 1996.
- [43] Yenjo Han and Thomas Thierauf. Restricted information from nonadaptive queries to np. *Inf. Comput.*, 128(2):119–125, 1996.
- [44] Thomas Hancock, Tao Jiang, Ming Li, and John Tromp. Lower bounds on learning decision lists and trees. *Inf. Comput.*, 126(2):114–122, 1996.
- [45] David Harel and Eli Singerman. More on nonregular pdl: Finite models and fibonacci-like programs. *Inf. Comput.*, 128(2):109–118, 1996.
- [46] Gerd G. Hillebrand, Paris C. Kanellakis, and Harry G. Mairson. Database query languages embedded in the typed lambda calculus. *Inf. Comput.*, 127(2):117–144, 1996.
- [47] Chun-Kuen Ho. Beyond recursive real functions. *Inf. Comput.*, 124(2):113–126, 1996.
- [48] Martin Hofmann and Benjamin C. Pierce. Positive subtyping. *Inf. Comput.*, 126(1):11–33, 1996.
- [49] Douglas J. Howe. Proving congruence of bisimulation in functional programming languages. *Inf. Comput.*, 124(2):103–112, 1996.
- [50] Toshiya Itoh. Simulating fair dice with biased coins. *Inf. Comput.*, 126(1):78–82, 1996.
- [51] Sanjay Jain and Arun Sharma. Computational limits on team identification of languages. *Inf. Comput.*, 130(1):19–60, 1996.

- [52] Birgit Jenner, Pierre McKenzie, and Denis Thérien. Logspace and log-time leaf languages. *Inf. Comput.*, 129(1):21–33, 1996.
- [53] André Joyal, Mogens Nielsen, and Glynn Winskel. Bisimulation from open maps. *Inf. Comput.*, 127(2):164–185, 1996.
- [54] David W. Juedes and Jack H. Lutz. Completeness and weak completeness under polynomial-size circuits. *Inf. Comput.*, 125(1):13–31, 1996.
- [55] Ming-Yang Kao, John H. Reif, and Stephen R. Tate. Searching in an unknown environment: An optimal randomized algorithm for the cow-path problem. *Inf. Comput.*, 131(1):63–79, 1996.
- [56] Lila Kari and Gabriel Thierrin. Contextual insertions/deletions and computability. *Inf. Comput.*, 131(1):47–61, 1996.
- [57] Delia Kesner, Laurence Puel, and Val Tannen. A typed pattern calculus. *Inf. Comput.*, 124(1):32–61, 1996.
- [58] Joe Kilian and Hava T. Siegelmann. The dynamic universality of sigmoidal neural networks. *Inf. Comput.*, 128(1):48–56, 1996.
- [59] P. Kosiuczenko and K. Meinke. On the power of higher-order algebraic specification methods. *Inf. Comput.*, 124(1):85–101, 1996.
- [60] Orna Kupferman and Orna Grumberg. Branching-time temporal logic and tree automata. *Inf. Comput.*, 125(1):62–69, 1996.
- [61] Yves Lafont and Andre Scedrov. The undecidability of second order multiplicative linear logic. *Inf. Comput.*, 125(1):46–51, 1996.
- [62] Nancy Lynch and Frits Vaandrager. Forward and backward simulations ii. timing-based systems. *Inf. Comput.*, 128(1):1–25, 1996.
- [63] Ian A. Mason, Scott F. Smith, and Carolyn L. Talcott. From operational semantics to domain theory. *Inf. Comput.*, 128(1):26–47, 1996.
- [64] John Mitchell and Ramesh Viswanathan. Standard ml-nj weak polymorphism and imperative constructs. *Inf. Comput.*, 127(2):102–116, 1996.
- [65] Andrew M. Pitts. Relational properties of domains. *Inf. Comput.*, 127(2):66–90, 1996.

- [66] David A. Plaisted and Andrea Sattler-Klein. Proof lengths for equational completion. *Inf. Comput.*, 125(2):154–170, 1996.
- [67] Gordon Plotkin. On a question of h. friedman. *Inf. Comput.*, 126(1):74–77, 1996.
- [68] Alexander Rabinovich. On schematological equivalence of dataflow networks. *Inf. Comput.*, 124(2):154–167, 1996.
- [69] Christophe Ringeissen. Combining decision algorithms for matching in the union of disjoint equational theories. *Inf. Comput.*, 126(2):144–160, 1996.
- [70] Kathleen Romanik and Jeffrey Scott Vitter. Using vapnik-chervonenkis dimension to analyze the testing complexity of program segments. *Inf. Comput.*, 128(2):87–108, 1996.
- [71] Diana Roß and Klaus W. Wagner. On the power of dna-computing. *Inf. Comput.*, 131(2):95–109, 1996.
- [72] Davide Sangiorgi. Bisimulation for higher-order process calculi. *Inf. Comput.*, 131(2):141–178, 1996.
- [73] Hasan Md. Sayeed and Hosame Abu-Amara. Efficient perfectly secure message transmission in synchronous networks. *Inf. Comput.*, 126(1):53–61, 1996.
- [74] Masako Takahashi, Yohji Akama, and Sachio Hirokawa. Normal proofs and their grammar. *Inf. Comput.*, 125(2):144–153, 1996.
- [75] George Varghese and Nancy A. Lynch. A tradeoff between safety and liveness for randomized coordinated attack. *Inf. Comput.*, 128(1):57–71, 1996.
- [76] Walter Vogler. The limit of Split_n-language equivalence. *Inf. Comput.*, 127(1):41–61, 1996.
- [77] Vladimir V. V’yugin. Bayesianism: An algorithmic analysis. *Inf. Comput.*, 127(1):1–10, 1996.
- [78] Farn Wang. Parametric timing analysis for real-time systems. *Inf. Comput.*, 130(2):131–150, 1996.

- [79] Thomas Wilke and Haiseung Yoo. Computing the rabin index of a regular language of infinite words. *Inf. Comput.*, 130(1):61–70, 1996.
- [80] Hsu-Chun Yen. On the regularity of petri net languages. *Inf. Comput.*, 124(2):168–181, 1996.
- [81] Mingyi Zhang. A new research into default logic. *Inf. Comput.*, 129(2):73–85, 1996.