

References

- [1] Farid Ablayev and Marek Karpinski. A lower bound for integer multiplication on randomized ordered read-once branching programs. *Inf. Comput.*, 186(1):78–89, 2003.
- [2] Amihod Amir, Richard Beigel, and William Gasarch. Some connections between bounded query classes and non-uniform complexity. *Inf. Comput.*, 186(1):104–139, 2003.
- [3] Amihod Amir, Richard Cole, Ramesh Hariharan, Moshe Lewenstein, and Ely Porat. Overlap matching. *Inf. Comput.*, 181(1):57–74, 2003.
- [4] Esther M. Arkin, Michael A. Bender, Joseph S.B. Mitchell, and Steven S. Skiena. The lazy bureaucrat scheduling problem. *Inf. Comput.*, 184(1):129–146, 2003.
- [5] Alessandro Armando, Silvio Ranise, and Michaël Rusinowitch. A rewriting approach to satisfiability procedures. *Inf. Comput.*, 183(2):140–164, 2003.
- [6] Baruch Awerbuch, Yair Bartal, and Amos Fiat. Competitive distributed file allocation. *Inf. Comput.*, 185(1):1–40, 2003.
- [7] Ulrich Berger, Matthias Eberl, and Helmut Schwichtenberg. Term rewriting for normalization by evaluation. *Inf. Comput.*, 183(1):19–42, 2003.
- [8] Marcello M. Bonsangue and Joost N. Kok. Infinite intersection types. *Inf. Comput.*, 186(2):285–318, 2003.
- [9] Endre Boros, Toshihide Ibaraki, and Kazuhisa Makino. Variations on extending partially defined boolean functions with missing bits. *Inf. Comput.*, 180(1):53–70, 2003.
- [10] Patricia Bouyer, Antoine Petit, and Denis Thérien. An algebraic approach to data languages and timed languages. *Inf. Comput.*, 182(2):137–162, 2003.
- [11] Nader H. Bshouty. The monotone theory for the pac-model. *Inf. Comput.*, 186(1):20–35, 2003.

- [12] Nader H. Bshouty, Jeffrey C. Jackson, and Christino Tamon. Uniform-distribution attribute noise learnability. *Inf. Comput.*, 187(2):277–290, 2003.
- [13] Ning Cai and Kwok Yan Lam. On identification secret sharing schemes. *Inf. Comput.*, 184(2):298–310, 2003.
- [14] Luís Caires and Luca Cardelli. A spatial logic for concurrency (part i). *Inf. Comput.*, 186(2):194–235, 2003.
- [15] Dennis Cheung and Felipe Cucker. Learning from rounded-off data. *Inf. Comput.*, 182(1):1–13, 2003.
- [16] Hubert Comon and Florent Jacquemard. Ground reducibility is exptime-complete. *Inf. Comput.*, 187(1):123–153, 2003.
- [17] Adriana Compagnoni and Healfdene Goguen. Typed operational semantics for higher-order subtyping. *Inf. Comput.*, 184(2):242–297, 2003.
- [18] Gennaro Costagliola, Vincenzo Deufemia, Filomena Ferrucci, and Carmine Gravino. On regular drawn symbolic picture languages. *Inf. Comput.*, 187(2):209–245, 2003.
- [19] Vincent Danos and Jean-Baptiste Joinet. Linear logic and elementary time. *Inf. Comput.*, 183(1):123–137, 2003.
- [20] Sergio de Agostino and Riccardo Silvestri. Bounded size dictionary compression: sc^k -completeness and nc algorithms. *Inf. Comput.*, 180(2):101–112, 2003.
- [21] Josée Desharnais, Vineet Gupta, Radha Jagadeesan, and Prakash Panangaden. Approximating labelled markov processes. *Inf. Comput.*, 184(1):160–200, 2003.
- [22] Guozhu Dong, Leonid Libkin, and Limsoon Wong. Incremental recomputation in local languages. *Inf. Comput.*, 181(2):88–98, 2003.
- [23] Manfred Droste and Guo-Qiang Zhang. On transformations of formal power series. *Inf. Comput.*, 184(2):369–383, 2003.

- [24] Javier Esparza, Antonín Kučera, and Stefan Schwoon. Model checking ltl with regular valuations for pushdown systems. *Inf. Comput.*, 186(2):355–376, 2003.
- [25] Stephen Fenner, Lance Fortnow, Stuart A. Kurtz, and Lide Li. An oracle builder’s toolkit. *Inf. Comput.*, 182(2):95–136, 2003.
- [26] Stephen A. Fenner, Lance Fortnow, Ashish V. Naik, and John D. Rogers. Inverting onto functions. *Inf. Comput.*, 186(1):90–103, 2003.
- [27] Alain Finkel, S. Purushothaman Iyer, and Grégoire Sutre. Well-abstracted transition systems: Application to fifo automata. *Inf. Comput.*, 181(1):1–31, 2003.
- [28] Jörg Flum and Martin Grohe. Describing parameterized complexity classes. *Inf. Comput.*, 187(2):291–319, 2003.
- [29] Yoav Freund. Predicting a binary sequence almost as well as the optimal biased coin. *Inf. Comput.*, 182(2):73–94, 2003.
- [30] Yuxi Fu. Bisimulation congruence of χ -calculus. *Inf. Comput.*, 184(1):201–226, 2003.
- [31] Sally A. Goldman, Stephen S. Kwek, and Stephen D. Scott. Learning from examples with unspecified attribute values. *Inf. Comput.*, 180(2):82–100, 2003.
- [32] I. Gottlieb and B. Obrenić. Controlling the data space of tree structured computations. *Inf. Comput.*, 187(2):246–276, 2003.
- [33] Georg Gottlob and Christos Papadimitriou. On the complexity of single-rule datalog queries. *Inf. Comput.*, 183(1):104–122, 2003.
- [34] Magnús M. Halldórsson, Guy Kortsarz, Andrzej Proskurowski, Ravit Salman, Hadas Shachnai, and Jan Arne Telle. Multicoloring trees. *Inf. Comput.*, 180(2):113–129, 2003.
- [35] Peter Hertling and Klaus Weihrauch. Random elements in effective topological spaces with measure. *Inf. Comput.*, 181(1):32–56, 2003.
- [36] Yoram Hirshfeld and Alexander Rabinovich. Future temporal logic needs infinitely many modalities. *Inf. Comput.*, 187(2):196–208, 2003.

- [37] Dieter Hofbauer. An upper bound on the derivational complexity of knuth-bendix orderings. *Inf. Comput.*, 183(1):43–56, 2003.
- [38] Martin Hofmann. Linear types and non-size-increasing polynomial time computation. *Inf. Comput.*, 183(1):57–85, 2003.
- [39] Peter V. Homeier and David F. Martin. Secure mechanical verification of mutually recursive procedures. *Inf. Comput.*, 187(1):1–19, 2003.
- [40] Lucian Ilie and Sheng Yu. Follow automata. *Inf. Comput.*, 186(1):140–162, 2003.
- [41] Anna Ingólfssdóttir. A semantic theory for value-passing processes based on the late approach. *Inf. Comput.*, 184(1):1–44, 2003.
- [42] Sanjay Jain, Efim Kinber, Christophe Papazian, Carl Smith, and Rolf Wiehagen. On the intrinsic complexity of learning recursive functions. *Inf. Comput.*, 184(1):45–70, 2003.
- [43] Sanjay Jain and Frank Stephan. Learning by switching type of information. *Inf. Comput.*, 185(1):89–104, 2003.
- [44] Klaus Jansen. The mutual exclusion scheduling problem for permutation and comparability graphs. *Inf. Comput.*, 180(2):71–81, 2003.
- [45] Matthias Jantzen and Alexy Kurganskyy. Refining the hierarchy of blind multicounter languages and twist-closed trios. *Inf. Comput.*, 185(2):159–181, 2003.
- [46] Felix Joachimski. Syntactic analysis of η -expansions in pure type systems. *Inf. Comput.*, 182(1):53–71, 2003.
- [47] Marcin Jurdziński, Mogens Nielsen, and Jiří Srba. Undecidability of domino games and hhp-bisimilarity. *Inf. Comput.*, 184(2):343–368, 2003.
- [48] J. Karhumäki and L.P. Lisovik. A simple undecidable problem: The inclusion problem for finite substitutions on ab^*c . *Inf. Comput.*, 187(1):40–48, 2003.
- [49] Lefteris M. Kirousis and Phokion G. Kolaitis. The complexity of minimal satisfiability problems. *Inf. Comput.*, 187(1):20–39, 2003.

- [50] Johannes Köbler, Jochen Messner, and Jacobo Torán. Optimal proof systems imply complete sets for promise classes. *Inf. Comput.*, 184(1):71–92, 2003.
- [51] Konstantin Korovin and Andrei Voronkov. Orienting rewrite rules with the knuth-bendix order. *Inf. Comput.*, 183(2):165–186, 2003.
- [52] Dietrich Kuske. Regular sets of infinite message sequence charts. *Inf. Comput.*, 187(1):80–109, 2003.
- [53] J. Kevin Lanctot, Ming Li, Bin Ma, Shaojiu Wang, and Louxin Zhang. Distinguishing string selection problems. *Inf. Comput.*, 185(1):41–55, 2003.
- [54] Giorgio Levi and Fausto Spoto. Pair-independence and freeness analysis through linear refinement. *Inf. Comput.*, 182(1):14–52, 2003.
- [55] Paul Blain Levy, John Power, and Hayo Thielecke. Modelling environments in call-by-value programming languages. *Inf. Comput.*, 185(2):182–210, 2003.
- [56] Huimin Lin. Complete inference systems for weak bisimulation equivalences in the π -calculus. *Inf. Comput.*, 180(1):1–29, 2003.
- [57] Luis-Miguel Lopez and Philippe Narbel. Languages, dol-systems, sets of curves, and surface automorphisms. *Inf. Comput.*, 180(1):30–52, 2003.
- [58] Alejandro López-Ortiz and Sven Schuierer. Searching and on-line recognition of star-shaped polygons. *Inf. Comput.*, 185(1):66–88, 2003.
- [59] Jack H. Lutz. The dimensions of individual strings and sequences. *Inf. Comput.*, 187(1):49–79, 2003.
- [60] Nancy Lynch, Roberto Segala, and Frits Vaandrager. Hybrid i/0 automata. *Inf. Comput.*, 185(1):105–157, 2003.
- [61] Roberto Maieli and Paul Ruet. Non-commutative logic iii: Focusing proofs. *Inf. Comput.*, 185(2):233–262, 2003.
- [62] J.Y. Marion. Analysing the implicit complexity of programs. *Inf. Comput.*, 183(1):2–18, 2003.

- [63] Yves Métivier, Nasser Saheb, and Akka Zemmari. Analysis of a randomized rendezvous algorithm. *Inf. Comput.*, 184(1):109–128, 2003.
- [64] Takashi Mihara. Splitting information securely with entanglement. *Inf. Comput.*, 187(1):110–122, 2003.
- [65] Olga Mitina and Nikolai Vereshchagin. How to use several noisy channels with unknown error probabilities. *Inf. Comput.*, 184(2):229–241, 2003.
- [66] Faron Moller and Alexander Rabinovich. Counting on ctl^* : On the expressive power of monadic path logic. *Inf. Comput.*, 184(1):147–159, 2003.
- [67] Frank Neven and Thomas Schwentick. On the power of tree-walking automata. *Inf. Comput.*, 183(1):86–103, 2003.
- [68] Joachim Niehren and Tim Priesnitz. Non-structural subtype entailment in automata theory. *Inf. Comput.*, 186(2):319–354, 2003.
- [69] Mizuhito Ogawa. A linear time algorithm for monadic querying of indefinite data over linearly ordered domains. *Inf. Comput.*, 186(2):236–259, 2003.
- [70] Michio Oyamaguchi and Yoshikatsu Ohta. The unification problem for confluent right-ground term rewriting systems. *Inf. Comput.*, 183(2):187–211, 2003.
- [71] Michal Parnas and Dana Ron. Testing metric properties. *Inf. Comput.*, 187(2):155–195, 2003.
- [72] Nicolas Peltier. Extracting models from clause sets saturated under semantic refinements of the resolution rule. *Inf. Comput.*, 181(2):99–130, 2003.
- [73] Andrew M. Pitts. Nominal logic, a first order theory of names and binding. *Inf. Comput.*, 186(2):165–193, 2003.
- [74] Amir Pnueli, Yoav Rodeh, Ofer Strichman, and Michael Siegel. Erratum to "the small model property: How small can it be?". *Inf. Comput.*, 184(1):227–227, 2003. Originally in *Inf. Comput.*, Vol. 178, 2002, No. 1, 279–293.

- [75] Joel Ratsaby. On learning multicategory classification with sample queries. *Inf. Comput.*, 185(2):298–327, 2003.
- [76] Steffen Reith and Heribert Vollmer. Optimal satisfiability for propositional calculi and constraint satisfaction problems. *Inf. Comput.*, 186(1):1–19, 2003.
- [77] Ulrich Schmid and Klaus Schossmaier. Interval-based clock synchronization with optimal precision. *Inf. Comput.*, 186(1):36–77, 2003.
- [78] Jop F. Sibeyn. List-ranking on interconnection networks. *Inf. Comput.*, 181(2):75–87, 2003.
- [79] Thomas Strahm. Theories with self-application and computational complexity. *Inf. Comput.*, 185(2):263–297, 2003.
- [80] T.W. Sze, S. Chanson, C. Ding, T. Helleseeth, and M.G. Parker. Logarithm cartesian authentication codes. *Inf. Comput.*, 184(1):93–108, 2003.
- [81] Shih Ping Tung. Skolem functions of arithmetical sentences. *Inf. Comput.*, 185(1):56–65, 2003.
- [82] Silvio Valentini and Matteo Viale. A binary modal logic for the intersection types of lambda-calculus. *Inf. Comput.*, 185(2):211–232, 2003.
- [83] René Vestergaard and James Brotherston. A formalised first-order confluence proof for the λ -calculus using one-sorted variable names. *Inf. Comput.*, 183(2):212–244, 2003.
- [84] Walter Vogler. Faster asynchronous systems. *Inf. Comput.*, 184(2):311–342, 2003.
- [85] Philip Wadler. The girard-reynolds isomorphism. *Inf. Comput.*, 186(2):260–284, 2003.
- [86] Jens R. Woinowski. The context-splittable normal form for church-rosser language systems. *Inf. Comput.*, 183(2):245–274, 2003.