

References

- [1] Parosh Aziz Abdulla, Giorgio Delzanno, and Laurent Van Begin. A classification of the expressive power of well-structured transition systems. *Inf. Comput.*, 209(3):248–279, 2011.
- [2] Diego Arroyuelo and Gonzalo Navarro. Space-efficient construction of lempel-ziv compressed text indexes. *Inf. Comput.*, 209(7):1070–1102, 2011.
- [3] Albert Atserias and Elitza Maneva. Mean-payoff games and propositional proofs. *Inf. Comput.*, 209(4):664–691, 2011.
- [4] Paul Attie, Rachid Guerraoui, Petr Kuznetsov, Nancy Lynch, and Sergio Rajsbaum. The impossibility of boosting distributed service resilience. *Inf. Comput.*, 209(6):927–950, 2011.
- [5] Patrick Baillot, Paolo Coppola, and Ugo Dal Lago. Light logics and optimal reduction: Completeness and complexity. *Inf. Comput.*, 209(2):118–142, 2011.
- [6] Raphaël Bailly and François Denis. Absolute convergence of rational series is semi-decidable. *Inf. Comput.*, 209(3):280–295, 2011.
- [7] Frank J. Balbach and Thomas Zeugmann. Teaching randomized learners with feedback. *Inf. Comput.*, 209(3):296–319, 2011.
- [8] Bollig Beate. Larger lower bounds on the obdd complexity of integer multiplication. *Inf. Comput.*, 209(3):333–343, 2011.
- [9] Olaf Beyersdorff, Johannes Köbler, and Sebastian Müller. Proof systems that take advice. *Inf. Comput.*, 209(3):320–332, 2011.
- [10] Hans L. Bodlaender and Arie M.C.A. Koster. Treewidth computations ii. lower bounds. *Inf. Comput.*, 209(7):1103–1119, 2011.
- [11] Henning Bordihn, Markus Holzer, and Martin Kutrib. Decidability of operation problems for t0l languages and subclasses. *Inf. Comput.*, 209(3):344–352, 2011.
- [12] Torben Braüner. Intuitionistic hybrid logic: Introduction and survey. *Inf. Comput.*, 209(12):1437–1446, 2011.

- [13] Tomáš Brázdil, Václav Brožek, Antonín Kučera, and Jan Obdržálek. Qualitative reachability in stochastic bpa games. *Inf. Comput.*, 209(8):1160–1183, 2011.
- [14] Janusz Brzozowski, Jeffrey Shallit, and Zhi Xu. Decision problems for convex languages. *Inf. Comput.*, 209(3):353–367, 2011.
- [15] Manuel L. Campagnolo and Kerry Ojakian. A characterization of computable analysis on unbounded domains using differential equations. *Inf. Comput.*, 209(8):1135–1159, 2011.
- [16] John Case and Samuel E. Moelius III. Optimal language learning from positive data. *Inf. Comput.*, 209(10):1293–1311, 2011.
- [17] Chi-Yuan Chan, Hung-I Yu, Wing-Kai Hon, and Biing-Feng Wang. Faster query algorithms for the text fingerprinting problem. *Inf. Comput.*, 209(7):1057–1069, 2011.
- [18] Ting-Yi Chang. An id-based multi-signer universal designated multi-verifier signature scheme. *Inf. Comput.*, 209(7):1007–1015, 2011.
- [19] Raphaël Clifford, Klim Efremenko, Benny Porat, and Ely Porat. A black box for online approximate pattern matching. *Inf. Comput.*, 209(4):731–736, 2011.
- [20] Maxime Crochemore and Dov M. Gabbay. Reactive automata. *Inf. Comput.*, 209(4):692–704, 2011.
- [21] Elena Czeizler, Eugen Czeizler, Lila Kari, and Shinnosuke Seki. An extension of the lyndon-schützenberger result to pseudoperiodic words. *Inf. Comput.*, 209(4):717–730, 2011.
- [22] Wojciech Czerwiński, Sibylle Fröschle, and Sławomir Lasota. Partially-commutative context-free processes: Expressibility and tractability. *Inf. Comput.*, 209(5):782–798, 2011.
- [23] Jurek Czyzowicz, Arnaud Labourel, and Andrzej Pelc. Optimality and competitiveness of exploring polygons by mobile robots. *Inf. Comput.*, 209(1):74–88, 2011.

- [24] Vincent Danos and Thomas Ehrhard. Probabilistic coherence spaces as a model of higher-order probabilistic computation. *Inf. Comput.*, 209(6):966–991, 2011.
- [25] Jürgen Dassow, Victor Mitrană, and Bianca Truthe. The role of evolutionary operations in accepting hybrid networks of evolutionary processors. *Inf. Comput.*, 209(3):368–382, 2011.
- [26] Cédric Dégremont and Nina Gierasimczuk. Finite identification from the viewpoint of epistemic update. *Inf. Comput.*, 209(3):383–396, 2011.
- [27] Josée Desharnais, François Laviolette, and Amélie Turgeon. A logical duality for underspecified probabilistic systems. *Inf. Comput.*, 209(5):850–871, 2011.
- [28] Răzvan Diaconescu. Coinduction for preordered algebra. *Inf. Comput.*, 209(2):108–117, 2011.
- [29] Răzvan Diaconescu. Structural induction in institutions. *Inf. Comput.*, 209(9):1197–1222, 2011.
- [30] Gilles Dowek and Ying Jiang. On the expressive power of schemes. *Inf. Comput.*, 209(9):1231–1245, 2011.
- [31] Jörg Endrullis, Herman Geuvers, Jakob Grue Simonsen, and Hans Zanțema. Levels of undecidability in rewriting. *Inf. Comput.*, 209(2):227–245, 2011.
- [32] Piotr Faliszewski, Edith Hemaspaandra, Lane A. Hemaspaandra, and Jörg Rothe. The shield that never was: Societies with single-peaked preferences are more open to manipulation and control. *Inf. Comput.*, 209(2):89–107, 2011.
- [33] Guy Feigenblat, Ely Porat, and Ariel Shiftan. Exponential time improvement for *min* – *wise* based algorithms. *Inf. Comput.*, 209(4):737–747, 2011.
- [34] Michael R. Fellows, Fedor V. Fomin, Daniel Lokshtanov, Frances Rosamond, Saket Saurabh, Stefan Szeider, and Carsten Thomassen. On the complexity of some colorful problems parameterized by treewidth. *Inf. Comput.*, 209(2):143–153, 2011.

- [35] Lance Fortnow and Joshua A. Grochow. Complexity classes of equivalence problems revisited. *Inf. Comput.*, 209(4):748–763, 2011.
- [36] Lance Fortnow, John M. Hitchcock, A. Pavan, N.V. Vinodchandran, and Fengming Wang. Extracting kolmogorov complexity with applications to dimension zero-one laws. *Inf. Comput.*, 209(4):627–636, 2011.
- [37] Andrew Gacek, Dale Miller, and Gopalan Nadathur. Nominal abstraction. *Inf. Comput.*, 209(1):48–73, 2011.
- [38] Didier Galmiche and Yakoub Salhi. Sequent calculi and decidability for intuitionistic hybrid logic. *Inf. Comput.*, 209(12):1447–1463, 2011.
- [39] Olivier Gauwin, Joachim Niehren, and Sophie Tison. Queries on XML streams with bounded delay and concurrency. *Inf. Comput.*, 209(3):409–442, 2011.
- [40] Viliam Geffert and Giovanni Pighizzini. Two-way unary automata versus logarithmic space. *Inf. Comput.*, 209(7):1016–1025, 2011.
- [41] Christian Glaßer, A. Pavan, and Stephen Travers. The fault tolerance of np-hard problems. *Inf. Comput.*, 209(3):443–455, 2011.
- [42] R. Gray, A. Malheiro, and S.J. Pride. On properties not inherited by monoids from their schützenberger groups. *Inf. Comput.*, 209(7):1120–1134, 2011.
- [43] Xiaoyang Gu, Jack H. Lutz, and Elvira Mayordomo. Curves that must be retraced. *Inf. Comput.*, 209(6):992–1006, 2011.
- [44] Julian Gutierrez and Julian Bradfield. Model-checking games for fix-point logics with partial order models. *Inf. Comput.*, 209(5):766–781, 2011.
- [45] M. Hague and C.-H.L. Ong. A saturation method for the modal μ -calculus over pushdown systems. *Inf. Comput.*, 209(5):799–821, 2011.
- [46] Armin Hemmerling. Observations on complete sets between linear time and polynomial time. *Inf. Comput.*, 209(2):173–182, 2011.

- [47] Holger Hermanns, Augusto Parma, Roberto Segala, Björn Wachter, and Lijun Zhang. Probabilistic logical characterization. *Inf. Comput.*, 209(2):154–172, 2011.
- [48] Claudio Hermida. A categorical outlook on relational modalities and simulations. *Inf. Comput.*, 209(12):1505–1517, 2011.
- [49] Markus Holzer and Martin Kutrib. Descriptive and computational complexity of finite automata — a survey. *Inf. Comput.*, 209(3):456–470, 2011.
- [50] Masami Ito, Peter Leupold, Florin Manea, and Victor Mitrană. Bounded hairpin completion. *Inf. Comput.*, 209(3):471–485, 2011.
- [51] Florent Jacquemard, Francis Klay, and Camille Vacher. Rigid tree automata and applications. *Inf. Comput.*, 209(3):486–512, 2011.
- [52] Ryszard Janicki and Dai Tri Man Lê. Modelling concurrency with comtraces and generalized comtraces. *Inf. Comput.*, 209(11):1355–1389, 2011.
- [53] Giorgi Japaridze. Introduction to clarithmetic i. *Inf. Comput.*, 209(10):1312–1354, 2011.
- [54] Galina Jirásková and Giovanni Pighizzini. Optimal simulation of self-verifying automata by deterministic automata. *Inf. Comput.*, 209(3):528–535, 2011.
- [55] Salomaa Kai. Limitations of lower bound methods for deterministic nested word automata. *Inf. Comput.*, 209(3):580–589, 2011.
- [56] Fujioka Kaoru. Morphic characterizations of languages in chomsky hierarchy with insertion and locality. *Inf. Comput.*, 209(3):397–408, 2011.
- [57] Jeroen Ketema and Jakob Grue Simonsen. Infinitary combinatory reduction systems. *Inf. Comput.*, 209(6):893–926, 2011.
- [58] Kensuke Kojima and Atsushi Igarashi. Constructive linear-time temporal logic: Proof systems and kripke semantics. *Inf. Comput.*, 209(12):1491–1503, 2011.

- [59] Juha Kontinen and Hannu Niemistö. Extensions of mso and the monadic counting hierarchy. *Inf. Comput.*, 209(1):1–19, 2011.
- [60] G.M. Landau, A. Levy, and I. Newman. Lcs approximation via embedding into locally non-repetitive strings. *Inf. Comput.*, 209(4):705–716, 2011.
- [61] Ivan Lanese, Jorge A. Pérez, Davide Sangiorgi, and Alan Schmitt. On the expressiveness and decidability of higher-order process calculi. *Inf. Comput.*, 209(2):198–226, 2011.
- [62] Sergueï Lenglet, Alan Schmitt, and Jean-Bernard Stefani. Characterizing contextual equivalence in calculi with passivation. *Inf. Comput.*, 209(11):1390–1433, 2011.
- [63] Christopher Lynch, Silvio Ranise, Christophe Ringeissen, and Duc-Khanh Tran. Automatic decidability and combinability. *Inf. Comput.*, 209(7):1026–1047, 2011.
- [64] Lohrey Markus. Leaf languages and string compression. *Inf. Comput.*, 209(6):951–965, 2011.
- [65] Ryuichi Matoba, Makoto Nakamura, and Satoshi Tojo. Efficiency of the symmetry bias in grammar acquisition. *Inf. Comput.*, 209(3):536–547, 2011.
- [66] Michael Mendler and Stephan Scheele. Cut-free gentzen calculus for multimodal ck. *Inf. Comput.*, 209(12):1465–1490, 2011.
- [67] Neil Moore. Computational complexity of the problem of tree generation under fine-grained access control policies. *Inf. Comput.*, 209(3):548–567, 2011.
- [68] Sungwoo Park and Hyeonseung Im. A modal logic internalizing normal proofs. *Inf. Comput.*, 209(12):1519–1535, 2011.
- [69] B. Ploeger, J.W. Wesselink, and T.A.C. Willemse. Verification of reactive systems via instantiation of parameterised boolean equation systems. *Inf. Comput.*, 209(4):637–663, 2011.

- [70] Matteo Pradella, Alessandra Cherubini, and Stefano Crespi Reghizzi. A unifying approach to picture grammars. *Inf. Comput.*, 209(9):1246–1267, 2011.
- [71] Elena V. Pribavkina and Emanuele Rodaro. Synchronizing automata with finitely many minimal synchronizing words. *Inf. Comput.*, 209(3):568–579, 2011.
- [72] Boris Ryabko and Daniil Ryabko. Constructing perfect steganographic systems. *Inf. Comput.*, 209(9):1223–1230, 2011.
- [73] Pedro Sánchez Terraf. Unprovability of the logical characterization of bisimulation. *Inf. Comput.*, 209(7):1048–1056, 2011.
- [74] Jain Sanjay. Hypothesis spaces for learning. *Inf. Comput.*, 209(3):513–527, 2011.
- [75] C. Scornavacca, V. Berry, and V. Ranwez. Building species trees from larger parts of phylogenomic databases. *Inf. Comput.*, 209(3):590–605, 2011.
- [76] Alexandra Silva, Filippo Bonchi, Marcello Bonsangue, and Jan Rutten. Quantitative kleene coalgebras. *Inf. Comput.*, 209(5):822–849, 2011.
- [77] Boris Škorić, Chibuzo Obi, Evgeny Verbitskiy, and Berry Schoenmakers. Sharp lower bounds on the extractable randomness from non-uniform sources. *Inf. Comput.*, 209(8):1184–1196, 2011.
- [78] Hayato Takahashi. Algorithmic randomness and monotone complexity on product space. *Inf. Comput.*, 209(2):183–197, 2011.
- [79] Iddo Tzameret. Algebraic proofs over noncommutative formulas. *Inf. Comput.*, 209(10):1269–1292, 2011.
- [80] Sicco Verwer, Mathijs de Weerd, and Cees Witteveen. The efficiency of identifying timed automata and the power of clocks. *Inf. Comput.*, 209(3):606–625, 2011.
- [81] Ou Wei, Arie Gurfinkel, and Marsha Chechik. On the consistency, expressiveness, and precision of partial modeling formalisms. *Inf. Comput.*, 209(1):20–47, 2011.

- [82] Abuzer Yakaryılmaz and A.C. Cem Say. Unbounded-error quantum computation with small space bounds. *Inf. Comput.*, 209(6):873–892, 2011.