

References

- [1] B.M. Ábrego, M. Cetina, J. Leaños, and G. Salazar. Visibility-preserving convexifications using single-vertex moves. *Inf. Process. Lett.*, 112(5):161–163, 2012.
- [2] Shashank Agrawal. Verifiable secret sharing in a total of three rounds. *Inf. Process. Lett.*, 112(22):856–859, 2012.
- [3] A. Ahadi, A. Dehghan, M. Kazemi, and E. Mollaahmadi. Computation of lucky number of planar graphs is np-hard. *Inf. Process. Lett.*, 112(4):109–112, 2012.
- [4] S. Akshay, Blaise Genest, Loïc Hélouët, and Shaofa Yang. Regular set of representatives for time-constrained msc graphs. *Inf. Process. Lett.*, 112(14-15):592–598, 2012.
- [5] Tatsuya Akutsu, Avraham A. Melkman, and Takeyuki Tamura. Singleton and 2-periodic attractors of sign-definite boolean networks. *Inf. Process. Lett.*, 112(1-2):35–38, 2012.
- [6] Noga Alon and Amit Weinstein. Local correction of juntas. *Inf. Process. Lett.*, 112(6):223–226, 2012.
- [7] Bogdan Aman and Gabriel Ciobanu. Properties of enhanced mobile membranes via coloured petri nets. *Inf. Process. Lett.*, 112(6):243–248, 2012.
- [8] Andris Ambainis and Abuzer Yakaryilmaz. Superiority of exact quantum automata for promise problems. *Inf. Process. Lett.*, 112(7):289–291, 2012.
- [9] James Aspnes and Yitong Yin. Randomized load balancing by joining and splitting bins. *Inf. Process. Lett.*, 112(8-9):309–313, 2012.
- [10] Pranjal Awasthi, Avrim Blum, and Or Sheffet. Center-based clustering under perturbation stability. *Inf. Process. Lett.*, 112(1-2):49–54, 2012.
- [11] Hideo Bannai, Travis Gagie, Tomohiro I, Shunsuke Inenaga, Gad M. Landau, and Moshe Lewenstein. An efficient algorithm to test square-freeness of strings compressed by straight-line programs. *Inf. Process. Lett.*, 112(19):711–714, 2012.

- [12] Xiaoguang Bao and Zhaohui Liu. An improved approximation algorithm for the clustered traveling salesman problem. *Inf. Process. Lett.*, 112(23):908–910, 2012.
- [13] Vince Bárány and Mikołaj Bojańczyk. Finite satisfiability for guarded fixpoint logic. *Inf. Process. Lett.*, 112(10):371–375, 2012.
- [14] João Barreto, Luís Veiga, and Paulo Ferreira. Hash challenges: Stretching the limits of compare-by-hash in distributed data deduplication. *Inf. Process. Lett.*, 112(10):380–385, 2012.
- [15] Michael D. Barrus. Havel-hakimi residues of unigraphs. *Inf. Process. Lett.*, 112(1-2):44–48, 2012.
- [16] Olivier Baudon, Jakub Przybyło, and Mariusz Woźniak. On minimal arbitrarily partitionable graphs. *Inf. Process. Lett.*, 112(17-18):697–700, 2012.
- [17] Dorothea Baumeister and Jörg Rothe. Taking the final step to a full dichotomy of the possible winner problem in pure scoring rules. *Inf. Process. Lett.*, 112(5):186–190, 2012.
- [18] Sergey Bereg. Computing generalized ham-sandwich cuts. *Inf. Process. Lett.*, 112(13):532–534, 2012.
- [19] Dietmar Berwanger and Olivier Serre. Parity games on undirected graphs. *Inf. Process. Lett.*, 112(23):928–932, 2012.
- [20] Carla Binucci, Ulrik Brandes, Giuseppe Di Battista, Walter Didimo, Marco Gaertler, Pietro Palladino, Maurizio Patrignani, Antonios Symvonis, and Katharina Zweig. Drawing trees in a streaming model. *Inf. Process. Lett.*, 112(11):418–422, 2012.
- [21] Guillaume Blin, Paola Bonizzoni, Riccardo Dondi, and Florian Sikora. On the parameterized complexity of the repetition free longest common subsequence problem. *Inf. Process. Lett.*, 112(7):272–276, 2012.
- [22] Mieczysław Borowiecki, Jarosław Grytczuk, and Monika Pilśniak. Coloring chip configurations on graphs and digraphs. *Inf. Process. Lett.*, 112(1-2):1–4, 2012.

- [23] Fabiano C. Botelho, Nicholas Wormald, and Nivio Ziviani. Cores of random r -partite hypergraphs. *Inf. Process. Lett.*, 112(8-9):314–319, 2012.
- [24] Andreas Brandstädt and Vassilis Giakoumakis. Maximum weight independent sets in hole- and co-chair-free graphs. *Inf. Process. Lett.*, 112(3):67–71, 2012.
- [25] Raquel S.F. Bravo, Sulamita Klein, Loana T. Nogueira, Fábio Protti, and Rudini M. Sampaio. Partitioning extended p_4 -laden graphs into cliques and stable sets. *Inf. Process. Lett.*, 112(21):829–834, 2012.
- [26] Chunli Cai, Dezheng Xie, and Wenjuan Yang. A result on linear coloring of planar graphs. *Inf. Process. Lett.*, 112(22):880–884, 2012.
- [27] José M. Cañete-Valdeón. Annotating problem diagrams with architectural tactics for reasoning on quality requirements. *Inf. Process. Lett.*, 112(16):656–661, 2012.
- [28] Amit Chakrabarti. A note on randomized streaming space bounds for the longest increasing subsequence problem. *Inf. Process. Lett.*, 112(7):261–263, 2012.
- [29] Chia-Jung Chang and Kun-Mao Chao. Efficient algorithms for local ranking. *Inf. Process. Lett.*, 112(13):517–522, 2012.
- [30] Jakarin Chawachat, Jittat Fakcharoenphol, and Wattana Jindaluang. The non-uniform bounded degree minimum diameter spanning tree problem with an application in p2p networking. *Inf. Process. Lett.*, 112(24):937–941, 2012.
- [31] Hong-Yu Chen and Jian-Ming Qi. The linear arboricity of planar graphs with maximum degree at least 5. *Inf. Process. Lett.*, 112(20):767–771, 2012.
- [32] Xie-Bin Chen. Paired many-to-many disjoint path covers of hypercubes with faulty edges. *Inf. Process. Lett.*, 112(3):61–66, 2012.
- [33] Xing Chen, Juan Liu, and Jixiang Meng. λ' -optimality of bipartite digraphs. *Inf. Process. Lett.*, 112(17-18):701–705, 2012.

- [34] E. Cheng, L. Lipták, K. Qiu, and Z. Shen. On deriving conditional diagnosability of interconnection networks. *Inf. Process. Lett.*, 112(17–18):674–677, 2012.
- [35] Qiang Cheng, Feng Chen, Wenli Xu, and Song Wang. Recursive sum-product algorithm for generalized outer-planar graphs. *Inf. Process. Lett.*, 112(11):449–456, 2012.
- [36] Jin-Ghoo Choi. Analysis of total average queue length in multi-hop wireless networks. *Inf. Process. Lett.*, 112(3):90–94, 2012.
- [37] Seung Geol Choi and Hoeteck Wee. Lossy trapdoor functions from homomorphic reproducible encryption. *Inf. Process. Lett.*, 112(20):794–798, 2012.
- [38] Yi-Wei Ci, Zhan Zhang, De-Cheng Zuo, Zhi-Bo Wu, and Xiao-Zong Yang. A multi-cycle checkpointing protocol that ensures strict 1-rollback. *Inf. Process. Lett.*, 112(20):788–793, 2012.
- [39] David Clark and Robert M. Hierons. Squeeziness: An information theoretic measure for avoiding fault masking. *Inf. Process. Lett.*, 112(8–9):335–340, 2012.
- [40] Jean-François Couturier and Dieter Kratsch. Bicolored independent sets and bicliques. *Inf. Process. Lett.*, 112(8–9):329–334, 2012.
- [41] R. Crowston, G. Gutin, M. Jones, and A. Yeo. Parameterized eulerian strong component arc deletion problem on tournaments. *Inf. Process. Lett.*, 112(6):249–251, 2012.
- [42] Laszlo Csirmaz. Complexity of universal access structures. *Inf. Process. Lett.*, 112(4):149–152, 2012.
- [43] Peter Dankelmann, David Erwin, Wayne Goddard, Simon Mukwembi, and Henda C. Swart. Eccentric counts, connectivity and chordality. *Inf. Process. Lett.*, 112(24):944–947, 2012.
- [44] Angsuman Das and Avishek Adhikari. An efficient ind-cca2 secure paillier-based cryptosystem. *Inf. Process. Lett.*, 112(22):885–888, 2012.

- [45] F. Della Croce and C. Koulamas. A note on minimizing the sum of quadratic completion times on two identical parallel machines. *Inf. Process. Lett.*, 112(19):738–742, 2012.
- [46] Yun-Ping Deng and Xiao-Dong Zhang. Automorphism groups of the pancake graphs. *Inf. Process. Lett.*, 112(7):264–266, 2012.
- [47] Sebastian Deorowicz. Quadratic-time algorithm for a string constrained lcs problem. *Inf. Process. Lett.*, 112(11):423–426, 2012.
- [48] Walter Didimo, Michael Kaufmann, Giuseppe Liotta, Yoshio Okamoto, and Andreas Spillner. Vertex angle and crossing angle resolution of leveled tree drawings. *Inf. Process. Lett.*, 112(16):630–635, 2012.
- [49] Max Dietrich, Catherine McCartin, and Charles Semple. Bounding the maximum size of a minimal definitive set of quartets. *Inf. Process. Lett.*, 112(16):651–655, 2012.
- [50] Yoann Dieudonné and Andrzej Pelc. Deterministic network exploration by a single agent with byzantine tokens. *Inf. Process. Lett.*, 112(12):467–470, 2012.
- [51] D.I. Diochnos, R.H. Sloan, and Gy. Turán. On multiple-instance learning of halfspaces. *Inf. Process. Lett.*, 112(23):933–936, 2012.
- [52] Benjamin Doerr and Carola Winzen. Memory-restricted black-box complexity of onemax. *Inf. Process. Lett.*, 112(1-2):32–34, 2012.
- [53] Qiang Dong, Junlin Zhou, Yan Fu, and Xiaofan Yang. Embedding a mesh of trees in the crossed cube. *Inf. Process. Lett.*, 112(14-15):599–603, 2012.
- [54] Reza Dorrigiv and Alejandro López-Ortiz. List update with probabilistic locality of reference. *Inf. Process. Lett.*, 112(13):540–543, 2012.
- [55] Xiaoni Du, Zhixiong Chen, and Lei Hu. Linear complexity of binary sequences derived from euler quotients with prime-power modulus. *Inf. Process. Lett.*, 112(14-15):604–609, 2012.
- [56] Xiaoni Du, Andrew Klapper, and Zhixiong Chen. Linear complexity of pseudorandom sequences generated by fermat quotients and their generalizations. *Inf. Process. Lett.*, 112(6):233–237, 2012.

- [57] Clemens Dubslaff, Christel Baier, and Manuela Berg. Model checking probabilistic systems against pushdown specifications. *Inf. Process. Lett.*, 112(8-9):320–328, 2012.
- [58] David Duris. Some characterizations of γ and β -acyclicity of hypergraphs. *Inf. Process. Lett.*, 112(16):617–620, 2012.
- [59] Janusz Dyzibański and Anna Nenca. Oriented chromatic number of grids is greater than 7. *Inf. Process. Lett.*, 112(4):113–117, 2012.
- [60] Shayan Ehsani, Mohammad Ghodsi, Ahmad Khajenezhad, Hamid Mahini, and Afshin Nikzad. Optimal online pricing with network externalities. *Inf. Process. Lett.*, 112(4):118–123, 2012.
- [61] Amr Elmasry. On the size of the subset partial order. *Inf. Process. Lett.*, 112(12):487–489, 2012.
- [62] Effat Farhana and M. Sohel Rahman. Doubly-constrained lcs and hybrid-constrained lcs problems revisited. *Inf. Process. Lett.*, 112(13):562–565, 2012.
- [63] Oriol Farràs, Ignacio Gracia, Sebastià Martín, and Carles Padró. Linear threshold multisecret sharing schemes. *Inf. Process. Lett.*, 112(17-18):667–673, 2012.
- [64] Yun Feng and Wensong Lin. A proof of a conjecture on multiset coloring the powers of cycles. *Inf. Process. Lett.*, 112(17-18):678–682, 2012.
- [65] Anna Fiedorowicz and Mariusz Hałuszczak. Acyclic chromatic indices of fully subdivided graphs. *Inf. Process. Lett.*, 112(13):557–561, 2012.
- [66] Hiroshi Fujiwara and Yoshiyuki Sekiguchi. An improved analysis of srpt scheduling algorithm on the basis of functional optimization. *Inf. Process. Lett.*, 112(23):911–915, 2012.
- [67] Stanley P.Y. Fung, Chung Keung Poon, and Duncan K.W. Yung. Online scheduling of equal-length intervals on parallel machines. *Inf. Process. Lett.*, 112(10):376–379, 2012.
- [68] Evgeny R. Gafarov, Alexander A. Lazarev, and Frank Werner. A note on a single machine scheduling problem with generalized total tardiness objective function. *Inf. Process. Lett.*, 112(3):72–76, 2012.

- [69] Enrique Gerstl and Gur Mosheiov. Scheduling on parallel identical machines with job-rejection and position-dependent processing times. *Inf. Process. Lett.*, 112(19):743–747, 2012.
- [70] Noam Goldberg and Jonathan Eckstein. Sparse weighted voting classifier selection and its linear programming relaxations. *Inf. Process. Lett.*, 112(12):481–486, 2012.
- [71] Oded Goldreich and Or Meir. The tensor product of two good codes is not necessarily robustly testable. *Inf. Process. Lett.*, 112(8-9):351–355, 2012.
- [72] Alexander Golynski and Alejandro López-Ortiz. Optimal strategies for the list update problem under the mrm alternative cost model. *Inf. Process. Lett.*, 112(6):218–222, 2012.
- [73] Shay Gueron. Speeding up crc32c computations with intel crc32 instruction. *Inf. Process. Lett.*, 112(5):179–185, 2012.
- [74] Deke Guo, Guiming Zhu, Hai Jin, Panlong Yang, Yingwen Chen, Xianqing Yi, and Junxian Liu. Möbius-debruijn: The product of möbius cube and debruijn digraph. *Inf. Process. Lett.*, 112(5):205–211, 2012.
- [75] Qiaoping Guo, Shengjia Li, Ruijuan Li, and Gaokui Xu. Pancyclic out-arcs of a vertex in oriented graphs. *Inf. Process. Lett.*, 112(20):759–761, 2012.
- [76] Nili Guttmann-Beck and Refael Hassin. Series-parallel orientations preserving the cycle-radius. *Inf. Process. Lett.*, 112(4):153–160, 2012.
- [77] Jing He and Hongyu Liang. On rainbow- k -connectivity of random graphs. *Inf. Process. Lett.*, 112(10):406–410, 2012.
- [78] Sandra M. Hedetniemi, Stephen T. Hedetniemi, Hao Jiang, K.E. Kennedy, and Alice A. McRae. A self-stabilizing algorithm for optimally efficient sets in graphs. *Inf. Process. Lett.*, 112(16):621–623, 2012.
- [79] Edward A. Hirsch and Dmitry Itsykson. On an optimal randomized acceptor for graph nonisomorphism. *Inf. Process. Lett.*, 112(5):166–171, 2012.

- [80] Robin Houston, Joseph White, and Martyn Amos. Zen puzzle garden is np-complete. *Inf. Process. Lett.*, 112(3):106–108, 2012.
- [81] Pavel Hrubeš. On the nonnegative rank of distance matrices. *Inf. Process. Lett.*, 112(11):457–461, 2012.
- [82] Iksoon Hwang, Nina Yevtushenko, and Ana Cavalli. Tight bound on the length of distinguishing sequences for non-observable nondeterministic finite-state machines with a polynomial number of inputs and outputs. *Inf. Process. Lett.*, 112(7):298–301, 2012.
- [83] Jinsoo Hwang, Jeankyung Kim, and Kichang Kim. Analysis of the false-positive error rate of tagged fragment marking scheme. *Inf. Process. Lett.*, 112(6):227–232, 2012.
- [84] Dimitri Isaak and Christof Löding. Efficient inclusion testing for simple classes of unambiguous ω -automata. *Inf. Process. Lett.*, 112(14–15):578–582, 2012.
- [85] Justin Iwerks and Joseph S.B. Mitchell. The art gallery theorem for simple polygons in terms of the number of reflex and convex vertices. *Inf. Process. Lett.*, 112(20):778–782, 2012.
- [86] Rani Izsak and Zeev Nutov. A note on labeling schemes for graph connectivity. *Inf. Process. Lett.*, 112(1-2):39–43, 2012.
- [87] Robert E. Jamison and Darren A. Narayan. Max-optimal and sum-optimal labelings of graphs. *Inf. Process. Lett.*, 112(1-2):26–31, 2012.
- [88] Janusz Januszewski. On-line algorithms for 2-space bounded 2-dimensional bin packing. *Inf. Process. Lett.*, 112(19):719–722, 2012.
- [89] Tibor Jordán. Highly connected molecular graphs are rigid in three dimensions. *Inf. Process. Lett.*, 112(8-9):356–359, 2012.
- [90] Stasys Jukna. Clique problem, cutting plane proofs and communication complexity. *Inf. Process. Lett.*, 112(20):772–777, 2012.
- [91] Adam O. Kalinich. Flipping the winner of a poset game. *Inf. Process. Lett.*, 112(3):86–89, 2012.

- [92] Pinhui Ke and Shengyuan Zhang. New classes of quaternary cyclotomic sequence of length $2p^m$ with high linear complexity. *Inf. Process. Lett.*, 112(16):646–650, 2012.
- [93] Martin Kochol. Non-extendible latin parallelepipeds. *Inf. Process. Lett.*, 112(24):942–943, 2012.
- [94] Martin Kochol and Riste Škrekovski. Brooks’ theorem for generalized dart graphs. *Inf. Process. Lett.*, 112(5):200–204, 2012.
- [95] Phokion G. Kolaitis and Enela Pema. A dichotomy in the complexity of consistent query answering for queries with two atoms. *Inf. Process. Lett.*, 112(3):77–85, 2012.
- [96] Matias Korman. Minimizing interference in ad hoc networks with bounded communication radius. *Inf. Process. Lett.*, 112(19):748–752, 2012.
- [97] Michal Kotrbčík. A note on disjoint cycles. *Inf. Process. Lett.*, 112(4):135–137, 2012.
- [98] Ioannis Koutis. Constrained multilinear detection for faster functional motif discovery. *Inf. Process. Lett.*, 112(22):889–892, 2012.
- [99] Jan Krajíček. A note on sat algorithms and proof complexity. *Inf. Process. Lett.*, 112(12):490–493, 2012.
- [100] Sven O. Krumke and Clemens Thielen. Erratum to “minimum cost flows with minimum quantities”. *Inf. Process. Lett.*, 112(13):523–524, 2012. Originally in Inf. Process. Lett., Vol. 111, 2011, No. 11, 533–537.
- [101] Masao Kumamoto and Eiji Miyano. Optimal distortion embedding of complete binary trees into lines. *Inf. Process. Lett.*, 112(10):365–370, 2012.
- [102] Wen-Hung Kuo and Dar-Li Yang. A short note on “proportionate flowshops with general position-dependent processing times”. *Inf. Process. Lett.*, 112(12):479–480, 2012.
- [103] Konstantin Kutzkov. An exact exponential time algorithm for counting bipartite cliques. *Inf. Process. Lett.*, 112(13):535–539, 2012.

- [104] Hong Lai, Jinghua Xiao, Lixiang Li, and Yixian Yang. Recursive hiding of biometrics-based secret sharing scheme using adversary structure. *Inf. Process. Lett.*, 112(17-18):683–687, 2012.
- [105] Jaeheung Lee, Seokhyun Kim, Yookun Cho, Yoojin Chung, and Yongsu Park. Horsic: An efficient one-time signature scheme for wireless sensor networks. *Inf. Process. Lett.*, 112(20):783–787, 2012.
- [106] Jiyou Li. On the average sensitivity of the weighted sum function. *Inf. Process. Lett.*, 112(4):143–148, 2012.
- [107] Wenhua Li, Zhenkun Zhang, and Sufang Yang. Online algorithms for scheduling unit length jobs on parallel-batch machines with lookahead. *Inf. Process. Lett.*, 112(7):292–297, 2012.
- [108] Wenjie Li, Zhenkun Zhang, Hailing Liu, and Jinjiang Yuan. Online scheduling of equal-length jobs with incompatible families on multiple batch machines to maximize the weighted number of early jobs. *Inf. Process. Lett.*, 112(12):503–508, 2012.
- [109] Yu Li, Dachuan Xu, Donglei Du, and Naihua Xiu. Improved approximation algorithms for the robust fault-tolerant facility location problem. *Inf. Process. Lett.*, 112(10):361–364, 2012.
- [110] Jyhjong Lin. Enhancing customer relationships by semantic consumer support systems. *Inf. Process. Lett.*, 112(22):860–868, 2012.
- [111] Qiping Lin and Fangguo Zhang. Efficient precomputation schemes of $kp + lq$. *Inf. Process. Lett.*, 112(11):462–466, 2012.
- [112] Ming Liu, Feifeng Zheng, Chengbin Chu, and Yinfeng Xu. Single-machine scheduling with past-sequence-dependent delivery times and release times. *Inf. Process. Lett.*, 112(21):835–838, 2012.
- [113] Beibei Ma, Baoyindureng Wu, and Wanping Zhang. Proximity and average eccentricity of a graph. *Inf. Process. Lett.*, 112(10):392–395, 2012.
- [114] Mehrnoush Malekesmaeli, Cedric Chauve, and Tamon Stephen. A tight bound on the length of odd cycles in the incompatibility graph of a non-c1p matrix. *Inf. Process. Lett.*, 112(20):799–803, 2012.

- [115] Sunil Mathew and M.S. Sunitha. A characterization of partial blocks in weighted graphs. *Inf. Process. Lett.*, 112(17-18):706–710, 2012.
- [116] Claire Mathieu and Olga Ohrimenko. Lower bounds for randomized algorithms for online chain partitioning. *Inf. Process. Lett.*, 112(17-18):663–666, 2012.
- [117] Norichika Matsuki. An analytic criterion for csat. *Inf. Process. Lett.*, 112(5):164–165, 2012.
- [118] Or Meir. On the rectangle method in proofs of robustness of tensor products. *Inf. Process. Lett.*, 112(6):257–260, 2012.
- [119] Bart Mennink. Increasing the flexibility of the herding attack. *Inf. Process. Lett.*, 112(3):98–105, 2012.
- [120] Chandrashekhar Meshram, Suchitra A. Meshram, and Mingwu Zhang. An id-based cryptographic mechanisms based on gdlp and ifp. *Inf. Process. Lett.*, 112(19):753–758, 2012.
- [121] Miodrag J. Mihaljević, Sugata Gangopadhyay, Goutam Paul, and Hideki Imai. Internal state recovery of keystream generator lili-128 based on a novel weakness of the employed boolean function. *Inf. Process. Lett.*, 112(21):805–810, 2012.
- [122] Marine Minier and María Naya-Plasencia. A related key impossible differential attack against 22 rounds of the lightweight block cipher lblock. *Inf. Process. Lett.*, 112(16):624–629, 2012.
- [123] Lukas Moll, Siamak Tazari, and Marc Thurley. Computing hypergraph width measures exactly. *Inf. Process. Lett.*, 112(6):238–242, 2012.
- [124] Ashley Montanaro. The quantum query complexity of learning multi-linear polynomials. *Inf. Process. Lett.*, 112(11):438–442, 2012.
- [125] Baruch Mor and Gur Mosheiov. Batch scheduling of identical jobs on parallel identical machines. *Inf. Process. Lett.*, 112(20):762–766, 2012.
- [126] Apurv Nakade and Somenath Biswas. Effect of increasing the energy gap between the two lowest energy states on the mixing time of the metropolis algorithm. *Inf. Process. Lett.*, 112(23):922–927, 2012.

- [127] Martin Olsen, Lars Bækgaard, and Torben Tambo. On non-trivial nash stable partitions in additive hedonic games with symmetric 0/1-utilities. *Inf. Process. Lett.*, 112(23):903–907, 2012.
- [128] Rasmus Pagh and Charalampos E. Tsourakakis. Colorful triangle counting and a MAPREDUCE implementation. *Inf. Process. Lett.*, 112(7):277–281, 2012.
- [129] B.S. Panda and Preeti Goel. $l(2, 1)$ -labeling of dually chordal graphs and strongly orderable graphs. *Inf. Process. Lett.*, 112(13):552–556, 2012.
- [130] E. Pasalic and W.G. Zhang. On multiple output bent functions. *Inf. Process. Lett.*, 112(21):811–815, 2012.
- [131] S. Pettie. A simple reduction from maximum weight matching to maximum cardinality matching. *Inf. Process. Lett.*, 112(23):893–898, 2012.
- [132] Willy Picard. Membership(s) and compliance(s) with class-based graphs. *Inf. Process. Lett.*, 112(22):849–855, 2012.
- [133] Vladimir V. Podolskii. Exponential lower bound for bounded depth circuits with few threshold gates. *Inf. Process. Lett.*, 112(7):267–271, 2012.
- [134] D. Pradhan. Algorithmic aspects of k -tuple total domination in graphs. *Inf. Process. Lett.*, 112(21):816–822, 2012.
- [135] Pavel Pudlák. A lower bound on the size of resolution proofs of the ramsey theorem. *Inf. Process. Lett.*, 112(14-15):610–611, 2012.
- [136] Indra Rajasingh, Micheal Arockiaraj, Bharati Rajan, and Paul Manuel. Minimum wirelength of hypercubes into n -dimensional grid networks. *Inf. Process. Lett.*, 112(14-15):583–586, 2012.
- [137] Indra Rajasingh, Bharati Rajan, and R. Sundara Rajan. Embedding of hypercubes into necklace, windmill and snake graphs. *Inf. Process. Lett.*, 112(12):509–515, 2012.
- [138] Daniel Reidenbach and Markus L. Schmid. On multi-head automata with restricted nondeterminism. *Inf. Process. Lett.*, 112(14-15):572–577, 2012.

- [139] Sonia L. Rueda and Juana Sendra. On the performance of the approximate parametrization algorithm for curves. *Inf. Process. Lett.*, 112(5):172–178, 2012.
- [140] Leena Salmela. Average complexity of backward q -gram string matching algorithms. *Inf. Process. Lett.*, 112(11):433–437, 2012.
- [141] Manfred Schmidt-Schauß and Georg Schnitger. Fast equality test for straight-line compressed strings. *Inf. Process. Lett.*, 112(8-9):341–345, 2012.
- [142] Ilya Sergey and Dave Clarke. A correspondence between type checking via reduction and type checking via evaluation. *Inf. Process. Lett.*, 112(1-2):13–20, 2012.
- [143] Zhengnan Shi. A self-stabilizing algorithm to maximal 2-packing with improved complexity. *Inf. Process. Lett.*, 112(13):525–531, 2012.
- [144] Min-Zheng Shieh, Shi-Chun Tsai, and Ming-Chuan Yang. On the inapproximability of maximum intersection problems. *Inf. Process. Lett.*, 112(19):723–727, 2012.
- [145] Anish Man Singh Shrestha, Satoshi Tayu, and Shuichi Ueno. Bandwidth of convex bipartite graphs and related graphs. *Inf. Process. Lett.*, 112(11):411–417, 2012.
- [146] Joanna Skowronek-Kaziów. Multiplicative vertex-colouring weightings of graphs. *Inf. Process. Lett.*, 112(5):191–194, 2012.
- [147] Radek Slíva. Antimagic labeling graphs with a regular dominating subgraph. *Inf. Process. Lett.*, 112(21):844–847, 2012.
- [148] Petra Šparl, Rafał Witkowski, and Janez Žerovnik. A linear time algorithm for 7-[3]coloring triangle-free hexagonal graphs. *Inf. Process. Lett.*, 112(14-15):567–571, 2012.
- [149] B. Srivathsan and Igor Walukiewicz. An alternate proof of statman’s finite completeness theorem. *Inf. Process. Lett.*, 112(14-15):612–616, 2012.

- [150] Chen Su and Haining Fan. Impact of intel’s new instruction sets on software implementation of multiplication $gf(2)[x]$. *Inf. Process. Lett.*, 112(12):497–502, 2012.
- [151] Hsun Su, Yuan-Kang Shih, and Shin-Shin Kao. On the 1-fault hamiltonicity for graphs satisfying ore’s theorem. *Inf. Process. Lett.*, 112(21):839–843, 2012.
- [152] Da-Zhi Sun, Jin-Peng Huai, and Jian-Xin Li. A note on asynchronous multi-exponentiation algorithm using binary representation. *Inf. Process. Lett.*, 112(22):876–879, 2012.
- [153] Maxim Sviridenko. A note on the kenyon-remila strip-packing algorithm. *Inf. Process. Lett.*, 112(1-2):10–12, 2012.
- [154] Edyta Szemańska. h -colorings of dense hypergraphs. *Inf. Process. Lett.*, 112(23):899–902, 2012.
- [155] Reiko Takehara, Masahiro Hachimori, and Maiko Shigeno. A comment on pure-strategy nash equilibria in competitive diffusion games. *Inf. Process. Lett.*, 112(3):59–60, 2012.
- [156] Michael Thomas. On the applicability of post’s lattice. *Inf. Process. Lett.*, 112(10):386–391, 2012.
- [157] Fang Tian and Zi-Long Liu. Probabilistic single obnoxious facility location with fixed budget. *Inf. Process. Lett.*, 112(5):195–199, 2012.
- [158] Daniel Turetsky. A k -trivial set which is not jump traceable at certain orders. *Inf. Process. Lett.*, 112(13):544–547, 2012.
- [159] Antti Valmari. Fast brief practical dfa minimization. *Inf. Process. Lett.*, 112(6):213–217, 2012.
- [160] Franck van Breugel. On behavioural pseudometrics and closure ordinals. *Inf. Process. Lett.*, 112(19):715–718, 2012.
- [161] Mereke van Garderen, Giuseppe Liotta, and Henk Meijer. Universal point sets for 2-coloured trees. *Inf. Process. Lett.*, 112(8-9):346–350, 2012.

- [162] Feng Wang and Wensong Lin. Group path covering and $l(j, k)$ -labelings of diameter two graphs. *Inf. Process. Lett.*, 112(4):124–128, 2012.
- [163] Gaocai Wang, Guojun Wang, and Zhiguang Shan. Fault tolerance analysis of mesh networks with uniform versus nonuniform node failure probability. *Inf. Process. Lett.*, 112(10):396–401, 2012.
- [164] GuiPing Wang, ShuYu Chen, XiaoQin Zhang, and Zhen Zhou. Topological ordering algorithm for Idag. *Inf. Process. Lett.*, 112(21):823–828, 2012.
- [165] Hechao Wang, Erfang Shan, and Wei Wang. On the super connectivity of kronecker products of graphs. *Inf. Process. Lett.*, 112(10):402–405, 2012.
- [166] Jian Wang, Xirong Xu, Dejun Zhu, Liqing Gao, and Jun-Ming Xu. On the bounds of feedback numbers of (n, k) -star graphs. *Inf. Process. Lett.*, 112(12):473–478, 2012.
- [167] Qichun Wang and Chik How Tan. A note on the algebraic immunity of the maiorana-mcfarland class of bent functions. *Inf. Process. Lett.*, 112(22):869–871, 2012.
- [168] Qingju Wang and Andrey Bogdanov. The provable constructive effect of diffusion switching mechanism in clevia-type block ciphers. *Inf. Process. Lett.*, 112(11):427–432, 2012.
- [169] Shiying Wang, Lei Zhang, and Shangwei Lin. A neighborhood condition for graphs to be maximally k -restricted edge connected. *Inf. Process. Lett.*, 112(3):95–97, 2012.
- [170] Yuxin Wang, Attila Benko, Xin Chen, György Dósa, He Guo, Xin Han, and Cecilia Sik Lanyi. Online scheduling with one rearrangement at the end: Revisited. *Inf. Process. Lett.*, 112(16):641–645, 2012.
- [171] Eduardo C. Xavier. A note on a maximum k -subset intersection problem. *Inf. Process. Lett.*, 112(12):471–472, 2012.
- [172] Mingyu Xiao and Hiroshi Nagamochi. An fpt algorithm for edge subset feedback edge set. *Inf. Process. Lett.*, 112(1-2):5–9, 2012.

- [173] Min Xie and Libin Wang. One-round identity-based key exchange with perfect forward security. *Inf. Process. Lett.*, 112(14-15):587–591, 2012.
- [174] Y. Xie, S. Tang, C. Tang, and X. Huang. An efficient algorithm for parameterizing hsmm with gaussian and gamma distributions. *Inf. Process. Lett.*, 112(19):732–737, 2012.
- [175] Ning Xu. Complexity of minimum corridor guarding problems. *Inf. Process. Lett.*, 112(17-18):691–696, 2012.
- [176] Xiaofan Yang, Lei Wang, and Luxing Yang. Optimal broadcasting for locally twisted cubes. *Inf. Process. Lett.*, 112(4):129–134, 2012.
- [177] Xingyu Yang, Weiguo Zhang, Yong Zhang, and Weijun Xu. Optimal randomized algorithm for a generalized ski-rental with interest rate. *Inf. Process. Lett.*, 112(13):548–551, 2012.
- [178] Ryo Yoshinaka, Jun Kawahara, Shuhei Denzumi, Hiroki Arimura, and Shin-ichi Minato. Counterexamples to the long-standing conjecture on the complexity of bdd binary operations. *Inf. Process. Lett.*, 112(16):636–640, 2012.
- [179] Cui Yu, Xiaofan Yang, LuXing Yang, and Jing Zhang. Routing and wavelength assignment for 3-ary n -cube in array-based optical network. *Inf. Process. Lett.*, 112(6):252–256, 2012.
- [180] Sheng Yu and Prudence W.H. Wong. A note on “an optimal online algorithm for single machine scheduling to minimize total general completion time”. *Inf. Process. Lett.*, 112(1-2):55–58, 2012.
- [181] Shiwei Yu, T.-Z. Huang, Xiaoyun Liu, and Wufan Chen. Information measures based on fractional calculus. *Inf. Process. Lett.*, 112(23):916–921, 2012.
- [182] Chen Yuan, Qian Guo, and Haibin Kan. A novel elementary construction of matching vectors. *Inf. Process. Lett.*, 112(12):494–496, 2012.
- [183] Liting Zhang, Wenling Wu, Peng Wang, and Bo Liang. Trcbc: Another look at cbc-mac. *Inf. Process. Lett.*, 112(7):302–307, 2012.
- [184] Tongquan Zhang and Ying Yin. The minimum spanning tree problem with non-terminal set. *Inf. Process. Lett.*, 112(17-18):688–690, 2012.

- [185] Xin Zhang and Guizhen Liu. On edge colorings of 1-planar graphs without adjacent triangles. *Inf. Process. Lett.*, 112(4):138–142, 2012.
- [186] Yong Zhang, Francis Y.L. Chin, Hing-Fung Ting, Joseph Wun-Tat Chan, Xin Han, and Ka-Cheong Lam. Online call control in cellular networks revisited. *Inf. Process. Lett.*, 112(1-2):21–25, 2012.
- [187] Zongyang Zhang and Zhenfu Cao. Concurrent non-malleable statistically hiding commitment. *Inf. Process. Lett.*, 112(11):443–448, 2012.
- [188] Qunxiong Zheng, Wenfeng Qi, and Tian Tian. On the distinctness of modular reductions of primitive sequences modulo square-free odd integers. *Inf. Process. Lett.*, 112(22):872–875, 2012.
- [189] Hongli Zhu. A two stage scheduling with transportation and batching. *Inf. Process. Lett.*, 112(19):728–731, 2012.
- [190] Xiaomin Zhu, Hao Guo, Shaoshuai Liang, and Xiaoling Yang. An improved security-aware packet scheduling algorithm in real-time wireless networks. *Inf. Process. Lett.*, 112(7):282–288, 2012.