

References

- [1] R. Agrawal and D.J. DeWitt. Updating hypothetical data bases. *Inf. Process. Lett.*, 16(3):145–146, 1983, April.
- [2] L. Allison. Stable marriages by coroutines. *Inf. Process. Lett.*, 16(2):61–65, 1983, February.
- [3] B. Alpern and F.B. Schneider. Key exchange using ‘keyless cryptography’. *Inf. Process. Lett.*, 16(2):79–81, 1983, February.
- [4] A.A. Bertossi and M.A. Bonuccelli. Preemptive scheduling of periodic jobs in uniform multiprocessor systems. *Inf. Process. Lett.*, 16(1):3–6, 1983, January.
- [5] A. Bossi, N. Cocco, and L. Colussi. A divide-and-conquer approach to general context-free parsing. *Inf. Process. Lett.*, 16(4):203–208, 1983, May.
- [6] A. Carpi. On the size of a square-free morphism on a three letter alphabet. *Inf. Process. Lett.*, 16(5):231–235, 1983, June.
- [7] M.A. Casanova. The theory of functional and subset dependencies over relational expressions. *Inf. Process. Lett.*, 16(3):153–160, 1983, April.
- [8] B. Chazelle. A decision procedure for optimal polyhedron partitioning. *Inf. Process. Lett.*, 16(2):75–78, 1983, February.
- [9] B. Chazelle. An improved algorithm for the fixed-radius neighbor problem. *Inf. Process. Lett.*, 16(4):193–198, 1983, May.
- [10] Kenneth L. Clarkson. A modification of the greedy algorithm for vertex cover. *Inf. Process. Lett.*, 16:23–25, 1983, January.
- [11] J. Cohen. A note on a fast algorithm for sparse matrix multiplication. *Inf. Process. Lett.*, 16(5):247–248, 1983, June.
- [12] R.L. Constable. Programs as proofs: a synopsis. *Inf. Process. Lett.*, 16(3):105–112, 1983, April.
- [13] M. Crochemore, M. Le Rest, and P. Wender. An optimal test on finite unavoidable sets of words. *Inf. Process. Lett.*, 16(4):179–180, 1983, May.

- [14] J.L. Deléage. An application of a transfer lemma. *Inf. Process. Lett.*, 16(4):161–163, 1983, May.
- [15] E.W. Dijkstra, W.H.J. Feijen, and A.J.M. van Gasteren. Derivation of a termination detection algorithm for distributed computations. *Inf. Process. Lett.*, 16(5):217–219, 1983, June.
- [16] A. Duda. The effects of checkpointing on program execution time. *Inf. Process. Lett.*, 16(5):221–229, 1983, June.
- [17] A. Ehrenfeucht and G. Rozenberg. On the subword complexity of locally catenative d0l languages. *Inf. Process. Lett.*, 16(1):7–9, 1983, January.
- [18] S. Eichholz. Optimal networks for distributing nonsequential programs. *Inf. Process. Lett.*, 16(2):71–74, 1983, February.
- [19] R. Fagin and M.Y. Vardi. Armstrong databases for functional and inclusion dependencies. *Inf. Process. Lett.*, 16(1):13–19, 1983, January.
- [20] C.W. Fraser. A generalization of two code ordering optimizations. *Inf. Process. Lett.*, 16(2):67–70, 1983, February.
- [21] G.N. Frederickson. Scheduling unit-time tasks with integer release times and deadlines. *Inf. Process. Lett.*, 16(4):171–173, 1983, May.
- [22] R. Freund. Init and anf operating on ω -languages. *Inf. Process. Lett.*, 16(5):265–269, 1983, June.
- [23] M. Fushimi. Increasing the orders of equidistribution of the leading bits of the tausworthe sequence. *Inf. Process. Lett.*, 16(4):189–192, 1983, May.
- [24] D. Gusfield. Connectivity and edge-disjoint spanning trees. *Inf. Process. Lett.*, 16(2):87–89, 1983, February.
- [25] R.H. Güting. Stabbing c-oriented polygons. *Inf. Process. Lett.*, 16(1):35–40, 1983, January.
- [26] J. Hartmanis. On sparse sets in $np - p$. *Inf. Process. Lett.*, 16(2):55–60, 1983, February.

- [27] S. Hertel. Smoothsort's behavior on presorted sequences. *Inf. Process. Lett.*, 16(4):165–170, 1983, May.
- [28] M. Hofri. Should the two headed disk be greedy?-yes, it should. *Inf. Process. Lett.*, 16(2):83–85, 1983, February.
- [29] T. Ibaraki and N. Katoh. On-line computation of transitive closures of graphs. *Inf. Process. Lett.*, 16(2):95–97, 1983, February.
- [30] J. Jędrzejowicz. On the enlargement of the class of regular languages by the shuffle closure. *Inf. Process. Lett.*, 16(2):51–54, 1983, February.
- [31] V. Kantabutra. Traveling salesman cycles are not always subgraphs of voronoi duals. *Inf. Process. Lett.*, 16(1):11–12, 1983, January.
- [32] H.P. Kriegel and Y.S. Kwong. Insertion-safeness in balanced trees. *Inf. Process. Lett.*, 16(5):259–264, 1983, June.
- [33] M. Latteux. On a language without star. *Inf. Process. Lett.*, 16(1):27–30, 1983, January.
- [34] L.N. Lester. Accuracy of approximating queueing network departure processes with independent renewal processes. *Inf. Process. Lett.*, 16(1):43–48, 1983, January.
- [35] E.L. Lloyd. On a simple deadlock recovery problem. *Inf. Process. Lett.*, 16(4):175–178, 1983, May.
- [36] Y. Métivier. About the rewriting systems produced by the knuth-bendix completion algorithm. *Inf. Process. Lett.*, 16(1):31–34, 1983, January.
- [37] F. Meyer auf der Heide. Infinite cube-connected cycles. *Inf. Process. Lett.*, 16(1):1–2, 1983, January.
- [38] F. Murtagh. Expected-time complexity results for hierarchic clustering algorithms which use cluster centres. *Inf. Process. Lett.*, 16(5):237–241, 1983, June.
- [39] K. Ozawa. Considerations on the similarity measures between index terms. *Inf. Process. Lett.*, 16(5):243–246, 1983, June.

- [40] A. Perko. A representation of disjoint sets with fast initialization. *Inf. Process. Lett.*, 16(1):21, 1983, January.
- [41] I.K. Rystsov. Polynomial complete problems in automata theory. *Inf. Process. Lett.*, 16(3):147–151, 1983, April.
- [42] W. Rytter. Time complexity of loop-free two-way pushdown automata. *Inf. Process. Lett.*, 16(3):127–129, 1983, April.
- [43] W. Rytter. A simulation result for two-way pushdown automata. *Inf. Process. Lett.*, 16(4):199–202, 1983, May.
- [44] U. Schöning. On the structure of δ_2^p . *Inf. Process. Lett.*, 16(4):209–211, 1983, May.
- [45] E. Soisalon-Soininen. On computing approximate convex hulls. *Inf. Process. Lett.*, 16(3):121–126, 1983, April.
- [46] M. Tamminen. Analysis of n -trees. *Inf. Process. Lett.*, 16(3):131–137, 1983, April.
- [47] R.E. Tarjan. Updating a balanced search tree in $o(1)$ rotations. *Inf. Process. Lett.*, 16(5):253–257, 1983, June.
- [48] T. Tsuda, T. Sato, and T. Tatsumi. Generalization of floyd’s model on permuting information in idealized two-level storage. *Inf. Process. Lett.*, 16(4):183–188, 1983, May.
- [49] T.R. Walsh. Iteration strikes back — at the cyclic towers of hanoi. *Inf. Process. Lett.*, 16(2):91–93, 1983, February.
- [50] I. Wegener. Relating monotone formula size and monotone depth of boolean functions. *Inf. Process. Lett.*, 16(1):41–42, 1983, January.
- [51] C.R. Wood, E.B. Fernandez, and T. Lang. Minimization of demand paging for the lru stack model of program behavior. *Inf. Process. Lett.*, 16(2):99–104, 1983, February.
- [52] C.K. Yap. A hybrid algorithm for the shortest path between two nodes in the presence of few negative arcs. *Inf. Process. Lett.*, 16(4):181–182, 1983, May.

- [53] T. Yuba, Y. Yamaguchi, and T. Shimada. A control mechanism of a lisp-based data-driven machine. *Inf. Process. Lett.*, 16(3):139–143, 1983, April.
- [54] J. Zahorjan, B.J. Bell, and K.C. Sevcik. Estimating block transfers when record access probabilities are non-uniform. *Inf. Process. Lett.*, 16(5):249–252, 1983, June.