

References

- [1] H. Asai. A consideration of a practical implementation for a new convergence division. *Inf. Process. Lett.*, 17(5):273–281, 1983, December.
- [2] M.J. Atallah. A linear time algorithm for the hausdorff distance between convex polygons. *Inf. Process. Lett.*, 17(4):207–209, 1983, November.
- [3] D.T. Barnard. Recursive descent parsing using implementation languages requiring definition before use. *Inf. Process. Lett.*, 17(5):255–258, 1983, December.
- [4] J.J. Bartholdi III and L.K. Platzman. A fast heuristic based on space filling curves for minimum-weight matching in the plane. *Inf. Process. Lett.*, 17(4):177–180, 1983, November.
- [5] A.A. Bertossi. Finding hamiltonian circuits in proper interval graphs. *Inf. Process. Lett.*, 17(2):97–101, 1983, August.
- [6] N. Blum. A note on the ‘parallel computation thesis’. *Inf. Process. Lett.*, 17(4):203–205, 1983, November.
- [7] M. Broy. Denotational semantics of communicating processes based on a language for applicative multiprogramming. *Inf. Process. Lett.*, 17(1):29–35, 1983, July.
- [8] F. Cesarini and G. Soda. An algorithm to construct a compact b-tree in case of ordered keys. *Inf. Process. Lett.*, 17(1):13–16, 1983, July.
- [9] C. Choffurt and K. Culik. Folding of the plane and the design of systolic arrays. *Inf. Process. Lett.*, 17(3):149–153, 1983, October.
- [10] W.F. Clocksin. Real-time functional queue operations using the logical variable. *Inf. Process. Lett.*, 17(4):173–175, 1983, November.
- [11] C. Croitoru and E. Suditu. Perfect stables in graphs. *Inf. Process. Lett.*, 17(1):53–56, 1983, July.
- [12] P. de Bra and J. Paredaens. An algorithm for horizontal decompositions (relational database model). *Inf. Process. Lett.*, 17(2):91–95, 1983, August.

- [13] A. Ehrenfeucht and G. Rozenberg. On the subword complexity of m -free dol languages. *Inf. Process. Lett.*, 17(3):121–124, 1983, October.
- [14] M.C. Er. Computing sums of order- k fibonacci numbers in log time. *Inf. Process. Lett.*, 17(1):1–5, 1983, July.
- [15] L. Fariñas. Space as time (two-dimensional logic). *Inf. Process. Lett.*, 17(3):113–115, 1983, October.
- [16] M.J. Fischer and M.S. Paterson. Storage requirements for fair scheduling. *Inf. Process. Lett.*, 17(5):249–250, 1983, December.
- [17] A.R. Gangolli and S.L. Tanimoto. Two pyramid machine algorithms for edge detection in noisy binary images. *Inf. Process. Lett.*, 17(4):197–202, 1983, November.
- [18] L.J. Guibas and J. Stolfi. On computing all northeast nearest neighbors in the l_1 metric. *Inf. Process. Lett.*, 17(4):219–223, 1983, November.
- [19] T. Hikita. Listing and counting subtrees of equal size of a binary tree. *Inf. Process. Lett.*, 17(4):225–229, 1983, November.
- [20] T. Ida. Some fp algebra with currying operation. *Inf. Process. Lett.*, 17(5):259–261, 1983, December.
- [21] Y. Kobuchi. Stability of desynchronized ol systems. *Inf. Process. Lett.*, 17(2):85–90, 1983, August.
- [22] Reiner Kolla. Where-oblivious is not sufficient. *Inf. Process. Lett.*, 17:263–268, 1983, December.
- [23] C. Lautemann. Bpp and the polynomial hierarchy. *Inf. Process. Lett.*, 17(4):215–217, 1983, November.
- [24] V. Lifschitz and L. Pesotchinsky. A note on the complexity of a partition algorithm. *Inf. Process. Lett.*, 17(3):117–120, 1983, October.
- [25] M.J. Magazine. Optimality of intuitive checkpointing policies. *Inf. Process. Lett.*, 17(2):63–66, 1983, August.
- [26] E. Mäkinen. Boundedness testing for unambiguous context-free grammars. *Inf. Process. Lett.*, 17(4):181–183, 1983, November.

- [27] J.J. Martin. Precise typing and filters. *Inf. Process. Lett.*, 17(3):109–112, 1983, October.
- [28] B.H. Mayoh. Models of programs and processes. *Inf. Process. Lett.*, 17(4):211–214, 1983, November.
- [29] A. Mili. Verifying programs by induction on their data structure: general format and applications. *Inf. Process. Lett.*, 17(3):155–160, 1983, October.
- [30] E.W. Myers. An applicative random-access stack. *Inf. Process. Lett.*, 17(5):241–248, 1983, December.
- [31] J.R. Nawrocki. Contiguous segmentation with limited compacting. *Inf. Process. Lett.*, 17(2):57–62, 1983, August.
- [32] S. Nishihara and K. Ikeda. Address calculation algorithms for ordered sets of combinations. *Inf. Process. Lett.*, 17(5):251–253, 1983, December.
- [33] S. Ramesh and S.L. Mehndiratta. The liveness property of on-the-fly garbage collector — a proof. *Inf. Process. Lett.*, 17(4):189–195, 1983, November.
- [34] S.P. Rana. A distributed solution of the distributed termination problem. *Inf. Process. Lett.*, 17(1):43–46, 1983, July.
- [35] R.C. Richards. Shape distribution of height-balanced trees. *Inf. Process. Lett.*, 17(1):17–20, 1983, July.
- [36] J.S. Rohl. A faster lexicographical n queens algorithm. *Inf. Process. Lett.*, 17(5):231–233, 1983, December.
- [37] A. Schorr. Physical parallel devices are not much faster than sequential ones. *Inf. Process. Lett.*, 17(2):103–106, 1983, August.
- [38] G. Seroussi and F. Ma. On the arithmetic complexity of matrix kronecker powers. *Inf. Process. Lett.*, 17(3):145–148, 1983, October.
- [39] A. Shamir. Embedding cryptographic trapdoors in arbitrary knapsack systems. *Inf. Process. Lett.*, 17(2):77–79, 1983, August.

- [40] M. Shing. Optimum ordered bi-weighted binary trees. *Inf. Process. Lett.*, 17(2):67–70, 1983, August.
- [41] O. Shmueli. Dynamic cycle detection. *Inf. Process. Lett.*, 17(4):185–188, 1983, November.
- [42] S. Skyum. A measure in which boolean negation is exponentially powerful. *Inf. Process. Lett.*, 17(3):125–128, 1983, October.
- [43] R.E. Tarjan. An improved algorithm for hierarchical clustering using strong components. *Inf. Process. Lett.*, 17(1):37–41, 1983, July.
- [44] H.R. Tirri. Simulation, reduction and preservation of correctness properties of parallel systems. *Inf. Process. Lett.*, 17(1):21–27, 1983, July.
- [45] P. Tong and E.L. Lawler. A faster algorithm for finding edge-disjoint branchings. *Inf. Process. Lett.*, 17(2):73–76, 1983, August.
- [46] Y.H. Tsin and F.Y. Chin. A general program scheme for finding bridges. *Inf. Process. Lett.*, 17(5):269–272, 1983, December.
- [47] J. Vyskoč. A note on the power of integer division. *Inf. Process. Lett.*, 17(2):71–72, 1983, August.
- [48] M. Weiser. Reconstructing sequential behavior from parallel behavior projections. *Inf. Process. Lett.*, 17(3):129–135, 1983, October.
- [49] D.E. Willard. Log-logarithmic worst-case range queries are possible in space $\theta(n)$. *Inf. Process. Lett.*, 17(2):81–84, 1983, August.
- [50] M. Willett. Trapdoor knapsacks without superincreasing structure. *Inf. Process. Lett.*, 17(1):7–11, 1983, July.
- [51] M.H. Williams. Is an exit statement sufficient? (structural programming). *Inf. Process. Lett.*, 17(1):47–51, 1983, July.
- [52] M.H. Williams. The problem of absolute privacy. *Inf. Process. Lett.*, 17(3):169–171, 1983, October.
- [53] P. Wyrostek. On the 'correct prefix property' in precedence parsers. *Inf. Process. Lett.*, 17(3):161–165, 1983, October.

- [54] T. Yokomori and A.K. Joshi. Semi-linearity, parikh-boundedness and tree adjunct languages. *Inf. Process. Lett.*, 17(3):137–143, 1983, October.
- [55] Y.-T. Yu and M.G. Gouda. Unboundedness detection for a class of communicating finite-state machines. *Inf. Process. Lett.*, 17(5):235–240, 1983, December.
- [56] Zhi-Jie Zheng. The duodirun merging algorithm: a new fast algorithm for parallel merging. *Inf. Process. Lett.*, 17(3):167–168, 1983, October.