

## References

- [1] Alok Aggarwal and Michael Hawrylycz. On computing the closest boundary point on the convex hull. *Inf. Process. Lett.*, 31:311–314, 1989.
- [2] Alok Aggarwal and Dina Kravets. A linear time algorithm for finding all farthest neighbors in a convex polygon. *Inf. Process. Lett.*, 31:17–20, 1989.
- [3] Lloyd Allison. Direct semantics and exceptions define jumps and coroutines. *Inf. Process. Lett.*, 31:327–330, 1989.
- [4] J.M. Basart and L. Huguet. An approximation algorithm for the tsp. *Inf. Process. Lett.*, 31:77–81, 1989.
- [5] Martin Beaudry. Characterization of idempotent transformation monoids. *Inf. Process. Lett.*, 31:163–166, 1989.
- [6] Manuel E. Bermudez and George Logothetis. Simple computation of  $\text{lalr}(1)$  lookahead sets. *Inf. Process. Lett.*, 31:233–238, 1989.
- [7] Paola Bertolazzi and Antonio Sassano. A decomposition strategy for the vertex cover problem. *Inf. Process. Lett.*, 31:299–304, 1989.
- [8] Peter A. Bloniarz and S.S. Ravi. An  $\omega(n \log n)$  lower bound for decomposing a set of points into chains. *Inf. Process. Lett.*, 31:319–322, 1989.
- [9] Hans L. Bodlaender. Achromatic number is  $np$ -complete for cographs and interval graphs. *Inf. Process. Lett.*, 31:135–138, 1989.
- [10] F. Warren Burton. A note on higher-order functions versus logical variables. *Inf. Process. Lett.*, 31:91–95, 1989.
- [11] Svante Carlsson, Jingsen Chen, and Thomas Strothotte. A note on the construction of the data structure “deap”. *Inf. Process. Lett.*, 31:315–317, 1989.
- [12] Scott D. Carson and Paul Vongsathorn. Error bounds on disk arrangement using frequency information. *Inf. Process. Lett.*, 31:209–213, 1989.

- [13] R. Casas, J. Díaz, and J.M. Steyaert. Average-case analysis of robinson's unification algorithm with two different variables. *Inf. Process. Lett.*, 31:227–232, 1989.
- [14] J. Cheriyan and S.N. Maheshwari. The parallel complexity of finding a blocking flow in a 3-layer network. *Inf. Process. Lett.*, 31:157–161, 1989.
- [15] Bogdan S. Chlebus. Parallel iterated bucket sort. *Inf. Process. Lett.*, 31:181–183, 1989.
- [16] Ludwik Czaja. Finite processes in cause-effect structures and their composition. *Inf. Process. Lett.*, 31:305–310, 1989.
- [17] Hubert de Fraysseix and Hiroshi Imai. Notes on oriented depth-first search and longest paths. *Inf. Process. Lett.*, 31:53–56, 1989.
- [18] Norbert Eisinger. A note on the completeness of resolution without self-resolution. *Inf. Process. Lett.*, 31:323–326, 1989.
- [19] Bernd-Jürgen Falkowski. A self-optimizing prolog program and the underlying statistical model. *Inf. Process. Lett.*, 31:273–276, 1989.
- [20] Ellen B. Feinberg. Characterizing the shortest path of an object among obstacles. *Inf. Process. Lett.*, 31:257–264, 1989.
- [21] Dean P. Foster and Rakesh V. Vohra. Probabilistic analysis of a heuristics for the dual bin packing problem. *Inf. Process. Lett.*, 31:287–290, 1989.
- [22] David Ginat, Daniel D. Sleator, and Robert E. Tarjan. A tight amortized bound for path reversal. *Inf. Process. Lett.*, 31:3–5, 1989.
- [23] Andrew V. Goldberg and Robert E. Tarjan. A parallel algorithm for finding a blocking flow in an acyclic network. *Inf. Process. Lett.*, 31:265–271, 1989.
- [24] Sally A. Goldman. A space efficient greedy triangulation algorithm. *Inf. Process. Lett.*, 31:191–196, 1989.
- [25] Angelo Gregori. Unit-length embedding of binary trees on a square grid. *Inf. Process. Lett.*, 31:167–173, 1989.

- [26] Richard I. Hartley. Drawing polygons given angle sequences. *Inf. Process. Lett.*, 31:31–33, 1989.
- [27] Tom Head. Deciding the immutability of regular codes and languages under finite transductions. *Inf. Process. Lett.*, 31:239–241, 1989.
- [28] Chin-Wen Ho and R.C.T. Lee. Counting clique trees and computing perfect elimination schemes in parallel. *Inf. Process. Lett.*, 31:61–68, 1989.
- [29] Dorit S. Hochbaum and Ron Shamir. An  $o(n \log^2 n)$  algorithm for the maximum weighted tardiness problem. *Inf. Process. Lett.*, 31:215–219, 1989.
- [30] Tomihisa Kamada and Satoru Kawai. An algorithm for drawing general undirected graphs. *Inf. Process. Lett.*, 31:7–15, 1989.
- [31] Samir Khuller. On computing graph closures. *Inf. Process. Lett.*, 31:249–255, 1989.
- [32] Vijay Kumar. Concurrency control on extendible hashing. *Inf. Process. Lett.*, 31:35–41, 1989.
- [33] Patrick Lentfert and Mark H. Overmars. Data structures in a real-time environment. *Inf. Process. Lett.*, 31:151–155, 1989.
- [34] Joseph Y.-T. Leung. Bin packing with restricted piece sizes. *Inf. Process. Lett.*, 31:145–149, 1989.
- [35] F. Luccio and L. Pagli. On the upper bound on the rotation distance of binary trees. *Inf. Process. Lett.*, 31:57–60, 1989.
- [36] Vishv Mohan Malhotra, Tang van To, and Kanchana Kanchanasut. An improved data-dependency-based backtracking scheme for prolog. *Inf. Process. Lett.*, 31:185–189, 1989.
- [37] Satoshi Matsuoka, Tomihisa Kamada, and Satoru Kawai. Asymptotic evaluation of window visibility. *Inf. Process. Lett.*, 31:119–126, 1989.
- [38] Friedemann Mattern. An efficient distributed termination test. *Inf. Process. Lett.*, 31:203–208, 1989.

- [39] Ravi Mukkamala. Some properties of view-based replication control algorithms for distributed systems. *Inf. Process. Lett.*, 31:295–298, 1989.
- [40] Hiroshi Nagamochi and Toshihide Ibaraki. On max-flow min-cut and integral flow properties for multicommodity flows in directed networks. *Inf. Process. Lett.*, 31:279–285, 1989.
- [41] S. Olariu and J. Randall. Welsh-powell opposition graphs. *Inf. Process. Lett.*, 31:43–46, 1989.
- [42] Stephan Olariu. A simple linear-time algorithm for computing the rng and mst of unimodal polygons. *Inf. Process. Lett.*, 31:243–247, 1989.
- [43] M.V. Ramakrishna. Analysis of random probing hashing. *Inf. Process. Lett.*, 31:83–90, 1989.
- [44] Prakash Ramanan. Average-case analysis of the smart next fit algorithm. *Inf. Process. Lett.*, 31:221–225, 1989.
- [45] Yves Robert, Bernard Tourancheau, and Gilles Villard. Data allocation strategies for the gauss and jordan algorithms on a ring of processors. *Inf. Process. Lett.*, 31:21–29, 1989.
- [46] Wojciech Rytter. A note on optimal parallel transformations of regular expressions to nondeterministic finite automata. *Inf. Process. Lett.*, 31:103–109, 1989.
- [47] Wei-Kuan Shih and Wen-Lian Hsu. An  $o(n \log n + m \log \log n)$  maximum weight clique algorithm for circular-arc graphs. *Inf. Process. Lett.*, 31:129–134, 1989.
- [48] D.B. Skillicorn and D.T. Barnard. Parallel parsing on the connection machine. *Inf. Process. Lett.*, 31:111–117, 1989.
- [49] Gunnar Stålmarmark. A note on the computational complexity of the pure classical implication calculus. *Inf. Process. Lett.*, 31:277–278, 1989.
- [50] Iain A. Stewart. An algorithm for colouring perfect planar graphs. *Inf. Process. Lett.*, 31:97–101, 1989.
- [51] Rajamani Sundar. Worst-case data structures for the priority queue with attrition. *Inf. Process. Lett.*, 31:69–75, 1989.

- [52] G. Tel and F. Mattern. Comments on “ring based termination detection algorithm for distributed computations”. *Inf. Process. Lett.*, 31:127–128, 1989.
- [53] John N. Tsitsiklis. On the use of random numbers in asynchronous simulation via rollback. *Inf. Process. Lett.*, 31:139–144, 1989.
- [54] Anujan Varma. Fault-tolerant routing in unique-path multistage interconnection networks. *Inf. Process. Lett.*, 31:197–201, 1989.
- [55] Xiaolin Wu. Fast approximations to discrete optimal quantization. *Inf. Process. Lett.*, 31:175–179, 1989.
- [56] Serge Yoccoz. Recursive  $\omega$ -rule for proof systems. *Inf. Process. Lett.*, 31:291–294, 1989.
- [57] Sheng Yu. A pumping lemma for deterministic context-free languages. *Inf. Process. Lett.*, 31:47–51, 1989.