

References

- [1] Alok Aggarwal and Tom Leighton. A tight lower bound for the train reversal problem. *Inf. Process. Lett.*, 35:301–304, 1990.
- [2] Alok Aggarwal and Subhash Suri. Computing the longest diagonal of a simple polygon. *Inf. Process. Lett.*, 35:13–18, 1990.
- [3] Mohan Ahuja and Yahui Zhu. An $o(n \log n)$ feasibility algorithm for preemptive scheduling of n independent jobs on a hypercube. *Inf. Process. Lett.*, 35:7–11, 1990.
- [4] Noga Alon. Generating pseudo-random permutations and maximum flow algorithms. *Inf. Process. Lett.*, 35:201–204, 1990.
- [5] Tom Altman and George Logothetis. A note on ambiguity in context-free grammars. *Inf. Process. Lett.*, 35:111–114, 1990.
- [6] Srinivasa Rao Arikati and C. Pandu Rangan. Linear algorithm for optimal path cover problem on interval graphs. *Inf. Process. Lett.*, 35:149–153, 1990.
- [7] Chderjit L. Bajaj and Tamal Dey. Polygon nesting and robustness. *Inf. Process. Lett.*, 35:23–32, 1990.
- [8] D.T. Barnard and D.B. Skillicorn. Pipelining tree-structured algorithms on simd architectures. *Inf. Process. Lett.*, 35:79–84, 1990.
- [9] Kenneth Block and Tai-Kuo Woo. A more efficient generalization of peterson’s mutual exclusion algorithm. *Inf. Process. Lett.*, 35:219–222, 1990.
- [10] Maw Shang Chang, Nen-Fu Huang, and Chuan-Yi Tang. An optimal algorithm for constructing oriented voronoi diagrams and geographic neighborhood graphs. *Inf. Process. Lett.*, 35:255–260, 1990.
- [11] Andrew Chin. On the depth complexity of the counting functions. *Inf. Process. Lett.*, 35:325–328, 1990.
- [12] Yu-Tai Ching, Kurt Mehlhorn, and Michiel H.M. Smid. Dynamic deferred data structuring. *Inf. Process. Lett.*, 35:37–40, 1990.

- [13] Robert J. Cimikowski. Finding hamiltonian cycles in certain planar graphs. *Inf. Process. Lett.*, 35:249–254, 1990.
- [14] Maxime Crochemore and Wojciech Rytter. Parallel construction of minimal suffix and factor automata. *Inf. Process. Lett.*, 35:121–128, 1990.
- [15] Xiaotie Deng. An optimal parallel algorithm for linear programming in the plane. *Inf. Process. Lett.*, 35:213–217, 1990.
- [16] Matthew T. Dickerson and R. Scot Drysdale. Fixed-radius near neighbors search algorithms for points and segments. *Inf. Process. Lett.*, 35:269–273, 1990.
- [17] Khun Yee Fung, Tina M. Nicholl, Robert E. Tarjan, and Christopher J. van Wyk. Simplified linear-time jordan sorting and polygon clipping. *Inf. Process. Lett.*, 35:85–92, 1990.
- [18] Mohamed G. Gouda and Ted Herman. Stabilizing unison. *Inf. Process. Lett.*, 35:171–175, 1990.
- [19] Erich Grädel. Simple interpretations among complicated theories. *Inf. Process. Lett.*, 35:235–238, 1990.
- [20] Ken Grigg, Serge Miguet, and Yves Robert. Symmetric matrix-vector product on a ring of processors. *Inf. Process. Lett.*, 35:239–248, 1990.
- [21] G.R. Guenther. Efficient expansion of factored expressions. *Inf. Process. Lett.*, 35:69–72, 1990.
- [22] Lisa Hellerstein, Philip Klein, and Robert Wilber. On the time-space complexity of reachability queries for preprocessed graphs. *Inf. Process. Lett.*, 35:261–267, 1990.
- [23] Tod Herman. Probabilistic self-stabilization. *Inf. Process. Lett.*, 35:63–67, 1990.
- [24] P. Inverardi and M. Nesi. A rewriting strategy to verify observational congruence. *Inf. Process. Lett.*, 35:191–199, 1990.
- [25] Jeremy Jacob. A model of reconfiguration in communicating sequential processes. *Inf. Process. Lett.*, 35:19–22, 1990.

- [26] Georg Karner. A note on terminal balancing of algebraic systems. *Inf. Process. Lett.*, 35:291–293, 1990.
- [27] Marta Z. Kwiatkowska. A metric for traces. *Inf. Process. Lett.*, 35:129–135, 1990.
- [28] Erik Lambrichts, Peter Nees, Jan Paredaens, Peter Peelman, and L. Tanca. Checking functional consistency in deductive databases. *Inf. Process. Lett.*, 35:115–120, 1990.
- [29] John Launchbury. Strictness analysis aids inductive proofs. *Inf. Process. Lett.*, 35:155–159, 1990.
- [30] Chau-Jy Lin. Parallel algorithm for generating permutations on linear array. *Inf. Process. Lett.*, 35:167–170, 1990.
- [31] E. Lodi, F. Luccio, and L. Pagli. Routing in times square mode. *Inf. Process. Lett.*, 35:41–48, 1990.
- [32] Michael C. Loui and Milind A. Sohoni. An algorithm for load balancing in multiprocessor systems. *Inf. Process. Lett.*, 35:223–228, 1990.
- [33] Anna Lubiw. Counterexample to a conjecture of szymanski on hypercube routing. *Inf. Process. Lett.*, 35:57–61, 1990.
- [34] Maurice Maes. On a cyclic string-to-string correction problem. *Inf. Process. Lett.*, 35:73–78, 1990.
- [35] Glenn K. Manacher, Terrance A. Mankus, and Carol Joan Smith. An optimum $\theta(n \log n)$ algorithm for finding a canonical hamiltonian path and a canonical hamiltonian circuit in a set of intervals. *Inf. Process. Lett.*, 35:205–211, 1990.
- [36] K. Mehlhorn, S. Näher, and C. Uhrig. Hidden line elimination for isooriented rectangles. *Inf. Process. Lett.*, 35:137–143, 1990.
- [37] Kurt Mehlhorn and Stefan Näher. Bounded ordered dictionaries in $o(\log \log n)$ time and $o(n)$ space. *Inf. Process. Lett.*, 35:183–189, 1990.
- [38] A.W. Mostowski. Alternating automata with start formulas. *Inf. Process. Lett.*, 35:287–290, 1990.

- [39] Jerzy A. Piotrowski. A functional model of a simplified sequential machine. *Inf. Process. Lett.*, 35:161–166, 1990.
- [40] Ronitt Rubinfeld. The cover time of a regular expander is $o(n \log n)$. *Inf. Process. Lett.*, 35:49–51, 1990.
- [41] Jang-Ping Sheu and Jyh-Shyan Tang. Efficient parallel k selection algorithm. *Inf. Process. Lett.*, 35:313–316, 1990.
- [42] David B. Shmoys and David P. Williamson. Analyzing the held-karp tsp bound: A monotonicity property with application. *Inf. Process. Lett.*, 35:281–285, 1990.
- [43] Martha Sideris. On attribute grammars without attribute synthesis. *Inf. Process. Lett.*, 35:103–109, 1990.
- [44] Rani Siromoney and Lisa Mathew. A public key cryptosystem based on lyndon words. *Inf. Process. Lett.*, 35:33–36, 1990.
- [45] Seinosuke Toda. On the complexity of topological sorting. *Inf. Process. Lett.*, 35:229–233, 1990.
- [46] A.J.M. van Gasteren and G. Tel. Comments on “on the proof of a distributed algorithm”: Always-true is not invariant. *Inf. Process. Lett.*, 35:277–279, 1990.
- [47] Moshe Y. Vardi. Endmarkers can make a difference. *Inf. Process. Lett.*, 35:145–148, 1990.
- [48] Mitchell Wand. A short proof of the lexical addressing algorithm. *Inf. Process. Lett.*, 35:1–5, 1990.
- [49] Ching-lin Wang. Obtaining lazy evaluation with continuations in scheme. *Inf. Process. Lett.*, 35:93–97, 1990.
- [50] Ingo Wegener. Efficient simulation of circuits by erew prams. *Inf. Process. Lett.*, 35:99–102, 1990.
- [51] Chwan-Hwa Wu, Chia-Jiu Wang, and Heng-Ming Tai. Application of exponential hetero-associative memory on frequency classifier. *Inf. Process. Lett.*, 35:305–311, 1990.

- [52] Sun Wu, Udi Manber, Gene Myers, and Webb Miller. An $o(np)$ sequence comparison algorithm. *Inf. Process. Lett.*, 35:317–323, 1990.
- [53] Chain-Chin Yen and R.C.T. Lee. The weighted perfect domination problem. *Inf. Process. Lett.*, 35:295–299, 1990.
- [54] Shyan-Ming Yuan. The communication complexity for decentralized evaluation of functions. *Inf. Process. Lett.*, 35:177–182, 1990.