

References

- [1] Yaagoub Ashir, Iain A. Stewart, and Aqeel Ahmed. Communication algorithms in k -ary n -cube interconnection networks. *Inf. Process. Lett.*, 61(1):43–48, 1997.
- [2] Avrim Blum and David Karger. An $\tilde{O}(n^{3/14})$ -coloring algorithm for 3-colorable graphs. *Inf. Process. Lett.*, 61(1):49–53, 1997.
- [3] Hans L. Bodlaender, Dimitrios M. Thilikos, and Koichi Yamazaki. It is hard to know when greedy is good for finding independent sets. *Inf. Process. Lett.*, 61(2):101–106, 1997.
- [4] Panayiotis Bozanis, Nectarios Kitsios, Christos Makris, and Athanasios Tsakalidis. The space-optimal version of a known rectangle enclosure reporting algorithm. *Inf. Process. Lett.*, 61(1):37–41, 1997.
- [5] Nader H. Bshouty. On learning multivariate polynomials under the uniform distribution. *Inf. Process. Lett.*, 61(6):303–309, 1997.
- [6] Tiziana Calamoneri and Rossella Petreschi. A new 3d representation of trivalent cayley networks. *Inf. Process. Lett.*, 61(5):247–252, 1997.
- [7] H.S. Chao, F.R. Hsu, and R.C.T. Lee. An optimal erew parallel algorithm for computing breadth-first search trees on permutation graphs. *Inf. Process. Lett.*, 61(6):311–316, 1997.
- [8] Jianer Chen, Saroja P. Kanchi, and Arkady Kanevsky. A note on approximating graph genus. *Inf. Process. Lett.*, 61(6):317–322, 1997.
- [9] Y. Choi and T.W. Lam. Dynamic suffix tree and two-dimensional texts management. *Inf. Process. Lett.*, 61(4):213–220, 1997.
- [10] Kuo-Liang Chung. Efficient huffman decoding. *Inf. Process. Lett.*, 61(2):97–99, 1997.
- [11] Patrizio Cintioli and Riccardo Silvestri. Revisiting a result of ko. *Inf. Process. Lett.*, 61(4):189–194, 1997.
- [12] P. Dell’Ollmo, S. Giordani, and M.G. Speranza. An approximation result for a duo-processor task scheduling problem. *Inf. Process. Lett.*, 61(4):195–200, 1997.

- [13] Jitender S. Deogun, Dieter Kratsch, and George Steiner. An approximation algorithm for clustering graphs with dominating diametral path. *Inf. Process. Lett.*, 61(3):121–127, 1997.
- [14] Moshe Dror, Wieslaw Kubiak, and Paolo Dell’Olmo. Scheduling chains to minimize mean flow time. *Inf. Process. Lett.*, 61(6):297–301, 1997.
- [15] Mark J. Encarnación. Black-box polynomial resultants. *Inf. Process. Lett.*, 61(4):201–204, 1997.
- [16] Martin Farach and S. Muthukrishnan. Optimal parallel randomized renaming. *Inf. Process. Lett.*, 61(1):7–10, 1997.
- [17] Paola Flocchini. Minimal sense of direction in regular networks. *Inf. Process. Lett.*, 61(6):331–338, 1997.
- [18] Paolo G. Franciosa, Giorgio Gambosi, and Umberto Nanni. The incremental maintenance of a depth-first-search tree in directed acyclic graphs. *Inf. Process. Lett.*, 61(2):113–120, 1997.
- [19] Ivan Friš, Ivan Havel, and Petr Liebl. The diameter of the cube-connected cycles. *Inf. Process. Lett.*, 61(3):157–160, 1997.
- [20] D.J. Guan and Xuding Zhu. A coloring problem for weighted graphs. *Inf. Process. Lett.*, 61(2):77–81, 1997.
- [21] Toru Hasunuma and Yukio Shibata. Containment of butterflies in networks constructed by the line digraph operation. *Inf. Process. Lett.*, 61(1):25–30, 1997.
- [22] Martin Henk. Note on shortest and nearest lattice vectors. *Inf. Process. Lett.*, 61(4):183–188, 1997.
- [23] Seok Hee Hong and Myoung Ho Kim. Resolving data conflicts with multiple versions and precedence relationships in real-time databases. *Inf. Process. Lett.*, 61(3):149–156, 1997.
- [24] Louis Ibarra. Finding pattern matchings for permutations. *Inf. Process. Lett.*, 61(6):293–295, 1997.
- [25] K. Iwama, C. Iwamoto, and T. Ohsawa. A faster parallel algorithm for k -connectivity. *Inf. Process. Lett.*, 61(5):265–269, 1997.

- [26] Gow-Hsing King and Wen-Guey Tzeng. On-line algorithms for the dominating set problem. *Inf. Process. Lett.*, 61(1):11–14, 1997.
- [27] Jacob Kornerup. Odd-even sort in powerlists. *Inf. Process. Lett.*, 61(1):15–24, 1997.
- [28] Priyalal D. Kulasinghe. Connectivity of the crossed cube. *Inf. Process. Lett.*, 61(4):221–226, 1997.
- [29] Devendra Kumar and Abraham Silberschatz. A counter-example to an algorithm for the generalized input-output construct of *csp*. *Inf. Process. Lett.*, 61(6):287–287, 1997.
- [30] Eyal Kushilevitz. A simple algorithm for learning $o(\log n)$ -term dnf. *Inf. Process. Lett.*, 61(6):289–292, 1997.
- [31] Thierry Lecroq, Guillaume Luce, and Jean Frédéric Myoupo. A faster linear systolic algorithm for recovering a longest common subsequence. *Inf. Process. Lett.*, 61(3):129–136, 1997.
- [32] Bernd Loescher. One unary function says less than two in existential second order logic. *Inf. Process. Lett.*, 61(2):69–75, 1997.
- [33] Chin Lung Lu and Chuan Yi Tang. A linear-time algorithm for the weighted feedback vertex problem on interval graphs. *Inf. Process. Lett.*, 61(2):107–111, 1997.
- [34] Antoni Mazurkiewicz. Distributed enumeration. *Inf. Process. Lett.*, 61(5):233–239, 1997.
- [35] C. Micheneau. Disjoint hamiltonian cycles in recursive circulant graphs. *Inf. Process. Lett.*, 61(5):259–264, 1997.
- [36] Joseph M. Morris. Non-deterministic expressions and predicate transformers. *Inf. Process. Lett.*, 61(5):241–246, 1997.
- [37] Raffaele Mosca. Polynomial algorithms for the maximum stable set problem on particular classes of p_5 -free graphs. *Inf. Process. Lett.*, 61(3):137–143, 1997.
- [38] Jean-Frédéric Myoupo and Ahmad Wabbi. Improved linear systolic algorithms for substring statistics. *Inf. Process. Lett.*, 61(5):253–258, 1997.

- [39] Sung Mo Park, Sangjin Lee, Soo Hak Sung, and Kwangjo Kim. Improving bounds for the number of correlation immune boolean functions. *Inf. Process. Lett.*, 61(4):209–212, 1997.
- [40] Arnold Rosenbloom. Monotone real circuits are more powerful than monotone boolean circuits. *Inf. Process. Lett.*, 61(3):161–164, 1997.
- [41] Frédéric Roupin. On approximating the memory-constrained module allocation problem. *Inf. Process. Lett.*, 61(4):205–208, 1997.
- [42] Youssef G. Saab. An improved algorithm for intersecting convex polygons. *Inf. Process. Lett.*, 61(2):89–90, 1997.
- [43] Tadakazu Sato. Ergodicity of linear cellular automata over z_m . *Inf. Process. Lett.*, 61(3):169–172, 1997.
- [44] Berry Schoenmakers. A tight lower bound for top-down skew heaps. *Inf. Process. Lett.*, 61(5):279–284, 1997.
- [45] Mohamed S. Sedjelmaci and Christian Lavault. Improvements on the accelerated integer gcd algorithm. *Inf. Process. Lett.*, 61(1):31–36, 1997.
- [46] Kayoko Shikishima-Tsuji, Masashi Katsura, and Yuji Kobayashi. On termination of confluent one-rule string-rewriting systems. *Inf. Process. Lett.*, 61(2):91–96, 1997.
- [47] Stephen Taylor, Nabil Hachem, and Stanley Selkow. The average height of a node in the bang abstract directory tree. *Inf. Process. Lett.*, 61(1):55–61, 1997.
- [48] Dimitrios M. Thilikos and Hans L. Bodlaender. Fast partitioning l -apex graphs with applications to approximating maximum induced-subgraph problems. *Inf. Process. Lett.*, 61(5):227–232, 1997.
- [49] Ryuhei Uehara. Collapse of pp with a semi-random source to bpp . *Inf. Process. Lett.*, 61(2):83–87, 1997.
- [50] Athena Vakali and Yannis Manolopoulos. An exact analysis on expected seeks in shadowed disks. *Inf. Process. Lett.*, 61(6):323–329, 1997.
- [51] Knut Verbarag. Approximate center points in dense point sets. *Inf. Process. Lett.*, 61(5):271–278, 1997.

- [52] M.Z. Wang. Linear complexity profiles and jump complexity. *Inf. Process. Lett.*, 61(3):165–168, 1997.
- [53] Shih-Yih Wang, Lih-Hsing Hsu, and Ting-Yi Sung. Faithful 1-edge fault tolerant graphs. *Inf. Process. Lett.*, 61(4):173–181, 1997.
- [54] Yongge Wang. np -hard sets are superterse unless np is small. *Inf. Process. Lett.*, 61(1):1–6, 1997.
- [55] Guochuan Zhang. A simple semi on-line algorithm for $p2//cmax$ with a buffer. *Inf. Process. Lett.*, 61(3):145–148, 1997.
- [56] Richard Zippel. Zero testing of algebraic functions. *Inf. Process. Lett.*, 61(2):63–67, 1997.