

## References

- [1] Karen Aardal, Fabián A. Chudak, and David B. Shmoys. A 3-approximation algorithm for the  $k$ -level uncapacitated facility location problem. *Inf. Process. Lett.*, 72(5-6):161–167, 1999.
- [2] Valmir C. Barbosa and Jayme L. Szwarcfiter. Generating all the acyclic orientations of an undirected graph. *Inf. Process. Lett.*, 72(1-2):71–74, 1999.
- [3] C. Blundo, A. de Santis, and A. Giorgio Gaggia. Probability of shares in secret sharing schemes. *Inf. Process. Lett.*, 72(5-6):169–175, 1999.
- [4] Tiziana Calamoneri and Annalisa Massini. An optimal layout of multi-grid networks. *Inf. Process. Lett.*, 72(3-4):137–141, 1999.
- [5] Jae-Young Chang and Sang-Goo Lee. Extended conditions for answering an aggregate query using materialized views. *Inf. Process. Lett.*, 72(5-6):205–212, 1999.
- [6] Chien-Yuan Chen and Chin-Chen Chang. A fast modular multiplication algorithm for calculating the product  $ab$  modulo  $n$ . *Inf. Process. Lett.*, 72(3-4):77–81, 1999.
- [7] Chien-Hung Huang, Ju-Yuan Hsiao, and R.C.T. Lee. An optimal embedding of cycles into incomplete hypercubes. *Inf. Process. Lett.*, 72(5-6):213–218, 1999.
- [8] Chun-Nan Hung, Lih-Hsing Hsu, and Ting-Yi Sung. Christmas tree: A versatile 1-fault-tolerant design for token rings. *Inf. Process. Lett.*, 72(1-2):55–63, 1999.
- [9] Shien-Ching Hwang and Gen-Huey Chen. A note on cyclic-cubes. *Inf. Process. Lett.*, 72(3-4):131–135, 1999.
- [10] Petr Jančar. A note on well quasi-orderings for powersets. *Inf. Process. Lett.*, 72(5-6):155–160, 1999.
- [11] Xiaoyi Jiang and Horst Bunke. Optimal vertex ordering of graphs. *Inf. Process. Lett.*, 72(5-6):149–154, 1999.

- [12] Samir Khuller. An  $o(|v|^2)$  algorithm for single connectedness. *Inf. Process. Lett.*, 72(3-4):105–107, 1999. see Addendum in *Inf. Process. Lett.* 72, 263.
- [13] Sven Kosub. A note on unambiguous function classes. *Inf. Process. Lett.*, 72(5-6):197–203, 1999.
- [14] Ramesh Krishnamurti and Daya Ram Gaur. An approximation algorithm for nonpreemptive scheduling on hypercube parallel task systems. *Inf. Process. Lett.*, 72(5-6):183–188, 1999.
- [15] Antonín Kučera. Regularity of normed pa processes. *Inf. Process. Lett.*, 72(1-2):9–17, 1999.
- [16] George Lagogiannis, Christos Makris, and Athanasios Tsakalidis. A new algorithm for rectangle enclosure reporting. *Inf. Process. Lett.*, 72(5-6):177–182, 1999.
- [17] Christian Lavault and S. Mohamed Sedjelmaci. Worst-case analysis of weber’s gcd algorithm. *Inf. Process. Lett.*, 72(3-4):125–130, 1999.
- [18] Gyung-Ok Lee and Kwang-Moo Choe. An lr parser with pre-determined reduction goals. *Inf. Process. Lett.*, 72(5-6):189–196, 1999.
- [19] Z.M. Ma, W.J. Zhang, and W.Y. Ma. Assessment of data redundancy in fuzzy relational databases based on semantic inclusion degree. *Inf. Process. Lett.*, 72(1-2):25–29, 1999.
- [20] Ioan I. Macarie and Joel I. Seiferas. Amplification of slight probabilistic advantage at absolutely no cost in space. *Inf. Process. Lett.*, 72(3-4):113–118, 1999.
- [21] Martin Matamala and Klaus Meer. On the computational structure of the connected components of a hard problem. *Inf. Process. Lett.*, 72(3-4):83–90, 1999.
- [22] G.M. Megson, Xiaofan Yang, and Xiaoping Liu. Honeycomb tori are hamiltonian. *Inf. Process. Lett.*, 72(3-4):99–103, 1999.
- [23] John A. Mount. Estimating the range of a function in an online setting. *Inf. Process. Lett.*, 72(1-2):31–35, 1999.

- [24] Gonzalo Navarro and Ricardo Baeza-Yates. Very fast and simple approximate string matching. *Inf. Process. Lett.*, 72(1-2):65–70, 1999.
- [25] Jurg Nievergelt, Narsingh Deo, and Ambros Marzetta. Memory-efficient enumeration of constrained spanning trees. *Inf. Process. Lett.*, 72(1-2):47–53, 1999.
- [26] Dong-Yul Ra and George C. Stockman. A new one pass algorithm for estimating stochastic context-free grammars. *Inf. Process. Lett.*, 72(1-2):37–45, 1999.
- [27] Michel Raynal and Frédéric Tronel. Restricted failure detectors: Definition and reduction protocols. *Inf. Process. Lett.*, 72(3-4):91–97, 1999.
- [28] K. Sridharan. Computing two penetration measures for curved 2d objects. *Inf. Process. Lett.*, 72(3-4):143–148, 1999.
- [29] Chang-Hsiung Tsai, Chun-Nan Hung, Lih-Hsing Hsu, and Chung-Haw Chang. The correct diameter of trivalent cayley graphs. *Inf. Process. Lett.*, 72(3-4):109–111, 1999.
- [30] Yann Verhoeven. Random 2-sat and unsatisfiability. *Inf. Process. Lett.*, 72(3-4):119–123, 1999.
- [31] F. Montoya Vitini, J. Muñoz Masqué, and A. Peinado Domínguez. Linear complexity of the  $x^2 \bmod p$  orbits. *Inf. Process. Lett.*, 72(1-2):3–7, 1999.
- [32] Y. Wang, K. Inoue, A. Ito, and T. Okazaki. A note on self-modifying finite automata. *Inf. Process. Lett.*, 72(1-2):19–24, 1999.