

References

- [1] Amihood Amir, Moshe Lewenstein, and Ely Porat. Approximate swapped matching. *Inf. Process. Lett.*, 83(1):33–39, 2002.
- [2] Alberto Apostolico and Stefano Lonardi. A speed-up for the commute between subword trees and dawgs. *Inf. Process. Lett.*, 83(3):159–161, 2002.
- [3] Ora Arbell, Gad M. Landau, and Joseph S.B. Mitchell. Edit distance of run-length encoded strings. *Inf. Process. Lett.*, 83(6):307–314, 2002.
- [4] Claudio Arbib and Alberto Caprara. On the stability number of the edge intersection of two graphs. *Inf. Process. Lett.*, 83(3):173–174, 2002.
- [5] Boris Aronov. A lower bound on voronoi diagram complexity. *Inf. Process. Lett.*, 83(4):183–185, 2002.
- [6] Paul Attie. Wait-free byzantine consensus. *Inf. Process. Lett.*, 83(4):221–227, 2002.
- [7] Ivan D. Baev, Waleed M. Meleis, and Alexandre Eichenberger. Lower bounds on precedence-constrained scheduling for parallel processors. *Inf. Process. Lett.*, 83(1):27–32, 2002.
- [8] Ricardo A. Baeza-Yates and Héctor Soza-Pollman. Optimal bounded disorder. *Inf. Process. Lett.*, 83(3):151–157, 2002.
- [9] R. Barbuti, C. Bernardeschi, and N. De Francesco. Abstract interpretation of operational semantics for secure information flow. *Inf. Process. Lett.*, 83(2):101–108, 2002.
- [10] Ioannis Caragiannis, Christos Kaklamanis, and Panagiotis Kanellopoulos. New bounds on the size of the minimum feedback vertex set in meshes and butterflies. *Inf. Process. Lett.*, 83(5):275–280, 2002.
- [11] Bruno Carpentieri. Sending compressed messages to a learned receiver on a bidirectional line. *Inf. Process. Lett.*, 83(2):63–70, 2002.
- [12] Byeong-Mo Chang. Managing the granularity of constraint-based analyses by rule transformation. *Inf. Process. Lett.*, 83(2):79–88, 2002.

- [13] Gerard J. Chang. Corrigendum to "the path-partition problem in block graphs". *Inf. Process. Lett.*, 83(5):293–293, 2002. Originally in *Inf. Process. Lett.*, vol. 52, 1994, pp. 317-322.
- [14] Sheng-Tzong Cheng and Ing-Ray Chen. A self-adjusting quality of service control scheme. *Inf. Process. Lett.*, 83(6):337–344, 2002.
- [15] L. Paul Chew, Haggai David, Matthew J. Katz, and Klara Kedem. Walking around fat obstacles. *Inf. Process. Lett.*, 83(3):135–140, 2002.
- [16] Francis Y.L. Chin and Fu Lee Wang. Efficient algorithm for transversal of disjoint convex polygons. *Inf. Process. Lett.*, 83(3):141–144, 2002.
- [17] Haengrae Cho. Database recovery using incomplete page versions in a multisystem data sharing environment. *Inf. Process. Lett.*, 83(1):49–55, 2002.
- [18] Funda Ergun, Rakesh Sinha, and Lisa Zhang. An improved ftpas for restricted shortest path. *Inf. Process. Lett.*, 83(5):287–291, 2002.
- [19] Harald Fecher, Mila Majster-Cederbaum, and Jinzhao Wu. Bundle event structures: A revised cpo approach. *Inf. Process. Lett.*, 83(1):7–12, 2002.
- [20] Fedor V. Fomin and Andrzej Lingas. Approximation algorithms for time-dependent orienteering. *Inf. Process. Lett.*, 83(2):57–62, 2002.
- [21] Jean-Luc Fouquet. No odd pairs in minimal imperfect np_5 graphs. *Inf. Process. Lett.*, 83(4):201–204, 2002.
- [22] S. Galbraith, J. Malone-Lee, and N.P. Smart. Public key signatures in the multi-user setting. *Inf. Process. Lett.*, 83(5):263–266, 2002.
- [23] Leszek Gąsieniec and Andrzej Lingas. On adaptive deterministic gossiping in ad hoc radio networks. *Inf. Process. Lett.*, 83(2):89–93, 2002.
- [24] Clemens Gröpl, Stefan Hougardy, Till Nierhoff, and Hans Jürgen Prömel. Steiner trees in uniformly quasi-bipartite graphs. *Inf. Process. Lett.*, 83(4):195–200, 2002.
- [25] Mohammad Taghi Hajiaghayi and Yashar Ganjali. A note on the consecutive ones submatrix problem. *Inf. Process. Lett.*, 83(3):163–166, 2002.

- [26] Wei-Hua He. Weaknesses in some multisignature schemes for specified group of verifiers. *Inf. Process. Lett.*, 83(2):95–99, 2002.
- [27] Alan J. Hoffman, Kate Jenkins, and Tim Roughgarden. On a game in directed graphs. *Inf. Process. Lett.*, 83(1):13–16, 2002.
- [28] John D. Holt and Soon M. Chung. Mining association rules using inverted hashing and pruning. *Inf. Process. Lett.*, 83(4):211–220, 2002.
- [29] Mikhail Y. Kovalyov, Marcus Pattloch, and Günter Schmidt. A polynomial algorithm for lot-size scheduling of two type tasks. *Inf. Process. Lett.*, 83(4):229–235, 2002.
- [30] Eduardo Sany Laber and Leonardo Gomes Holanda. Improved bounds for asymmetric communication protocols. *Inf. Process. Lett.*, 83(4):205–209, 2002.
- [31] Matthieu Latapy and Clémence Magnien. Coding distributive lattices with edge firing games. *Inf. Process. Lett.*, 83(3):125–128, 2002.
- [32] Dong-Ho Lee, Shin Heu, and Hyoung-Joo Kim. An efficient algorithm for hyperspherical range query processing in high-dimensional data space. *Inf. Process. Lett.*, 83(2):115–123, 2002.
- [33] Arnaud Lefebvre and Thierry Lecroq. Compror: On-line lossless data compression with a factor oracle. *Inf. Process. Lett.*, 83(1):1–6, 2002.
- [34] Rafael Dueire Lins. An efficient algorithm for cyclic reference counting. *Inf. Process. Lett.*, 83(3):145–150, 2002.
- [35] Chor Ping Low. An efficient retrieval selection algorithm for video servers with random duplicated assignment storage technique. *Inf. Process. Lett.*, 83(6):315–321, 2002.
- [36] Subhamoy Maitra. Highly nonlinear balanced boolean functions with good local and global avalanche characteristics. *Inf. Process. Lett.*, 83(5):281–286, 2002.
- [37] Navneet Malpani and Jianer Chen. A note on practical construction of maximum bandwidth paths. *Inf. Process. Lett.*, 83(3):175–180, 2002.

- [38] Maharaj Mukherjee and Kanad Chakraborty. A polynomial-time optimization algorithm for a rectilinear partitioning problem with applications in vlsi design automation. *Inf. Process. Lett.*, 83(1):41–48, 2002.
- [39] Benny K. Nielsen, Paweł Winter, and Martin Zachariasen. On the location of steiner points in uniformly-oriented steiner trees. *Inf. Process. Lett.*, 83(5):237–241, 2002.
- [40] Carles Padró and Germán Sáez. Lower bounds on the information rate of secret sharing schemes with homogeneous access structure. *Inf. Process. Lett.*, 83(6):345–351, 2002.
- [41] Marek Piotrów. A note on constructing binary heaps with periodic networks. *Inf. Process. Lett.*, 83(3):129–134, 2002.
- [42] Francesco Quaglia. A restriction of the elastic time algorithm. *Inf. Process. Lett.*, 83(5):243–249, 2002.
- [43] Shahrokh Saeednia. An identity-based society oriented signature scheme with anonymous signers. *Inf. Process. Lett.*, 83(6):295–299, 2002.
- [44] Atsushi Sasaki. A time-optimal distributed sorting algorithm on a line network. *Inf. Process. Lett.*, 83(1):21–26, 2002.
- [45] Ph. Schnoebelen. Verifying lossy channel systems has nonprimitive recursive complexity. *Inf. Process. Lett.*, 83(5):251–261, 2002.
- [46] P.Y. Schobbens, G. Saake, A. Sernadas, and C. Sernadas. A two-level temporal logic for evolving specifications. *Inf. Process. Lett.*, 83(3):167–172, 2002.
- [47] Fabian Schwarzer and Achim Schweikard. On the complexity of one-shot translational separability. *Inf. Process. Lett.*, 83(4):187–194, 2002.
- [48] Loren Schwiebert. There is no optimal routing policy for the torus. *Inf. Process. Lett.*, 83(6):331–336, 2002.
- [49] Igor E. Shparlinski. Security of most significant bits of g^{x^2} . *Inf. Process. Lett.*, 83(2):109–113, 2002.
- [50] Amnon Ta-Shma. Storing information with extractors. *Inf. Process. Lett.*, 83(5):267–274, 2002.

- [51] Zhiyi Tan and Yong He. Optimal online algorithm for scheduling on two identical machines with machine availability constraints. *Inf. Process. Lett.*, 83(6):323–329, 2002.
- [52] Chang-Hsiung Tsai, Jimmy J.M. Tan, Tyne Liang, and Lih-Hsing Hsu. Fault-tolerant hamiltonian laceability of hypercubes. *Inf. Process. Lett.*, 83(6):301–306, 2002.
- [53] Tatsuhiko Tsuchiya and Tohru Kikuno. Byzantine quorum systems with maximum availability. *Inf. Process. Lett.*, 83(2):71–77, 2002.
- [54] Ingo Wegener. A simplified correctness proof for a well-known algorithm computing strongly connected components. *Inf. Process. Lett.*, 83(1):17–19, 2002.