

## References

- [1] Alok Aggarwal and Youngcheul Wee. On the symmetric angle-restricted nearest neighbor problem. *Inf. Process. Lett.*, 92(3):121–126, 2004.
- [2] E. Bertsch and M.-J. Nederhof. Fast parallel recognition of *lr* language suffixes. *Inf. Process. Lett.*, 92(5):225–229, 2004.
- [3] Byron L.D. Bezerra and Francisco de A.T. de Carvalho. A symbolic approach for content-based information filtering. *Inf. Process. Lett.*, 92(1):45–52, 2004.
- [4] Ayelet Butman, Revital Eres, and Gad M. Landau. Scaled and permuted string matching. *Inf. Process. Lett.*, 92(6):293–297, 2004.
- [5] Jin-Yi Cai and Robert A. Threlfall. A note on quadratic residuosity and *up*. *Inf. Process. Lett.*, 92(3):127–131, 2004.
- [6] Cezar Câmpeanu and Sheng Yu. Pattern expressions and pattern automata. *Inf. Process. Lett.*, 92(6):267–274, 2004.
- [7] Chung-Haw Chang, Cheng-Kuan Lin, Hua-Min Huang, and Lih-Hsing Hsu. The super laceability of the hypercubes. *Inf. Process. Lett.*, 92(1):15–21, 2004.
- [8] Ku-Young Chang, Howon Kim, Ju-Sung Kang, and Hyun-Sook Cho. An extension of tyt algorithm for  $gf((2^n)^m)$  using precomputation. *Inf. Process. Lett.*, 92(5):231–234, 2004.
- [9] Yu-Wei Chen. An enhanced recursive frequency splitting broadcasting algorithm for near video-on-demand services. *Inf. Process. Lett.*, 92(6):299–302, 2004.
- [10] K.S. Cheung. New characterization for live and reversible augmented marked graphs. *Inf. Process. Lett.*, 92(5):239–243, 2004.
- [11] S.A. Curtis. Darts and hoopla board design. *Inf. Process. Lett.*, 92(1):53–56, 2004.
- [12] George Davie. Characterising the martin-löf random sequences using computably enumerable sets of measure one. *Inf. Process. Lett.*, 92(3):157–160, 2004.

- [13] Alfredo de Santis, Anna Lisa Ferrara, and Barbara Masucci. Cryptographic key assignment schemes for any access control policy. *Inf. Process. Lett.*, 92(4):199–205, 2004.
- [14] Benjamin Doerr. Global roundings of sequences. *Inf. Process. Lett.*, 92(3):113–116, 2004.
- [15] Daniel J. Dougherty and Stanley M. Selkow. The complexity of the certification of properties of stable marriage. *Inf. Process. Lett.*, 92(6):275–277, 2004.
- [16] Donglei Du. Optimal preemptive semi-online scheduling on two uniform processors. *Inf. Process. Lett.*, 92(5):219–223, 2004.
- [17] Eyas El-Qawasmeh. Word prediction using a clustered optimal binary search tree. *Inf. Process. Lett.*, 92(5):257–265, 2004.
- [18] Lars Engebretsen. Simplified tight analysis of johnson’s algorithm. *Inf. Process. Lett.*, 92(4):207–210, 2004.
- [19] John Hershberger. Kinetic collision detection with fast flight plan changes. *Inf. Process. Lett.*, 92(6):287–291, 2004.
- [20] Garth Isaak and Darren A. Narayan. A classification of tournaments having an acyclic tournament as a minimum feedback arc set. *Inf. Process. Lett.*, 92(3):107–111, 2004.
- [21] Kuen-Fang Jea, Ming-Yuan Chang, and Ke-Chung Lin. An efficient and flexible algorithm for online mining of large itemsets. *Inf. Process. Lett.*, 92(6):311–316, 2004.
- [22] Heum-Geun Kang, Jun-Ki Min, Seok-Ju Chun, and Chin-Wan Chung. A compression method for prefix-sum cubes. *Inf. Process. Lett.*, 92(2):99–105, 2004.
- [23] Owen Kaser. Compressing arrays by ordering attribute values. *Inf. Process. Lett.*, 92(5):253–256, 2004.
- [24] Md. Abul Kashem and M. Ziaur Rahman. An optimal parallel algorithm for  $c$ -vertex-ranking of trees. *Inf. Process. Lett.*, 92(4):179–184, 2004.

- [25] Irit Katriel. On the algebraic complexity of set equality and inclusion. *Inf. Process. Lett.*, 92(4):175–178, 2004.
- [26] I. Krasikov and S.D. Noble. Finding next-to-shortest paths in a graph. *Inf. Process. Lett.*, 92(3):117–119, 2004.
- [27] Maciej Kurowski. A 1.235 lower bound on the number of points needed to draw all  $n$ -vertex planar graphs. *Inf. Process. Lett.*, 92(2):95–98, 2004.
- [28] Jens Lechtenbörger. Computing unique canonical covers for simple fds via transitive reduction. *Inf. Process. Lett.*, 92(4):169–174, 2004.
- [29] B. Litow and N. Deo. Graph compression and the zeros of polynomials. *Inf. Process. Lett.*, 92(1):39–44, 2004.
- [30] Ding Liu. A strong lower bound for approximate nearest neighbor searching. *Inf. Process. Lett.*, 92(1):23–29, 2004.
- [31] Jack H. Lutz. Computability versus exact computability of martingales. *Inf. Process. Lett.*, 92(5):235–237, 2004.
- [32] Soumen Maity, Amiya Nayak, and Bimal K. Roy. Characterization of catastrophic faults in two-dimensional reconfigurable systolic arrays with unidirectional links. *Inf. Process. Lett.*, 92(4):189–197, 2004.
- [33] I. Nunes. Method redefinition — ensuring alternative behaviors. *Inf. Process. Lett.*, 92(6):279–285, 2004.
- [34] Tatjana Petković, Miroslav Ćirić, and Stojan Bogdanović. Minimal forbidden subwords. *Inf. Process. Lett.*, 92(5):211–218, 2004.
- [35] Jeong Min Shim, Seok Il Song, Jae Soo Yoo, and Young Soo Min. An efficient cache conscious multi-dimensional index structure. *Inf. Process. Lett.*, 92(3):133–142, 2004.
- [36] Igor E. Shparlinski. On the uniformity of distribution of the decryption exponent in fixed encryption exponent rsa. *Inf. Process. Lett.*, 92(3):143–147, 2004.
- [37] San Skulrattanakulchai. Acyclic colorings of subcubic graphs. *Inf. Process. Lett.*, 92(4):161–167, 2004.

- [38] Andrzej Szepietowski and Monika Targan. A note on the oriented chromatic number of grids. *Inf. Process. Lett.*, 92(2):65–70, 2004.
- [39] Ismail H. Toroslu and Ahmet Cosar. Dynamic programming solution for multiple query optimization problem. *Inf. Process. Lett.*, 92(3):149–155, 2004.
- [40] Gabriel Valiente. Trading uninitialized space for time. *Inf. Process. Lett.*, 92(1):9–13, 2004.
- [41] Amit Weisman, L. Paul Chew, and Klara Kedem. Voronoi diagrams of moving points in the plane and of lines in space: Tight bounds for simple configurations. *Inf. Process. Lett.*, 92(5):245–251, 2004.
- [42] Aaron Windsor. A simple proof that finding a maximal independent set in a graph is in  $nc$ . *Inf. Process. Lett.*, 92(4):185–187, 2004.
- [43] Bang Ye Wu, Zheng-Nan Huang, and Fu-Jie Zhan. Exact algorithms for the minimum latency problem. *Inf. Process. Lett.*, 92(6):303–309, 2004.
- [44] Atsuko Yamaguchi, Kiyoko F. Aoki, and Hiroshi Mamitsuka. Finding the maximum common subgraph of a partial  $k$ -tree and a graph with a polynomially bounded number of spanning trees. *Inf. Process. Lett.*, 92(2):57–63, 2004.
- [45] Masafumi Yamashita, Ichiro Suzuki, and Tiko Kameda. Searching a polygonal region by a group of stationary  $k$ -searchers. *Inf. Process. Lett.*, 92(1):1–8, 2004.
- [46] Xiaofan Yang, David J. Evans, Hongjian Lai, and Graham M. Megson. Generalized honeycomb torus is hamiltonian. *Inf. Process. Lett.*, 92(1):31–37, 2004.