

References

- [1] Méziane Aïder and Mustapha Aouchiche. Distance monotonicity and a new characterization of hamming graphs. *Inf. Process. Lett.*, 96(6):207–213, 2005.
- [2] K. Alagarsamy. A mutual exclusion algorithm with optimally bounded bypasses. *Inf. Process. Lett.*, 96(1):36–40, 2005.
- [3] Greg Aloupis and Erin McLeish. A lower bound for computing oja depth. *Inf. Process. Lett.*, 96(4):151–153, 2005.
- [4] Dariusz Biernacki, Olivier Danvy, and Chung-chieh Shan. On the dynamic extent of delimited continuations. *Inf. Process. Lett.*, 96(1):7–17, 2005.
- [5] Elmar Böhler, Steffen Reith, Henning Schnoor, and Heribert Vollmer. Bases for boolean co-clones. *Inf. Process. Lett.*, 96(2):59–66, 2005.
- [6] Walter A. Burkhard. Double hashing with passbits. *Inf. Process. Lett.*, 96(5):162–166, 2005.
- [7] Agostino Capponi and Concetta Pilotto. Bounded families for the on-line t -relaxed coloring. *Inf. Process. Lett.*, 96(4):141–145, 2005.
- [8] Alberto Caprara and Ulrich Pferschy. Modified subset sum heuristics for bin packing. *Inf. Process. Lett.*, 96(1):18–23, 2005.
- [9] Kuan-Yu Chen and Kun-Mao Chao. Optimal algorithms for locating the longest and shortest segments satisfying a sum or an average constraint. *Inf. Process. Lett.*, 96(6):197–201, 2005.
- [10] Vassilios V. Dimakopoulos, Leonidas Palios, and Athanasios S. Poulakidas. On the hamiltonicity of the cartesian product. *Inf. Process. Lett.*, 96(2):49–53, 2005.
- [11] Jywe-Fei Fang and Kuan-Chou Lai. Embedding the incomplete hypercube in books. *Inf. Process. Lett.*, 96(1):1–6, 2005.
- [12] Alain Finkel and Jérôme Leroux. The convex hull of a regular set of integer vectors is polyhedral and effectively computable. *Inf. Process. Lett.*, 96(1):30–35, 2005.

- [13] Rosario Gennaro and Mario Di Raimondo. Secure multiplication of shared secrets in the exponent. *Inf. Process. Lett.*, 96(2):71–79, 2005.
- [14] Stasys Jukna. On the p versus np intersected with $co\text{-}np$ question in communication complexity. *Inf. Process. Lett.*, 96(6):202–206, 2005.
- [15] Swastik Kopparty and Chinuya V. Ravishankar. A framework for pursuit evasion games in r^n . *Inf. Process. Lett.*, 96(3):114–122, 2005.
- [16] Pangfeng Liu. Minimum degree triangulation for rectangular domains. *Inf. Process. Lett.*, 96(4):128–135, 2005.
- [17] Moritz G. Maaß and Johannes Nowak. A new method for approximate indexing and dictionary lookup with one error. *Inf. Process. Lett.*, 96(5):185–191, 2005.
- [18] Jérôme Monnot. The labeled perfect matching in bipartite graphs. *Inf. Process. Lett.*, 96(3):81–88, 2005.
- [19] Eduardo Moreno. De bruijn sequences and de bruijn graphs for a general language. *Inf. Process. Lett.*, 96(6):214–219, 2005.
- [20] Gonzalo Navarro and Nieves Brisaboa. New bounds on d -ary optimal codes. *Inf. Process. Lett.*, 96(5):178–184, 2005.
- [21] Sahadeo Padhye. Partial known plaintext attack on koyama scheme. *Inf. Process. Lett.*, 96(3):96–100, 2005.
- [22] Andrea Pietracaprina and Geppino Pucci. Optimal many-to-one routing on the mesh with constant queues. *Inf. Process. Lett.*, 96(1):24–29, 2005.
- [23] Dieter Rautenbach. Lower bounds on treewidth. *Inf. Process. Lett.*, 96(2):67–70, 2005.
- [24] Yuriy A. Reznik. On the average depth of asymmetric lc -tries. *Inf. Process. Lett.*, 96(3):106–113, 2005.
- [25] Rocco A. Servedio and Andrew Wan. Computing sparse permanents faster. *Inf. Process. Lett.*, 96(3):89–92, 2005.
- [26] Ali Sezgin and Ganesh Gopalakrishnan. On the definition of sequential consistency. *Inf. Process. Lett.*, 96(6):193–196, 2005.

- [27] Igor E. Shparlinski and Arne Winterhof. On the linear complexity of bounded integer sequences over different moduli. *Inf. Process. Lett.*, 96(5):175–177, 2005.
- [28] Boštjan Slivnik and Bostjan Vilfan. Producing the left parse during bottom-up parsing. *Inf. Process. Lett.*, 96(6):220–224, 2005.
- [29] Nikhil Srivastava and Alan D. Taylor. Tight bounds on plurality. *Inf. Process. Lett.*, 96(3):93–95, 2005.
- [30] Tadao Takaoka. An $o(n^3 \log \log n / \log n)$ time algorithm for the all-pairs shortest path problem. *Inf. Process. Lett.*, 96(5):155–161, 2005.
- [31] Ferucio Laurențiu Țiplea and Dan Cristian Marinescu. Structural soundness of workflow nets is decidable. *Inf. Process. Lett.*, 96(2):54–58, 2005.
- [32] Thuy Duong Vu. The compression structure of a process. *Inf. Process. Lett.*, 96(6):225–229, 2005.
- [33] Xianbing Wang, Yong Meng Teo, and Jiannong Cao. A bivalency proof of the lower bound for uniform consensus. *Inf. Process. Lett.*, 96(5):167–174, 2005.
- [34] Jun-Ming Xu, Zheng-Zhong Du, and Min Xu. Edge-fault-tolerant edge-bipancyclicity of hypercubes. *Inf. Process. Lett.*, 96(4):146–150, 2005.
- [35] Jun-Ming Xu, Min Xu, and Qiang Zhu. The super connectivity of shuffle-cubes. *Inf. Process. Lett.*, 96(4):123–127, 2005.
- [36] Min Xu and Jun-Ming Xu. Edge-pancyclicity of möbius cubes. *Inf. Process. Lett.*, 96(4):136–140, 2005.
- [37] Huaming Zhang and Xin He. Visibility representation of plane graphs via canonical ordering tree. *Inf. Process. Lett.*, 96(2):41–48, 2005.
- [38] Jianhua Zhao, Xuandong Li, and Guoliang Zheng. A quadratic-time dbm-based successor algorithm for checking timed automata. *Inf. Process. Lett.*, 96(3):101–105, 2005.