

References

- [1] Arup Acharya and B.R. Badrinath. Recording distributed snapshots based on causal order of message delivery. *Inf. Process. Lett.*, 44(6):317–321, 1992.
- [2] Carlisle M. Adams. On immunity against biham and shamir’s “differential cryptanalysis”. *Inf. Process. Lett.*, 41:77–80, 1992.
- [3] Alok Aggarwal. Parallel complexity of computing a maximal set of disjoint paths. *Inf. Process. Lett.*, 41:149–151, 1992.
- [4] Alok Aggarwal, Herbert Edelsbrunner, Prabhakar Raghavan, and Prasoona Tiwari. Optimal time bounds for some proximity problems in the plane. *Inf. Process. Lett.*, 42:55–60, 1992.
- [5] Eliezer A. Albacea. A parallel algorithm for edge-coloring of graphs with edge-disjoint cycles. *Inf. Process. Lett.*, 43:309–314, 1992.
- [6] L. Allison. Lazy dynamic-programming can be eager. *Inf. Process. Lett.*, 43:207–212, 1992.
- [7] Helmut Alt, Viliam Geffert, and Kurt Mehlhorn. A lower bound for the nondeterministic space complexity of context-free recognition. *Inf. Process. Lett.*, 42:25–27, 1992.
- [8] Amihoud Amir and Martin Farach. Two-dimensional dictionary matching. *Inf. Process. Lett.*, 44(5):233–239, 1992.
- [9] Massimo Ancona, Claudia Fassino, and Vittoria Gianuzzi. Optimization of $lr(k)$ “reduced parsers”. *Inf. Process. Lett.*, 41:13–20, 1992.
- [10] K. Arvind and C. Pandu Rangan. Connected domination and steiner set on weighted permutation graphs. *Inf. Process. Lett.*, 41:215–220, 1992.
- [11] M.D. Atkinson and J.-R. Sack. Generating binary trees at random. *Inf. Process. Lett.*, 41:21–23, 1992.
- [12] Franz Aurenhammer and Gerd Stöckl. Searching for segments with largest relative overlap. *Inf. Process. Lett.*, 41:103–108, 1992.

- [13] C. Aykanat and F. özgüner. A fault-tolerant hexagonal systolic array. *Inf. Process. Lett.*, 42:187–196, 1992.
- [14] Leo Bachmair. Associative-commutative reduction orderings. *Inf. Process. Lett.*, 43:21–27, 1992.
- [15] A. Bagchi. On sorting in the presence of erroneous information. *Inf. Process. Lett.*, 43:213–215, 1992.
- [16] John Bainbridge. A heuristic method for generating large random expressions. *Inf. Process. Lett.*, 44:165–170, 1992.
- [17] Amotz Bar-Noy, Rajeev Motwani, and Joseph Naor. The greedy algorithm is optimal for on-line edge coloring. *Inf. Process. Lett.*, 44(5):251–253, 1992.
- [18] Marshall Bern and John R. Gilbert. Drawing the planar dual. *Inf. Process. Lett.*, 43:7–13, 1992.
- [19] Jean-Camille Birget. Intersection and union of regular languages and state complexity. *Inf. Process. Lett.*, 43:185–190, 1992.
- [20] J. Błażewicz, P. Dell’Olmo, M. Drozdowski, and M.G. Speranza. Scheduling multiprocessor tasks on three dedicated processors. *Inf. Process. Lett.*, 41:275–280, 1992. see Corrigendum in *Inf. Process. Lett.* 49, 269-270.
- [21] Avrim Blum. Rank- r decision trees are a subclass of r -decision lists. *Inf. Process. Lett.*, 42:183–185, 1992.
- [22] M. Boreale, P. Inverardi, and M. Nesi. Complete sets of axioms for finite basic lotos behavioural equivalences. *Inf. Process. Lett.*, 43:155–160, 1992.
- [23] Mireille Bousquet-Mélou. The number of minimal words chains computing the thue-morse word. *Inf. Process. Lett.*, 44:57–64, 1992.
- [24] Daniel P. Bovet and Stefano Varricchio. On the regularity of languages on a binary alphabet generated by copying systems. *Inf. Process. Lett.*, 44:119–123, 1992.

- [25] Dany Breslauer. An on-line string superprimitivity test. *Inf. Process. Lett.*, 44(6):345–347, 1992.
- [26] Antonio Brogi, Anna Ciampolini, Evelina Lamma, and Paolo Mello. The implementation of a distributed model for logic programming based on multiple-headed clauses. *Inf. Process. Lett.*, 42:331–338, 1992.
- [27] Nader H. Bshouty. A lower bound for the multiplication of polynomials modulo a polynomial. *Inf. Process. Lett.*, 41:321–326, 1992.
- [28] Thang Nguyen Bui and Curt Jones. Finding good approximate vertex and edge partitions in np-hard. *Inf. Process. Lett.*, 42:153–159, 1992.
- [29] Mike Burmester. An almost-constant round interactive zero-knowledge proof. *Inf. Process. Lett.*, 42:81–87, 1992.
- [30] Samuel R. Buss. The graph of multiplication is equivalent to counting. *Inf. Process. Lett.*, 41:199–201, 1992.
- [31] Marco Cadoli. The complexity of model checking for circumscriptive formulae. *Inf. Process. Lett.*, 44:113–118, 1992.
- [32] Helen Cameron and Derick Wood. A note on the path length of red-black trees. *Inf. Process. Lett.*, 42:287–292, 1992.
- [33] S.D. Carson, V. Nirkhe, and P. Vongsathorn. A discrete-state model of the two-headed disk. *Inf. Process. Lett.*, 41:341–345, 1992.
- [34] V. Chandru and J.N. Hooker. Detecting embedded horn structure in propositional logic. *Inf. Process. Lett.*, 42:109–111, 1992.
- [35] Hsun-Wen Chang and Kuo-Liang Chung. Fault-tolerant routing in unique-path multistage omega network. *Inf. Process. Lett.*, 44(4):201–204, 1992.
- [36] Maw-Shang Chang and Fu-Hsing Wang. Efficient algorithms for the maximum weight clique and maximum weight independent set problems on permutation graphs. *Inf. Process. Lett.*, 43:293–295, 1992.
- [37] R.C. Chang and H.S. Lee. Finding a maximum set of independent chords in a circle. *Inf. Process. Lett.*, 41:99–102, 1992.

- [38] Yeow Meng Chee and Andrew Lim. The algorithmic complexity of colour switching. *Inf. Process. Lett.*, 43:63–68, 1992.
- [39] Calvin C.-Y. Chen and Sajal K. Das. Breadth-first traversal of trees and integer sorting in parallel. *Inf. Process. Lett.*, 41:39–49, 1992.
- [40] Hanxiong Chen, Xu Yu, Kazunori Yamaguchi, Hiroyuki Kitagawa, Nobuo Ohbo, and Yuzuru Fujiwara. Decomposition — an approach for optimizing queries including adt functions. *Inf. Process. Lett.*, 43:327–333, 1992.
- [41] Lin Chen. Optimal parallel time bounds for the maximum clique problem on intervals. *Inf. Process. Lett.*, 42:197–201, 1992.
- [42] Rong-Jaye Chen and Yu-Song Hou. Non-associative parallel prefix computation. *Inf. Process. Lett.*, 44:91–94, 1992.
- [43] Zhi-Zhong Chen. A fast and efficient parallel algorithm for finding a satisfying truth assignment to a 2-cnf formula. *Inf. Process. Lett.*, 43:191–193, 1992.
- [44] Zhi-Zhong Chen. A simple parallel algorithm for computing the diameters of all vertices in a tree and its application. *Inf. Process. Lett.*, 42:243–248, 1992.
- [45] Steven Cheung and Francis C.M. Lau. Mesh permutation routing with locality. *Inf. Process. Lett.*, 43:101–105, 1992.
- [46] Been-Chian Chien and Wei-Pang Yang. The worst case analysis of algorithm on multiple stacks manipulation. *Inf. Process. Lett.*, 44:107–111, 1992.
- [47] Sang Cho and Dung T. Huynh. The parallel complexity of coarsest set partition problems. *Inf. Process. Lett.*, 42:89–94, 1992.
- [48] Soon M. Chung. Indexed extendible hashing. *Inf. Process. Lett.*, 44:1–6, 1992.
- [49] L.H. Clark, F. Shahrokhi, and L.A. Székely. A linear time algorithm for graph partition problems. *Inf. Process. Lett.*, 42:19–24, 1992.

- [50] Michael Clausen. Almost all boolean functions have no linear symmetries. *Inf. Process. Lett.*, 41:291–292, 1992.
- [51] D.A. Cohen and E.A. Scott. Rationality of division orderings. *Inf. Process. Lett.*, 44(6):307–311, 1992.
- [52] C.J. Colbourn, D.R. Stinson, and L. Teirlinck. A parallelization of miller’s $n^{\log n}$ isomorphism technique. *Inf. Process. Lett.*, 42:223–228, 1992.
- [53] Zbigniew J. Czech, George Havas, and Bohdan S. Majewski. An optimal algorithm for generating minimal perfect hash functions. *Inf. Process. Lett.*, 43:257–264, 1992.
- [54] Elias Dahlhaus, Marek Karpinski, and Pierre Kelsen. An efficient parallel algorithm for computing a maximal independent set in a hypergraph of dimension 3. *Inf. Process. Lett.*, 42:309–313, 1992.
- [55] Mukesh Dalal and David W. Etherington. A hierarchy of tractable satisfiability problems. *Inf. Process. Lett.*, 44(4):173–180, 1992.
- [56] Mads Dam. r -generability, and definability in branching time logics. *Inf. Process. Lett.*, 41:281–287, 1992.
- [57] Fabrizio d’Amore and Paolo Giulio Franciosa. On the optimal binary plane partition for sets of isothetic rectangles. *Inf. Process. Lett.*, 44(5):255–259, 1992.
- [58] Robin W. Dawes. Some pursuit-evasion problems on grids. *Inf. Process. Lett.*, 43:241–247, 1992.
- [59] Khaled Day and Anand Tripathi. Arrangement graphs: A class of generalized star graphs. *Inf. Process. Lett.*, 42:235–241, 1992.
- [60] Bettina de Iaco and Fabrizio Luccio. Finding all the palindromes in a binary tree in linear time and space. *Inf. Process. Lett.*, 44:73–77, 1992.
- [61] Oege de Moor. Inductive data types for predicate transformers. *Inf. Process. Lett.*, 43:113–117, 1992.

- [62] Eliezer Dekel, Jie Hu, and Wen Ouyang. An optimal algorithm for finding compact sets. *Inf. Process. Lett.*, 44(5):285–289, 1992.
- [63] Giuseppe Di Battista, Roberto Tamassia, and Ioannis G. Tollis. Constrained visibility representations of graphs. *Inf. Process. Lett.*, 41:1–7, 1992.
- [64] V.S. Dimitrov, T.V. Cooklev, and B.D. Donevsky. On the multiplication of reduced biquaternions and applications. *Inf. Process. Lett.*, 43:161–164, 1992.
- [65] Joost Engelfriet. An elementary proof of double greibach normal form. *Inf. Process. Lett.*, 44(6):291–293, 1992.
- [66] Cengiz Erbas, Murat M. Tanik, and Zekeriya Aliyazicioglu. Linear congruence equations for the solutions of the n -queens problem. *Inf. Process. Lett.*, 41:301–306, 1992.
- [67] Javier Esparza. A solution to the covering problem for 1-bounded conflict-free petri nets using linear programming. *Inf. Process. Lett.*, 41:313–319, 1992.
- [68] Klaas Esselink. The order of appel’s algorithm. *Inf. Process. Lett.*, 41:141–147, 1992.
- [69] Uriel Feige. On the complexity of finite random functions. *Inf. Process. Lett.*, 44(6):295–296, 1992.
- [70] Herbert Fleischner and Gerhard J. Woeginger. Detecting cycles through three fixed vertices in a graph. *Inf. Process. Lett.*, 42:29–33, 1992.
- [71] Lance Fortnow and Mario Szegedy. On the power of two-local random reductions. *Inf. Process. Lett.*, 44(6):303–306, 1992.
- [72] Naveen Gabrani and Priti Shankar. A note on the reconstruction of a binary tree from its traversals. *Inf. Process. Lett.*, 42:117–119, 1992.
- [73] V.I. Galiev, A.F. Polupanov, and I.E. Shparlinski. Distances from differences of roots of polynomials to the nearest integers. *Inf. Process. Lett.*, 43:143–146, 1992.

- [74] Vijay K. Garg. Some optimal algorithms for decomposed partially ordered sets. *Inf. Process. Lett.*, 44:39–43, 1992.
- [75] Paul Gastin, Edward Ochmanski, Antoine Petit, and Brigitte Rozoy. Decidability of the star problem in $a^* \times b^*$. *Inf. Process. Lett.*, 44:65–71, 1992.
- [76] Luca Gemignani. Fast inversion of hankel and toeplitz matrices. *Inf. Process. Lett.*, 41:119–123, 1992.
- [77] Peter Gemmell and Madhu Sudan. Highly resilient correctors for polynomials. *Inf. Process. Lett.*, 43:169–174, 1992.
- [78] Subir Kumar Ghosh and Anil Maheshwari. An optimal parallel algorithm for computing furthest neighbors in a tree. *Inf. Process. Lett.*, 44:155–160, 1992.
- [79] Andrew V. Goldberg. A natural randomization strategy for multicommodity flow and related algorithms. *Inf. Process. Lett.*, 42:249–256, 1992.
- [80] Mikael Goldmann and Johan Håstad. A simple lower bound for monotone clique using a communication game. *Inf. Process. Lett.*, 41:221–226, 1992.
- [81] Eric Goles and Servet Martínez. Automata networks and optimization. *Inf. Process. Lett.*, 42:339–343, 1992.
- [82] Ronald Greenberg, J. Jájá, and Sridhar Krishnamurthy. On the difficulty of manhattan channel routing. *Inf. Process. Lett.*, 44(5):281–284, 1992.
- [83] Ronald I. Greenberg and F. Miller Maley. Minimum separation for single-layer channel routing. *Inf. Process. Lett.*, 43:201–205, 1992.
- [84] Jan Friso Groote. A short proof of the decidability of bisimulation for normed bpa-processes. *Inf. Process. Lett.*, 42:167–171, 1992.
- [85] Gopal Gupta. Dynamic parallel evaluation of the cross-product set using time-stamps. *Inf. Process. Lett.*, 44(5):273–280, 1992.

- [86] Sanjay Gupta. On the closure of certain function classes under integer division by polynomially-bounded functions. *Inf. Process. Lett.*, 44(4):205–210, 1992.
- [87] Dan Gusfield, Gad M. Landau, and Baruch Schieber. An efficient algorithm for the all pairs suffix-prefix problem. *Inf. Process. Lett.*, 41:181–185, 1992.
- [88] Torben Hagerup. On a compaction theorem of ragde. *Inf. Process. Lett.*, 43:335–340, 1992.
- [89] Peter L. Hammer and Alexander Kogan. Horn functions and their dnfs. *Inf. Process. Lett.*, 44:23–29, 1992.
- [90] Ching-Chih Han and Kwei-Jay Lin. Scheduling real-time computations with separation constraints. *Inf. Process. Lett.*, 42:61–66, 1992.
- [91] Jiawei Han. Binding propagation beyond the reach of rule/goal graphs. *Inf. Process. Lett.*, 42:263–268, 1992.
- [92] Y. Han, B. Narahari, and H.-A. Choi. Mapping a chain task to chained processors. *Inf. Process. Lett.*, 44:141–148, 1992.
- [93] Thomas A. Henzinger. Sooner is safer than later. *Inf. Process. Lett.*, 43:135–141, 1992.
- [94] Debra Hoover and Joseph Poole. A distributed self-stabilizing solution to the dining philosophers problem. *Inf. Process. Lett.*, 41:209–213, 1992.
- [95] Ju Yuan Hsiao, Chuan Yi Tang, and Ruay Shiung Chang. An efficient algorithm for finding a maximum weight 2-independent set on interval graphs. *Inf. Process. Lett.*, 43:229–235, 1992.
- [96] F.R. Hsu, R.C.T. Lee, and R.C. Chang. Special subgraphs of weighted visibility graphs. *Inf. Process. Lett.*, 43:69–75, 1992.
- [97] Su-Chu Hsu and Shing-Tsaan Huang. A self-stabilizing algorithm for maximal matching. *Inf. Process. Lett.*, 43:77–81, 1992.

- [98] Shing-Tsaan Huang and Nian-Shing Chen. A self-stabilizing algorithm for constructing breadth-first trees. *Inf. Process. Lett.*, 41:109–117, 1992.
- [99] Daniel P. Huttenlocher, Klara Kedem, and Jon M. Kleinberg. Voronoi diagrams of rigidly moving sets of points. *Inf. Process. Lett.*, 43:217–223, 1992.
- [100] Phan Trung Huy, Igor Livotsky, and Do Long Van. Which finite monoids are syntactic monoids of rational ω -languages. *Inf. Process. Lett.*, 42:127–132, 1992.
- [101] Tzonelih Hwang. Attacks on okamoto and tanaka’s one-way id-based key distribution system. *Inf. Process. Lett.*, 43:83–86, 1992.
- [102] Tzonelih Hwang. Efficient id-based key distribution with tamperfree device. *Inf. Process. Lett.*, 44:31–34, 1992.
- [103] Tzonelih Hwang. Protocols for group oriented secret sharing. *Inf. Process. Lett.*, 42:179–182, 1992.
- [104] Katsushi Inoue, Akira Ito, and Itsuo Takanami. A relationship between nondeterministic turing machines and 1-inkdots turing machines with small space. *Inf. Process. Lett.*, 43:225–227, 1992.
- [105] Jeremy Jacob. A model of reconfiguration in communicating sequential processes with a notion of transactions. *Inf. Process. Lett.*, 41:9–12, 1992.
- [106] Klaus Jansen. An approximation algorithm for the general routing problem. *Inf. Process. Lett.*, 41:333–339, 1992.
- [107] Izidor Jerebic and Roman Trobec. Optimal routing in toroidal networks. *Inf. Process. Lett.*, 43:285–291, 1992.
- [108] Tao Jiang, Ming Li, and Ding-zhu Du. A note on shortest superstrings with flipping. *Inf. Process. Lett.*, 44(4):195–199, 1992.
- [109] V. Kamakoti and C. Pandu Rangan. An optimal algorithm for reconstructing a binary tree. *Inf. Process. Lett.*, 42:113–115, 1992.

- [110] Samuel Kamin. Head-strictness is not a monotonic abstract property. *Inf. Process. Lett.*, 41:195–198, 1992.
- [111] Ming-Yang Kao and Fang Wan. Not all planar digraphs have small cycle separators. *Inf. Process. Lett.*, 44:79–83, 1992.
- [112] Shyam Kapur and Gianfranco Bilardi. On uniform learnability of language families. *Inf. Process. Lett.*, 44:35–38, 1992.
- [113] W. Kern. Learning convex bodies under uniform distribution. *Inf. Process. Lett.*, 43:35–39, 1992.
- [114] Samir Khuller and Baruch Schieber. On independent spanning trees. *Inf. Process. Lett.*, 42:321–323, 1992.
- [115] Cheeha Kim and Jong-Sung Kim. A mean value analysis of the ethernet throughput. *Inf. Process. Lett.*, 43:315–320, 1992.
- [116] Nancy G. Kinnersley. The vertex separation number of a graph equals its path-width. *Inf. Process. Lett.*, 42:345–350, 1992.
- [117] W.W. Kirchherr. Kolmogorov complexity and random graphs. *Inf. Process. Lett.*, 41:125–130, 1992.
- [118] Chun Wa Ko and Frank Ruskey. Generating permutations of a bag by interchanges. *Inf. Process. Lett.*, 41:263–269, 1992.
- [119] Youichi Kobuchi. Order of state functions and logic functions. *Inf. Process. Lett.*, 41:61–66, 1992.
- [120] Mihail N. Kolountzakis and Kiriakos N. Kutulakos. Fast computation of the euclidian distance maps for binary images. *Inf. Process. Lett.*, 43:181–184, 1992.
- [121] Elias Koutsoupias and Christos H. Papadimitriou. On the greedy algorithm for satisfiability. *Inf. Process. Lett.*, 43:53–55, 1992.
- [122] Kim S. Larsen, Michael I. Schwartzbach, and Erik M. Schmidt. A new formalism for relational algebra. *Inf. Process. Lett.*, 41:163–168, 1992.
- [123] René Leermakers. A recursive ascent earley parser. *Inf. Process. Lett.*, 41:87–91, 1992.

- [124] Hing Leung. A note on finitely ambiguous distance automata. *Inf. Process. Lett.*, 44(6):329–331, 1992.
- [125] Ming Li and Paul M.B. Vitányi. Average case complexity under the universal distribution equals worst-case complexity. *Inf. Process. Lett.*, 42:145–149, 1992.
- [126] Ming Li and Paul M.B. Vitányi. Optimality of wait-free atomic multi-writer variables. *Inf. Process. Lett.*, 43:107–112, 1992.
- [127] Jyh-Han Lin and Jeffrey Scott Vitter. Approximation algorithms for geometric median problems. *Inf. Process. Lett.*, 44(5):245–249, 1992.
- [128] Rafael D. Lins. Cyclic reference counting with lazy mark-scan. *Inf. Process. Lett.*, 44(4):215–220, 1992.
- [129] Bruce Litow. On iterated integer product. *Inf. Process. Lett.*, 42:269–272, 1992.
- [130] Xiaoqing Liu and Junguk L. Kim. An efficient parallel sorting algorithm. *Inf. Process. Lett.*, 43:129–133, 1992.
- [131] Zhiyong Liu and Jia-Huai You. An implementation of a nonlinear skewing scheme. *Inf. Process. Lett.*, 42:209–215, 1992.
- [132] Jorge Lobo and V.S. Subrahmanian. Relating minimal models and prerequisite-free normal defaults. *Inf. Process. Lett.*, 44:129–133, 1992.
- [133] Eliezer L. Lozinskii. Counting propositional models. *Inf. Process. Lett.*, 41:327–332, 1992.
- [134] James J. Lu and Lawrence J. Henschen. The completeness of gp-resolution for annotated logics. *Inf. Process. Lett.*, 44:135–140, 1992.
- [135] Gang Luo, Gregor v. Bochmann, Anindya Das, and Cheng Wu. Failure-equivalent transformation of transition systems to avoid internal actions. *Inf. Process. Lett.*, 44(6):333–343, 1992.
- [136] Eva Ma, Bhagirath Narahari, and Lixin Tao. Optimal embedding of 2-d torus into ring. *Inf. Process. Lett.*, 41:227–231, 1992.

- [137] Mila E. Majster-Cederbaum. Ensuring the existence of a bcnf-decomposition that preserves functional dependencies in $o(n^2)$ time. *Inf. Process. Lett.*, 43:95–100, 1992.
- [138] Erkki Mäkinen. On the structural grammatical inference problem for some classes of context-free grammars. *Inf. Process. Lett.*, 42:1–5, 1992.
- [139] Erkki Mäkinen. Remarks on the structural grammatical inference problem for context-free grammars. *Inf. Process. Lett.*, 44:125–127, 1992.
- [140] Glenn K. Manacher and Terrance A. Mankus. Incorporating negative-weight vertices in certain vertex-search graph algorithms. *Inf. Process. Lett.*, 42:293–294, 1992.
- [141] Maurizio Martelli and Chiara Tricomi. A new sldnf-tree. *Inf. Process. Lett.*, 43:57–62, 1992.
- [142] Silvano Martello and Paolo Toth. A note on 0.5-bounded greedy algorithms for the 0/1 knapsack problem. *Inf. Process. Lett.*, 44(4):221–222, 1992.
- [143] Shigeru Masuyama and Shozo Naito. Deciding whether graph g has page number one is in nc. *Inf. Process. Lett.*, 44:7–10, 1992.
- [144] Nimrod Megiddo. A note on approximate linear programming. *Inf. Process. Lett.*, 42:53, 1992.
- [145] Henk Meijer and David Rappaport. Computing the minimum weight triangulation of a set of linearly ordered points. *Inf. Process. Lett.*, 42:35–38, 1992.
- [146] L.L. Miller. Generating hinges from arbitrary subhypergraphs. *Inf. Process. Lett.*, 41:307–312, 1992.
- [147] Peter Bro Miltersen. Circuit depth relative to a random oracle. *Inf. Process. Lett.*, 42:295–298, 1992.
- [148] J. Misra and David Gries. A constructive proof of vizing’s theorem. *Inf. Process. Lett.*, 41:131–133, 1992.
- [149] Masakatu Morii and Masao Kasahara. Perfect staircase profile of linear complexity for finite sequences. *Inf. Process. Lett.*, 44:85–89, 1992.

- [150] Kenichi Morita. Computation-universality of one-dimensional one-way reversible cellular automata. *Inf. Process. Lett.*, 42:325–329, 1992.
- [151] Miranda Mowbray. Finitary logics for some ccs observational bisimulations. *Inf. Process. Lett.*, 42:161–165, 1992.
- [152] Krishnendu Mukhopadhyaya and Bhabani P. Sinha. Hamiltonian graphs with minimum number of edges for fault-tolerant topologies. *Inf. Process. Lett.*, 44:95–99, 1992.
- [153] Fritz Müller. Confluence of the lambda calculus with left-linear algebraic rewriting. *Inf. Process. Lett.*, 41:293–299, 1992.
- [154] Chandrasekhar Narayanaswami and William Randolph Franklin. Edge intersection on the hypercube computer. *Inf. Process. Lett.*, 41:257–262, 1992.
- [155] Mark H. Overmars. Point location in fat subdivisions. *Inf. Process. Lett.*, 44(5):261–265, 1992.
- [156] Jan Pachl. A simple proof of a completeness result for leads-to in the unity logic. *Inf. Process. Lett.*, 41:35–38, 1992. see Corrigendum in *Inf. Process. Lett.* 44, 171.
- [157] Jens Palsberg and Michael I. Schwartzbach. Safety analysis versus type inference for partial types. *Inf. Process. Lett.*, 43:175–180, 1992.
- [158] Victor Pan, Akimou Sadikou, and Elliott Landowne. Polynomial division with a remainder by means of evaluation and interpolation. *Inf. Process. Lett.*, 44:149–153, 1992.
- [159] A. Parker and J.O. Hamblen. Optimal value for the newton-raphson division algorithm. *Inf. Process. Lett.*, 42:141–144, 1992.
- [160] V.Th. Paschos. A $(\delta/2)$ -approximation algorithm for the maximum independent set problem. *Inf. Process. Lett.*, 44:11–13, 1992.
- [161] Adriano Pascoletti. An optimal algorithm for the period of a strongly connected digraph. *Inf. Process. Lett.*, 44(6):313–316, 1992.
- [162] Petr Pavlů. On efficient implementation of lr-attributed grammars. *Inf. Process. Lett.*, 41:67–75, 1992.

- [163] Wojciech Penczek. On undecidability of propositional temporal logics on trace systems. *Inf. Process. Lett.*, 43:147–153, 1992.
- [164] Shen-Lung Peng and Maw-Shang Chang. A simple linear time algorithm for the domatic partition problem on strongly chordal graphs. *Inf. Process. Lett.*, 43:297–300, 1992.
- [165] Brigitte Plateau and Denis Trystam. Optimal total exchange for a 3-d torus of processors. *Inf. Process. Lett.*, 42:95–102, 1992.
- [166] A.S. Pombortsis. Analysis of hierarchical bus-based multicomputer architectures. *Inf. Process. Lett.*, 43:265–270, 1992.
- [167] Víctor Lavín Puente and Montserrat Hermo. Negative results on learning multivalued dependencies with queries. *Inf. Process. Lett.*, 111(19):968–972, 2011.
- [168] Jaikumar Radhakrishnan. Improved bounds for covering complete uniform hypergraphs. *Inf. Process. Lett.*, 41:203–207, 1992.
- [169] Peter Rajčáni. Optimal parallel 3-coloring algorithm for rooted trees and its applications. *Inf. Process. Lett.*, 41:153–156, 1992.
- [170] Eugene K. Ressler. Random list permutations in place. *Inf. Process. Lett.*, 43:271–275, 1992.
- [171] Igor Rivin and Ramin Zabih. A dynamic programming solution to the n -queens problem. *Inf. Process. Lett.*, 41:253–256, 1992.
- [172] Peter Rossmanith and Wojciech Rytter. Observations on $\log(n)$ time parallel recognition of unambiguous cfl's. *Inf. Process. Lett.*, 44(5):267–272, 1992.
- [173] Günther Rote and Gerhard Woeginger. Counting convex k -gons in planar point sets. *Inf. Process. Lett.*, 41:191–194, 1992.
- [174] Ronitt Rubinfeld. Batch checking with applications to linear functions. *Inf. Process. Lett.*, 42:77–80, 1992.
- [175] J.S. Salowe. A note on lower bounds for rectilinear steiner trees. *Inf. Process. Lett.*, 42:151–152, 1992.

- [176] Sanjeev Saluja. A note on the permanent value problem. *Inf. Process. Lett.*, 43:1–5, 1992.
- [177] Sanjeev Saluja and K.V. Subrahmanyam. On the power of enumerative counting. *Inf. Process. Lett.*, 43:119–125, 1992.
- [178] U.K. Sarkar, P.P. Chakrabarti, S. Ghose, and S.C. De Sarkar. Effective use of memory in iterative deepening search. *Inf. Process. Lett.*, 42:47–52, 1992.
- [179] U.K. Sarkar, P.P. Chakrabarti, S. Ghose, and S.C. De Sarkar. A simple 0.5-bounded greedy algorithm for the 0/1 knapsack problem. *Inf. Process. Lett.*, 42:173–177, 1992.
- [180] R. Satyanarayanan and D.R. Muthukrishnan. A note on raymond’s tree based algorithm for distributed mutual exclusion. *Inf. Process. Lett.*, 43:249–255, 1992.
- [181] Stefan Schirra. Approximate decision algorithms for approximate congruence. *Inf. Process. Lett.*, 43:29–34, 1992.
- [182] D. Scholefield and H.S.M. Zedan. Weakest precondition semantics for time and concurrency. *Inf. Process. Lett.*, 43:301–308, 1992.
- [183] Eric J. Schwabe. Embedding meshes of trees into debruijn graphs. *Inf. Process. Lett.*, 43:237–240, 1992.
- [184] Arunabha Sen, Haiyong Deng, and Sumanta Guha. On a graph partition problem with application to vlsi layout. *Inf. Process. Lett.*, 43:87–94, 1992.
- [185] Arunabha Sen, Abhijit Sengupta, and Subir Bandyopadhyay. On the routing problem in faulty supercubes. *Inf. Process. Lett.*, 42:39–46, 1992.
- [186] Ahmad Sharary and Nejib Zaguia. On a setup optimization problem for interval orders. *Inf. Process. Lett.*, 44:51–55, 1992.
- [187] Thomas C. Shermer. A linear algorithm for bisecting a polygon. *Inf. Process. Lett.*, 41:135–140, 1992.

- [188] Takayoshi Shoudai. A Σ_1^1 -complete language describable with iterated shuffle. *Inf. Process. Lett.*, 41:233–238, 1992.
- [189] Alex A. Shvartsman. An efficient write-all algorithm for fail-stop pram without initialized memory. *Inf. Process. Lett.*, 44(4):223–231, 1992.
- [190] Shai Simonson and I. Hal Sudborough. On the complexity of tree embedding problems. *Inf. Process. Lett.*, 44(6):323–328, 1992.
- [191] Ambuj K. Singh. Towards an understanding of unbounded variables in asynchronous systems. *Inf. Process. Lett.*, 42:7–17, 1992.
- [192] Suresh Singh. Expected connectivity and leader election in unreliable networks. *Inf. Process. Lett.*, 42:283–285, 1992.
- [193] Mukesh Singhal and Ajay Kshemkalyani. An efficient implementation of vector clocks. *Inf. Process. Lett.*, 43:47–52, 1992.
- [194] Alan P. Sprague and K.H. Kulkarni. Optimal parallel algorithms for finding cut vertices and bridges of interval graphs. *Inf. Process. Lett.*, 42:229–234, 1992.
- [195] Pradip K. Srimani and Rachamalla L.N. Reddy. Another distributed algorithm for multiple entries to a critical section. *Inf. Process. Lett.*, 41:51–57, 1992.
- [196] Clifford Stein and Joel Wein. Approximating the minimum-cost maximum flow is p-complete. *Inf. Process. Lett.*, 42:315–319, 1992.
- [197] P. David Stotts and Parke Godfrey. Place/transition nets with debit arcs. *Inf. Process. Lett.*, 41:25–33, 1992.
- [198] Andrzej Szalas. Axiomatizing fixpoint logics. *Inf. Process. Lett.*, 41:175–180, 1992.
- [199] Boleslaw K. Szymanski and Balaram Sinharoy. Complexity of the closest vector problem in a lattice generated by $(0, 1)$ -matrix. *Inf. Process. Lett.*, 42:121–126, 1992. see Corrigendum in *Inf. Process. Lett.* 43, 167.
- [200] Tadao Takaoka. A new upper bound on the complexity of the all pairs shortest path problem. *Inf. Process. Lett.*, 43:195–199, 1992.

- [201] Akihisa Tamura and Yoshiko Tamura. Degree constrained tree embedding into points in the plane. *Inf. Process. Lett.*, 44(4):211–214, 1992.
- [202] Kim-Heng Teo and Tai-Ching Tuan. An efficient one-side height minimization algorithm for routing around a rectangle. *Inf. Process. Lett.*, 44:101–105, 1992.
- [203] Uwe Trier. Additive weights of a special class of nonuniformly distributed backtrack trees. *Inf. Process. Lett.*, 42:67–76, 1992.
- [204] Li-Hui Tsai. An algorithm for flow time minimization and its asymptotic makespan properties. *Inf. Process. Lett.*, 43:41–46, 1992.
- [205] J. Urrutia and F. Gavril. An algorithm for fraternal orientation of graphs. *Inf. Process. Lett.*, 41:271–274, 1992.
- [206] Ramachandran Vaidyanathan. Sorting on prams with reconfigurable buses. *Inf. Process. Lett.*, 42:203–208, 1992.
- [207] Ramachandran Vaidyanathan, Carlos R.P. Hartmann, and Pramod K. Varshney. Prams with variable word-size. *Inf. Process. Lett.*, 42:217–222, 1992.
- [208] Jan L.A. van de Snepscheut. A lisp programming exercise. *Inf. Process. Lett.*, 42:103–108, 1992.
- [209] André van Vliet. An improved lower bound for on-line bin packing algorithms. *Inf. Process. Lett.*, 43:277–284, 1992.
- [210] N.Ch. Veeraraghavulu, P. Sreenivasa Kumar, and C.E. Veni Madhavan. A linear-time algorithm for isomorphism of a subclass of chordal graphs. *Inf. Process. Lett.*, 44:45–49, 1992.
- [211] Rakesh M. Verma. Strings, trees, and patterns. *Inf. Process. Lett.*, 41:157–161, 1992.
- [212] Sundar Vishwanathan. An approximation algorithm for the asymmetric travelling salesman problem with distances one and two. *Inf. Process. Lett.*, 44(6):297–302, 1992.

- [213] Joachim von zur Gathen. Processor-efficient exponentiation in finite fields. *Inf. Process. Lett.*, 41:81–86, 1992.
- [214] Koichi Wada, Yupin Luo, and Kimio Kawaguchi. Optimal fault-tolerant routings for connected graphs. *Inf. Process. Lett.*, 41:169–174, 1992.
- [215] Guorong Wang. An improved parallel algorithm for computing the generalized inverse a^+ . *Inf. Process. Lett.*, 41:243–251, 1992.
- [216] Jie Wang. A note on two-way probabilistic automata. *Inf. Process. Lett.*, 43:321–326, 1992.
- [217] Ke Wang and Li Yan Yuan. Preservation of integrity constraints in definite datalog programs. *Inf. Process. Lett.*, 44(4):185–193, 1992.
- [218] Tom Whaley. Alternative developments of cyclic-permutation algorithms. *Inf. Process. Lett.*, 41:239–241, 1992.
- [219] S.K. Wismath. Computing the full visibility graph of a set of line segments. *Inf. Process. Lett.*, 42:257–261, 1992.
- [220] Gerhard J. Woeginger. The complexity of finding arborescences in hypergraphs. *Inf. Process. Lett.*, 44:161–164, 1992.
- [221] Gerhard J. Woeginger. Finding the closest extreme vertex to a fixed point. *Inf. Process. Lett.*, 43:127–128, 1992.
- [222] Gerhard J. Woeginger and Zhongliang Yu. On the equal-subset-sum problem. *Inf. Process. Lett.*, 42:299–302, 1992.
- [223] Graham Wrightson and Jo Coldwell. A truncation technique for clausal analytic tableaux. *Inf. Process. Lett.*, 42:273–281, 1992.
- [224] Jer-Shyan Wu and Rong-Jaye Chen. The towers of hanoi problem with parallel moves. *Inf. Process. Lett.*, 44(5):241–243, 1992.
- [225] L.C. Wu and C.Y. Tang. Solving the satisfiability problem by using randomized approach. *Inf. Process. Lett.*, 41:187–190, 1992.
- [226] Xin Yao. Finding approximate solutions to np-hard problems by neural networks is hard. *Inf. Process. Lett.*, 41:93–98, 1992.

- [227] Ming-Shing Yu and Cheng-Hsing Yang. An optimal parallel algorithm for the domatic partition problem on an interval graph given its sorted model. *Inf. Process. Lett.*, 44:15–22, 1992.
- [228] Kaizhong Zhang, Rick Statman, and Dennis Shasha. On the editing distance between unordered labeled trees. *Inf. Process. Lett.*, 42:133–139, 1992.
- [229] Louxin Zhang. The pre-nts property is undecidable for context-free grammars. *Inf. Process. Lett.*, 44(4):181–184, 1992.
- [230] Binhai Zhu. Computing the shortest diagonal of a monotone polygon in linear time. *Inf. Process. Lett.*, 42:303–307, 1992.