

References

- [1] Mohamed Abdo. Efficient generation of the ideals of a poset in gray code order. *Inf. Process. Lett.*, 109(13):687–689, 2009.
- [2] M. Abellanas, A.L. Bajuelos, and I. Matos. 2-covered paths by a set of antennas with minimum power transmission range. *Inf. Process. Lett.*, 109(14):768–773, 2009.
- [3] M. Abellanas, S. Canales, and G. Hernández-Peñalver. An “aaart gallery theorem” for pyramids. *Inf. Process. Lett.*, 109(13):719–721, 2009.
- [4] S. Abravaya and D. Berend. Multi-dimensional dynamic facility location and fast computation at query points. *Inf. Process. Lett.*, 109(8):386–390, 2009.
- [5] A. Karim Abu-Affash and Matthew J. Katz. Improved bounds on the average distance to the fermat-weber center of a convex object. *Inf. Process. Lett.*, 109(6):329–333, 2009.
- [6] Lech Adamus, Beata Orchel, Artur Szymański, A. Paweł Wojda, and Małgorzata Zwonek. A note on t -complementing permutations for graphs. *Inf. Process. Lett.*, 110(2):44–45, 2009.
- [7] Woo Hyun Ahn, Kyungjae Lee, Jaewon Oh, Kyungsub Min, and Joon Sung Hong. A multiple-file write scheme for improving write performance of small files in fast file system. *Inf. Process. Lett.*, 109(18):1021–1026, 2009.
- [8] Dror Aiger and Klara Kedem. Geometric pattern matching for point sets in the plane under similarity transformations. *Inf. Process. Lett.*, 109(16):935–940, 2009.
- [9] Elvira Albert, John Gallagher, Miguel Gómez-Zamalloa, and Germán Puebla. Type-based homeomorphic embedding for online termination. *Inf. Process. Lett.*, 109(15):879–886, 2009.
- [10] Jorge Almeida and Ondřej Klíma. A counterexample to a conjecture concerning concatenation hierarchies. *Inf. Process. Lett.*, 110(1):4–7, 2009.

- [11] Brian Alspach and Matthew Dean. Honeycomb toroidal graphs are cayley graphs. *Inf. Process. Lett.*, 109(13):705–708, 2009.
- [12] Amihoud Amir and Gonzalo Navarro. Parameterized matching on non-linear structures. *Inf. Process. Lett.*, 109(15):864–867, 2009.
- [13] Daniel Andersson. Hashiwokakero is np -complete. *Inf. Process. Lett.*, 109(19):1145–1146, 2009.
- [14] Panagiotis Antonellis, Christos Makris, and Nikos Tsirakis. Algorithms for clustering clickstream data. *Inf. Process. Lett.*, 109(8):381–385, 2009.
- [15] M. Arfi, B. Ould M. Lemine, and C. Selmi. Strategical languages of infinite words. *Inf. Process. Lett.*, 109(13):749–753, 2009.
- [16] Esther M. Arkin, Sang Won Bae, Alon Efrat, Kazuya Okamoto, Joseph S.B. Mitchell, and Valentin Polishchuk. Geometric stable roommates. *Inf. Process. Lett.*, 109(4):219–224, 2009.
- [17] Satyajit Banerjee, Atish Datta Chowdhury, and Subhas Kumar Ghosh. Distributed approximation for maximum weight matching on bounded degree bounded integer weight graphs. *Inf. Process. Lett.*, 109(14):790–794, 2009.
- [18] Bernd Bank, Marc Giusti, Joos Heintz, and Luis Miguel Pardo. On the intrinsic complexity of point finding in real singular hypersurfaces. *Inf. Process. Lett.*, 109(19):1141–1144, 2009.
- [19] Mukul S. Bansal and David Fernández-Baca. Computing distances between partial rankings. *Inf. Process. Lett.*, 109(4):238–241, 2009.
- [20] Jean-Luc Baril. More restrictive gray codes for some classes of pattern avoiding permutations. *Inf. Process. Lett.*, 109(14):799–804, 2009.
- [21] Joanna Bauer, Dag Haugland, and Di Yuan. New results on the time complexity and approximation ratio of the broadcast incremental power algorithm. *Inf. Process. Lett.*, 109(12):615–619, 2009.
- [22] Kristóf Bérczi, Satoru Fujishige, and Naoyuki Kamiyama. A linear-time algorithm to find a pair of arc-disjoint spanning in-arborescence

- and out-arborescence in a directed acyclic graph. *Inf. Process. Lett.*, 109(23-24):1227–1231, 2009.
- [23] Gilles Bertrand, Michel Couprie, and Nicolas Passat. A note on 3-d simple points and simple-equivalence. *Inf. Process. Lett.*, 109(13):700–704, 2009.
- [24] Olaf Beyersdorff, Arne Meier, Michael Thomas, and Heribert Vollmer. The complexity of propositional implication. *Inf. Process. Lett.*, 109(18):1071–1077, 2009.
- [25] Zhengbing Bian and Qian-Ping Gu. 1.5-approximation algorithm for weighted maximum routing and wavelength assignment on rings. *Inf. Process. Lett.*, 109(8):400–404, 2009.
- [26] Etienne Birmelé, François Delbot, and Christian Laforest. Mean analysis of an online algorithm for the vertex cover problem. *Inf. Process. Lett.*, 109(9):436–439, 2009.
- [27] Steven Bitner and Ovidiu Daescu. Farthest segments and extremal triangles spanned by points in r^3 . *Inf. Process. Lett.*, 109(20):1167–1171, 2009.
- [28] Markus Bläser, Moritz Hardt, Richard J. Lipton, and Nisheeth K. Vishnoi. Deterministically testing sparse polynomial identities of unbounded degree. *Inf. Process. Lett.*, 109(3):187–192, 2009.
- [29] Manuel Bodirsky, Gustav Nordh, and Timo von Oertzen. Integer programming with 2-variable equations and 1-variable inequalities. *Inf. Process. Lett.*, 109(11):572–575, 2009.
- [30] Beate Bollig. On the size of (generalized) obdds for threshold functions. *Inf. Process. Lett.*, 109(10):499–503, 2009.
- [31] Tommaso Bolognesi. A pseudo-random network mobile automaton with linear growth. *Inf. Process. Lett.*, 109(13):668–674, 2009.
- [32] Miklós Bóna and Ryan Flynn. The average number of block interchanges needed to sort a permutation and a recent result of stanley. *Inf. Process. Lett.*, 109(16):927–931, 2009.

- [33] Alin Bostan and Éric Schost. A simple and fast algorithm for computing exponentials of power series. *Inf. Process. Lett.*, 109(13):754–756, 2009.
- [34] Nicolas Bourgeois, Bruno Escoffier, and Vangelis Th. Paschos. Approximation of min coloring by moderately exponential algorithms. *Inf. Process. Lett.*, 109(16):950–954, 2009.
- [35] Peter Brass. Universal hash functions for an infinite universe and hash trees. *Inf. Process. Lett.*, 109(10):461–462, 2009.
- [36] Alain Bretto and Thierry Vallée. A clique-covering sufficient condition for hamiltonicity of graphs. *Inf. Process. Lett.*, 109(20):1156–1160, 2009.
- [37] Uwe Bubeck and Hans Kleine Büning. A new 3-cnf transformation by parallel-serial graphs. *Inf. Process. Lett.*, 109(7):376–379, 2009.
- [38] S. Cabello, M. Fort, and J.A. Sellarès. Higher-order voronoi diagrams on triangulated surfaces. *Inf. Process. Lett.*, 109(9):440–445, 2009.
- [39] Christian Cachin, Idit Keidar, and Alexander Shraer. Fork sequential consistency is blocking. *Inf. Process. Lett.*, 109(7):360–364, 2009.
- [40] Roman Čada, Tomáš Kaiser, Moshe Rosenfeld, and Zdeněk Ryjáček. Disjoint hamilton cycles in the star graph. *Inf. Process. Lett.*, 110(1):30–35, 2009.
- [41] Jiansheng Cai, Jianfeng Hou, Xia Zhang, and Guizhen Liu. Edge-choosability of planar graphs without non-induced 5-cycles. *Inf. Process. Lett.*, 109(7):343–346, 2009.
- [42] Xuan Cai. Linear kernelizations for restricted 3-hitting set problems. *Inf. Process. Lett.*, 109(13):730–738, 2009.
- [43] Arturo Carpi and Valerio D’Alonzo. On a word avoiding near repeats. *Inf. Process. Lett.*, 109(13):679–682, 2009.
- [44] Venkatesan T. Chakaravarthy and Sambuddha Roy. Approximating maximum weight k -colorable subgraphs in chordal graphs. *Inf. Process. Lett.*, 109(7):365–368, 2009.

- [45] L. Sunil Chandran, Anita Das, and Naveen Sivadasan. On the cubicity of bipartite graphs. *Inf. Process. Lett.*, 109(9):432–435, 2009.
- [46] Jou-Ming Chang and Ro-Yu Wu. On the diameter of geometric path graphs of points in convex position. *Inf. Process. Lett.*, 109(8):409–413, 2009.
- [47] Hue-Ling Chen and Ye-In Chang. Spatial joins based on na-trees. *Inf. Process. Lett.*, 109(13):713–718, 2009.
- [48] Lei Chen, Changhong Lu, and Zhenbing Zeng. A linear-time algorithm for paired-domination problem in strongly chordal graphs. *Inf. Process. Lett.*, 110(1):20–23, 2009.
- [49] Meirun Chen and Xiaofeng Guo. Adjacent vertex-distinguishing edge and total chromatic numbers of hypercubes. *Inf. Process. Lett.*, 109(12):599–602, 2009.
- [50] Meirun Chen and Jianguo Qian. On f -fault tolerant arc-forwarding and optical indices of all-optical folded hypercubes. *Inf. Process. Lett.*, 109(15):828–831, 2009.
- [51] Wěi Chén and Wenhui Zhang. A direct construction of polynomial-size obdd proof of pigeon hole problem. *Inf. Process. Lett.*, 109(10):472–477, 2009.
- [52] Wenguang Chen, Wenfei Fan, and Shuai Ma. Incorporating cardinality constraints and synonym rules into conditional functional dependencies. *Inf. Process. Lett.*, 109(14):783–789, 2009.
- [53] Xie-Bin Chen. Hamiltonian paths and cycles passing through a prescribed path in hypercubes. *Inf. Process. Lett.*, 110(2):77–82, 2009.
- [54] Xie-Bin Chen. On path bipancyclicity of hypercubes. *Inf. Process. Lett.*, 109(12):594–598, 2009.
- [55] Xie-Bin Chen. Some results on topological properties of folded hypercubes. *Inf. Process. Lett.*, 109(8):395–399, 2009.
- [56] Xing Chen, Juan Liu, and Jixiang Meng. The restricted arc connectivity of cartesian product digraphs. *Inf. Process. Lett.*, 109(21-22):1202–1205, 2009.

- [57] Chih-Huai Cheng, Hsiao-Fei Liu, and Kun-Mao Chao. Optimal algorithms for the average-constrained maximum-sum segment problem. *Inf. Process. Lett.*, 109(3):171–174, 2009.
- [58] Seung Geol Choi, Javier Herranz, Dennis Hofheinz, Jung Yeon Hwang, Eike Kiltz, Dong Hoon Lee, and Moti Yung. The kurosawa-desmedt key encapsulation is not chosen-ciphertext secure. *Inf. Process. Lett.*, 109(16):897–901, 2009.
- [59] Byungchun Chung, Junbeom Hur, Heeyoul Kim, Seong-Min Hong, and Hyunsoo Yoon. Improved batch exponentiation. *Inf. Process. Lett.*, 109(15):832–837, 2009.
- [60] Sylwia Cichacz and Dalibor Froncek. Factorization of $k_{n,n}$ into $(0, j)$ -prisms. *Inf. Process. Lett.*, 109(16):932–934, 2009.
- [61] Sean Cleary and Katherine St. John. Rotation distance is fixed-parameter tractable. *Inf. Process. Lett.*, 109(16):918–922, 2009.
- [62] Alina Carmen Cojocaru and Igor E. Shparlinski. On the embedding degree of reductions of an elliptic curve. *Inf. Process. Lett.*, 109(13):652–654, 2009.
- [63] Marek Cygan, Łukasz Kowalik, and Mateusz Wykucz. Exponential-time approximation of weighted set cover. *Inf. Process. Lett.*, 109(16):957–961, 2009.
- [64] Sebastian Czerwiński, Jarosław Grytczuk, and Wiktor Żelazny. Lucky labelings of graphs. *Inf. Process. Lett.*, 109(18):1078–1081, 2009.
- [65] Liuling Dai. An aggressive algorithm for multiple string matching. *Inf. Process. Lett.*, 109(11):553–559, 2009.
- [66] Víctor Dalmau. There are no pure relational width 2 constraint satisfaction problems. *Inf. Process. Lett.*, 109(4):213–218, 2009.
- [67] Peter Dankelmann and Lutz Volkmann. Minimum size of a graph or digraph of given radius. *Inf. Process. Lett.*, 109(16):971–973, 2009.
- [68] Ananya Das and Charles Martel. Stochastic shortest path with unlimited hops. *Inf. Process. Lett.*, 109(5):290–295, 2009.

- [69] Gautam K. Das, Debapriyay Mukhopadhyay, and Subhas C. Nandy. Improved algorithm for the widest empty 1-corner corridor. *Inf. Process. Lett.*, 109(18):1060–1065, 2009.
- [70] George Davida, Bruce Litow, and Guangwu Xu. Fast arithmetics using chinese remaindering. *Inf. Process. Lett.*, 109(13):660–662, 2009.
- [71] Edgar G. Daylight, Wouter M. Koolen, and Paul M.B. Vitányi. Time-bounded incompressibility of compressible strings and sequences. *Inf. Process. Lett.*, 109(18):1055–1059, 2009.
- [72] Vanesa Daza, Javier Herranz, and Germán Sáez. Flaws in some self-healing key distribution schemes with revocation. *Inf. Process. Lett.*, 109(11):523–526, 2009.
- [73] Celina M.H. de Figueiredo and Guilherme D. da Fonseca. Enclosing weighted points with an almost-unit ball. *Inf. Process. Lett.*, 109(21-22):1216–1221, 2009.
- [74] Sebastian Deorowicz. An algorithm for solving the longest increasing circular subsequence problem. *Inf. Process. Lett.*, 109(12):630–634, 2009.
- [75] Dariusz Dereniowski. Maximum vertex occupation time and inert fugitive: Recontamination does help. *Inf. Process. Lett.*, 109(9):422–426, 2009.
- [76] Paolo Detti. A polynomial algorithm for the multiple knapsack problem with divisible item sizes. *Inf. Process. Lett.*, 109(11):582–584, 2009.
- [77] Răzvan Diaconescu. An encoding of partial algebras as total algebras. *Inf. Process. Lett.*, 109(23-24):1245–1251, 2009.
- [78] Shlomi Dolev, Yuval Elovici, Rami Puzis, and Polina Zilberman. Incremental deployment of network monitors based on group betweenness centrality. *Inf. Process. Lett.*, 109(20):1172–1176, 2009.
- [79] Sebastian Dörn and Thomas Thierauf. The quantum query complexity of the determinant. *Inf. Process. Lett.*, 109(6):325–328, 2009.
- [80] David Eisenstat. k -fold unions of low-dimensional concept classes. *Inf. Process. Lett.*, 109(23-24):1232–1234, 2009.

- [81] Amr Elmasry. Computing the subset partial order for dense families of sets. *Inf. Process. Lett.*, 109(18):1082–1086, 2009.
- [82] Gábor Erdélyi, Lane A. Hemaspaandra, Jörg Rothe, and Holger Spakowski. Frequency of correctness versus average polynomial time. *Inf. Process. Lett.*, 109(16):946–949, 2009.
- [83] Tomás Feder, Heikki Mannila, and Evimaria Terzi. Approximating the minimum chain completion problem. *Inf. Process. Lett.*, 109(17):980–985, 2009.
- [84] Tomás Feder and Rajeev Motwani. On the graph turnpike problem. *Inf. Process. Lett.*, 109(14):774–776, 2009.
- [85] Tomás Feder and Carlos Subi. Nearly tight bounds on the number of hamiltonian circuits of the hypercube and generalizations. *Inf. Process. Lett.*, 109(5):267–272, 2009.
- [86] W. Fernandez de la Vega and Zsolt Tuza. Groupies in random graphs. *Inf. Process. Lett.*, 109(7):339–340, 2009.
- [87] Irene Fink, Sven O. Krumke, and Stephan Westphal. New lower bounds for online k -server routing problems. *Inf. Process. Lett.*, 109(11):563–567, 2009.
- [88] Olivier Finkel and Dominique Lecomte. Decision problems for turing machines. *Inf. Process. Lett.*, 109(23-24):1223–1226, 2009.
- [89] Fedor V. Fomin, Petr A. Golovach, Jan Kratochvíl, Dieter Kratsch, and Mathieu Liedloff. Sort and search: Exact algorithms for generalized domination. *Inf. Process. Lett.*, 109(14):795–798, 2009.
- [90] Fabrizio Frati, Markus Geyer, and Michael Kaufmann. Planar packing of trees and spider trees. *Inf. Process. Lett.*, 109(6):301–307, 2009.
- [91] Mohamed Medhat Gaber, Uwe Roehm, and Karel Herink. An analytical study of central and in-network data processing for wireless sensor networks. *Inf. Process. Lett.*, 110(2):62–70, 2009.
- [92] J. García-Nieto, E. Alba, L. Jourdan, and E. Talbi. Sensitivity and specificity based multiobjective approach for feature selection: Application to cancer diagnosis. *Inf. Process. Lett.*, 109(16):887–896, 2009.

- [93] Leszek Gąsieniec, Mirosław Kowaluk, and Andrzej Lingas. Faster multi-witnesses for boolean matrix multiplication. *Inf. Process. Lett.*, 109(4):242–247, 2009.
- [94] Serge Gaspers, Margaret-Ellen Messinger, Richard J. Nowakowski, and Paweł Prałat. Clean the graph before you draw it! *Inf. Process. Lett.*, 109(10):463–467, 2009.
- [95] Zsolt Gazdag, Szabolcs Iván, and Judit Nagy-György. Improved upper bounds on synchronizing nondeterministic automata. *Inf. Process. Lett.*, 109(17):986–990, 2009.
- [96] Chris Giannella. New instability results for high-dimensional nearest neighbor search. *Inf. Process. Lett.*, 109(19):1109–1113, 2009.
- [97] Jovan Dj. Golić and Guglielmo Morgari. Optimal correlation attack on the multiplexer generator. *Inf. Process. Lett.*, 109(15):838–841, 2009.
- [98] Mira Gonen and Yuval Shavitt. A $\theta(\log n)$ -approximation for the set cover problem with set ownership. *Inf. Process. Lett.*, 109(3):183–186, 2009.
- [99] Michael T. Goodrich. On the algorithmic complexity of the mastermind game with black-peg results. *Inf. Process. Lett.*, 109(13):675–678, 2009.
- [100] Zvi Gotthilf and Moshe Lewenstein. Improved algorithms for the k simple shortest paths and the replacement paths problems. *Inf. Process. Lett.*, 109(7):352–355, 2009.
- [101] Gösta Grahne and Alex Thomo. Bounded regular path queries in view-based data integration. *Inf. Process. Lett.*, 109(13):739–744, 2009.
- [102] Markus Grassl and Rainer Steinwandt. Cryptanalysis of an authentication scheme using truncated polynomials. *Inf. Process. Lett.*, 109(15):861–863, 2009.
- [103] Manzhan Gu and Xiwen Lu. Preemptive stochastic online scheduling on two uniform machines. *Inf. Process. Lett.*, 109(7):369–375, 2009.
- [104] Mohammed Haddad and Hamamache Kheddouci. A strict strong coloring of trees. *Inf. Process. Lett.*, 109(18):1047–1054, 2009.

- [105] Koki Hamada, Kazuo Iwama, and Shuichi Miyazaki. An improved approximation lower bound for finding almost stable maximum matchings. *Inf. Process. Lett.*, 109(18):1036–1040, 2009.
- [106] Xin Han, He Guo, Dawei Yin, and Yong Zhang. A note on on-line broadcast scheduling with deadlines. *Inf. Process. Lett.*, 109(3):204–207, 2009.
- [107] Cheng He, Yixun Lin, and Jinjiang Yuan. A dp algorithm for minimizing makespan and total completion time on a series-batching machine. *Inf. Process. Lett.*, 109(12):603–607, 2009.
- [108] Tung-Yang Ho, Yuan-Kang Shih, Jimmy J.M. Tan, and Lih-Hsing Hsu. Conditional fault hamiltonian connectivity of the complete graph. *Inf. Process. Lett.*, 109(12):585–588, 2009.
- [109] Hervé Hocquard and Mickaël Montassier. Every planar graph without cycles of lengths 4 to 12 is acyclically 3-choosable. *Inf. Process. Lett.*, 109(21-22):1193–1196, 2009.
- [110] Yanmei Hong and Zhao Zhang. Vertex fault tolerance of optimal- κ graphs and super- κ graphs. *Inf. Process. Lett.*, 109(20):1151–1155, 2009.
- [111] Elad Horev, Matthew J. Katz, Roi Krakovski, and Maarten Löffler. Polychromatic 4-coloring of guillotine subdivisions. *Inf. Process. Lett.*, 109(13):690–694, 2009.
- [112] Pavel Hrubeš and Amir Yehudayoff. Monotone separations for constant degree polynomials. *Inf. Process. Lett.*, 110(1):1–3, 2009.
- [113] Sun-Yuan Hsieh, Che-Nan Kuo, and Hsin-Hung Chou. A further result on fault-free cycles in faulty folded hypercubes. *Inf. Process. Lett.*, 110(2):41–43, 2009.
- [114] Hongbo Hua and Yaoping Hou. On graphs with the third largest number of maximal independent sets. *Inf. Process. Lett.*, 109(4):248–253, 2009.
- [115] Jing Huang, Haina Sun, Weifan Wang, and Dong Chen. (2,1)-total labelling of trees with sparse vertices of maximum degree. *Inf. Process. Lett.*, 109(3):199–203, 2009.

- [116] Louis Ibarra. A simple algorithm to find hamiltonian cycles in proper interval graphs. *Inf. Process. Lett.*, 109(18):1105–1108, 2009.
- [117] Damien Imbs and Michel Raynal. A note on atomicity: Boosting test&set to solve consensus. *Inf. Process. Lett.*, 109(12):589–591, 2009.
- [118] Garth Isaak, Robert Jamison, and Darren Narayan. Greedy rankings and arank numbers. *Inf. Process. Lett.*, 109(15):825–827, 2009.
- [119] M.A. Iwen and C.V. Spencer. A note on compressed sensing and the complexity of matrix multiplication. *Inf. Process. Lett.*, 109(10):468–471, 2009.
- [120] K. Viswanathan Iyer and S. Prasanna. A linear time algorithm for finding an optimal degree-bounded subtree of an edge-weighted tree. *Inf. Process. Lett.*, 109(11):560–562, 2009.
- [121] Gerold Jäger and Marcin Peczarski. The number of pessimistic guesses in generalized mastermind. *Inf. Process. Lett.*, 109(12):635–641, 2009.
- [122] Sanjay Jain. On some open problems in monotonic and conservative learning. *Inf. Process. Lett.*, 109(16):923–926, 2009.
- [123] Sanjay Jain. On some open problems in reflective inductive inference. *Inf. Process. Lett.*, 109(3):208–211, 2009.
- [124] Artur Jeż and Jakub Łopuszański. On the two-dimensional cow search problem. *Inf. Process. Lett.*, 109(11):543–547, 2009.
- [125] Zexuan Ji, Qiang Chen, Quan-Sen Sun, and De-Shen Xia. A moment-based nonlocal-means algorithm for image denoising. *Inf. Process. Lett.*, 109(23-24):1238–1244, 2009.
- [126] Jiuchuan Jiang and Xiaojun Xia. Prominence convergence in the collective synchronization of situated multi-agents. *Inf. Process. Lett.*, 109(5):278–285, 2009.
- [127] Mohammadreza Jooyandeh, Ali Mohades, and Maryam Mirzakhah. Uncertain voronoi diagram. *Inf. Process. Lett.*, 109(13):709–712, 2009.

- [128] M.T. Juan, J.J. Liu, and Y.L. Wang. Errata for “faster index for property matching”. *Inf. Process. Lett.*, 109(18):1027–1029, 2009. Originally in *Inf. Process. Lett.*, Vol. 105, 2008, No. 6, 218–223.
- [129] S. Jukna. A nondeterministic space-time tradeoff for linear codes. *Inf. Process. Lett.*, 109(5):286–289, 2009.
- [130] Adam Kasperski and Paweł Zieliński. On the approximability of minmax (regret) network optimization problems. *Inf. Process. Lett.*, 109(5):262–266, 2009.
- [131] Eunsang Kim and Kunsoo Park. Improving multikey quicksort for sorting strings with many equal elements. *Inf. Process. Lett.*, 109(9):454–459, 2009.
- [132] Woo Kwon Koo, Jung Yeon Hwang, and Dong Hoon Lee. Security vulnerability in a non-interactive id-based proxy re-encryption scheme. *Inf. Process. Lett.*, 109(23-24):1260–1262, 2009.
- [133] Ippeï Koura, Takao Ono, and Tomio Hirata. A note on the greedy algorithm for finding independent sets of c_k -free graphs. *Inf. Process. Lett.*, 109(10):485–489, 2009.
- [134] Dariusz R. Kowalski and Michał Strojnowski. Gossiping by processors prone to omission failures. *Inf. Process. Lett.*, 109(6):308–314, 2009.
- [135] Jussi Kujala. Assembling approximately optimal binary search trees efficiently using arithmetics. *Inf. Process. Lett.*, 109(16):962–966, 2009.
- [136] Chi-Jung Kuo, Chiun-Chieh Hsu, Hon-Ren Lin, and Kung-Kuei Lin. An efficient algorithm for minimum feedback vertex sets in rotator graphs. *Inf. Process. Lett.*, 109(9):450–453, 2009.
- [137] Chia-Jui Lai. A note on path bipancyclicity of hypercubes. *Inf. Process. Lett.*, 109(19):1129–1130, 2009.
- [138] James K. Lan, Victor W. Liu, and Chiuyuan Chen. Improved upper and lower bounds on the optimization of mixed chordal ring networks. *Inf. Process. Lett.*, 109(13):757–762, 2009.

- [139] Sławomir Lasota. Expspace lower bounds for the simulation preorder between a communication-free petri net and a finite-state system. *Inf. Process. Lett.*, 109(15):850–855, 2009.
- [140] Chuan-Min Lee. On the complexity of signed and minus total domination in graphs. *Inf. Process. Lett.*, 109(20):1177–1181, 2009.
- [141] Chuan-Min Lee and Maw-Shang Chang. Signed and minus clique-transversal functions on graphs. *Inf. Process. Lett.*, 109(8):414–417, 2009.
- [142] Kangbok Lee, Byung-Cheon Choi, Joseph Y.-T. Leung, and Michael L. Pinedo. Approximation algorithms for multi-agent scheduling to minimize total weighted completion time. *Inf. Process. Lett.*, 109(16):913–917, 2009.
- [143] Kangbok Lee, Joseph Y.-T. Leung, and Michael L. Pinedo. A note on “an approximation algorithm for the load-balanced semi-matching problem in weighted bipartite graphs”. *Inf. Process. Lett.*, 109(12):608–610, 2009.
- [144] Kangbok Lee, Joseph Y.-T. Leung, and Michael L. Pinedo. A note on graph balancing problems with restrictions. *Inf. Process. Lett.*, 110(1):24–29, 2009.
- [145] Jian Li. An $o(\frac{\log n}{\log \log n})$ upper bound on the price of stability for undirected shapley network design games. *Inf. Process. Lett.*, 109(15):876–878, 2009.
- [146] Yue Li and Joe Sawada. Gray codes for reflectable languages. *Inf. Process. Lett.*, 109(5):296–300, 2009.
- [147] Edo Liberty and Steven W. Zucker. The mailman algorithm: A note on matrix-vector multiplication. *Inf. Process. Lett.*, 109(3):179–182, 2009.
- [148] Min-Sheng Lin and Yung-Jui Chen. Counting the number of vertex covers in a trapezoid graph. *Inf. Process. Lett.*, 109(21-22):1187–1192, 2009.

- [149] Andrzej Lingas and Eva-Marta Lundell. Efficient approximation algorithms for shortest cycles in undirected graphs. *Inf. Process. Lett.*, 109(10):493–498, 2009.
- [150] Chaim Linhart and Ron Shamir. Matching with don’t-cares and a small number of mismatches. *Inf. Process. Lett.*, 109(5):273–277, 2009.
- [151] GuanJun Liu and ChangJun Jiang. On conditions for the liveness of weakly persistent nets. *Inf. Process. Lett.*, 109(16):967–970, 2009.
- [152] Hai Liu, Lizhuang Ma, Xuan Cai, Zhihua Chen, and Yang Shen. A closed-form solution to video matting of natural snow. *Inf. Process. Lett.*, 109(18):1097–1104, 2009.
- [153] Juan Liu, Xing Chen, and Jixiang Meng. Super restricted edge connected cartesian product graphs. *Inf. Process. Lett.*, 109(13):655–659, 2009.
- [154] Wanwei Liu and Ji Wang. A tighter analysis of piterman’s büchi determinization. *Inf. Process. Lett.*, 109(16):941–945, 2009.
- [155] Noam Livne. A note on $\#p$ -completeness of np -witnessing relations. *Inf. Process. Lett.*, 109(5):259–261, 2009.
- [156] Vadim Lozin and Raffaele Mosca. Maximum independent sets in subclasses of p_5 -free graphs. *Inf. Process. Lett.*, 109(6):319–324, 2009.
- [157] Xianhui Lu, Xuejia Lai, and Dake He. Improved efficiency of kiltz07-kem. *Inf. Process. Lett.*, 109(18):1093–1096, 2009.
- [158] Fabrizio Luccio and Linda Pagli. The fermat star of binary trees. *Inf. Process. Lett.*, 109(11):568–571, 2009.
- [159] Bin Ma and Hongyi Yao. Seed optimization for i.i.d. similarities is no easier than optimal golomb ruler design. *Inf. Process. Lett.*, 109(19):1120–1124, 2009.
- [160] Daegun Ma and Jin Hong. Success probability of the hellman trade-off. *Inf. Process. Lett.*, 109(7):347–351, 2009.
- [161] Meijie Ma and Baodong Liu. Cycles embedding in exchanged hypercubes. *Inf. Process. Lett.*, 110(2):71–76, 2009.

- [162] Meijie Ma, Xuegong Tan, Jun-Ming Xu, and Guizhen Liu. A note on “the super connectivity of augmented cubes”. *Inf. Process. Lett.*, 109(12):592–593, 2009.
- [163] Frédéric Maffray. Stable sets in k -colorable p_5 -free graphs. *Inf. Process. Lett.*, 109(23-24):1235–1237, 2009.
- [164] Krzysztof Majewski and Nicholas Pippenger. Attribute estimation and testing quasi-symmetry. *Inf. Process. Lett.*, 109(4):233–237, 2009.
- [165] Dániel Marx and Igor Razgon. Constant ratio fixed-parameter approximation of the edge multicut problem. *Inf. Process. Lett.*, 109(20):1161–1166, 2009.
- [166] Jens Maßberg and Dieter Rautenbach. Binary trees with choosable edge lengths. *Inf. Process. Lett.*, 109(18):1087–1092, 2009.
- [167] Henk Meijer, Yurai Núñez-Rodríguez, and David Rappaport. An algorithm for computing simple k -factors. *Inf. Process. Lett.*, 109(12):620–625, 2009.
- [168] Takaaki Mizuki, Takuya Sato, and Hideaki Sone. A one-round secure message broadcasting protocol through a key sharing tree. *Inf. Process. Lett.*, 109(15):842–845, 2009.
- [169] A. Moreno, E. Cesar, J. Sorribes, T. Margalef, and E. Luque. Task distribution using factoring load balancing in master-worker applications. *Inf. Process. Lett.*, 109(16):902–906, 2009.
- [170] Marc Mörig, Dieter Rautenbach, Michiel Smid, and Jan Tusch. An $\omega(n \log n)$ lower bound for computing the sum of even-ranked elements. *Inf. Process. Lett.*, 109(16):955–956, 2009.
- [171] Wolfgang Mulzer. A note on predecessor searching in the pointer machine model. *Inf. Process. Lett.*, 109(13):726–729, 2009.
- [172] Joong Chae Na, Dong Kyue Kim, and Jeong Seop Sim. Finding the longest common nonsuperstring in linear time. *Inf. Process. Lett.*, 109(18):1066–1070, 2009.

- [173] Joong Chae Na, Namhee Kim, Jeong Seop Sim, and Dong Kyue Kim. Improving on-line construction of two-dimensional suffix trees for square matrices. *Inf. Process. Lett.*, 109(10):504–508, 2009.
- [174] Takayuki Nagoya. New differential approximation algorithm for k -customer vehicle routing problem. *Inf. Process. Lett.*, 109(8):405–408, 2009.
- [175] Christos Nomikos, Panos Rondogiannis, and William W. Wadge. Strong equivalence of logic programs under the infinite-valued semantics. *Inf. Process. Lett.*, 109(11):576–581, 2009.
- [176] Jakob Nordström. A simplified way of proving trade-off results for resolution. *Inf. Process. Lett.*, 109(18):1030–1035, 2009.
- [177] Sarah Novotny, Juan Ortiz, and Darren A. Narayan. Minimal k -rankings and the rank number of p_n^2 . *Inf. Process. Lett.*, 109(3):193–198, 2009.
- [178] Zeev Nutov. A note on rooted survivable networks. *Inf. Process. Lett.*, 109(19):1114–1119, 2009.
- [179] Zeev Nutov and Ariel Yaroshevitch. Wireless network design via 3-decompositions. *Inf. Process. Lett.*, 109(19):1136–1140, 2009.
- [180] Fumiya Okubo. A note on the descriptive complexity of semi-conditional grammars. *Inf. Process. Lett.*, 110(1):36–40, 2009.
- [181] Michael Orlov. Optimized random number generation in an interval. *Inf. Process. Lett.*, 109(13):722–725, 2009.
- [182] Sang-il Oum. Computing rank-width exactly. *Inf. Process. Lett.*, 109(13):745–748, 2009.
- [183] Kung-Jui Pai, Jou-Ming Chang, and Yue-Li Wang. Upper bounds on the queuenumber of k -ary n -cubes. *Inf. Process. Lett.*, 110(2):50–56, 2009.
- [184] Jean Marcel Pallo. Weak associativity and restricted rotation. *Inf. Process. Lett.*, 109(10):514–517, 2009.

- [185] B.S. Panda and Sajal K. Das. A parallel algorithm for generating bicompatible elimination orderings of proper interval graphs. *Inf. Process. Lett.*, 109(18):1041–1046, 2009.
- [186] Periklis A. Papakonstantinou. A note on width-parameterized sat: An exact machine-model characterization. *Inf. Process. Lett.*, 110(1):8–12, 2009.
- [187] Jacob Jan Paulus, Deshi Ye, and Guochuan Zhang. Optimal online-list batch scheduling. *Inf. Process. Lett.*, 109(19):1125–1128, 2009.
- [188] Holger Petersen and Szymon Grabowski. Range mode and range median queries in constant time and sub-quadratic space. *Inf. Process. Lett.*, 109(4):225–228, 2009.
- [189] Valentin Polishchuk and Jukka Suomela. A simple local 3-approximation algorithm for vertex cover. *Inf. Process. Lett.*, 109(12):642–645, 2009.
- [190] Abraham P. Punnen and Ruonan Zhang. Bottleneck flows in unit capacity networks. *Inf. Process. Lett.*, 109(6):334–338, 2009.
- [191] Milan R. Rapaić and Željko Kanović. Time-varying pso — convergence analysis, convergence-related parameterization and new parameter adjustment schemes. *Inf. Process. Lett.*, 109(11):548–552, 2009.
- [192] Andre Raspaud and Jiaojiao Wu. Game chromatic number of toroidal grids. *Inf. Process. Lett.*, 109(21-22):1183–1186, 2009.
- [193] Dieter Rautenbach and Friedrich Regen. On packing shortest cycles in graphs. *Inf. Process. Lett.*, 109(14):816–821, 2009.
- [194] Yanli Ren and Dawu Gu. Fully cca2 secure identity based broadcast encryption without random oracles. *Inf. Process. Lett.*, 109(11):527–533, 2009.
- [195] Simona E. Rombo. Optimal extraction of motif patterns in 2d. *Inf. Process. Lett.*, 109(17):1015–1020, 2009.
- [196] Sasanka Roy, Subhasis Bhattacharjee, Sandip Das, and Subhas C. Nandy. A new fast heuristic for labeling points. *Inf. Process. Lett.*, 109(10):478–484, 2009.

- [197] Chandan Saha and Sandip Das. Covering a set of points in a plane using two parallel rectangles. *Inf. Process. Lett.*, 109(16):907–912, 2009.
- [198] Erik Saule and Denis Trystram. Analyzing scheduling with transient failures. *Inf. Process. Lett.*, 109(11):539–542, 2009.
- [199] Sanjeev Saxena. Dominance made simple. *Inf. Process. Lett.*, 109(9):419–421, 2009.
- [200] Pascal Schweitzer. Using the incompressibility method to obtain local lemma results for ramsey-type problems. *Inf. Process. Lett.*, 109(4):229–232, 2009.
- [201] Hadas Shachnai, Lisa Zhang, and Tomomi Matsui. A note on generalized rank aggregation. *Inf. Process. Lett.*, 109(13):647–651, 2009.
- [202] Erfang Shan, Yanxia Dong, and Yukun Cheng. The twin domination number in generalized de bruijn digraphs. *Inf. Process. Lett.*, 109(15):856–860, 2009.
- [203] Yilun Shang. Connectivity in a random interval graph with access points. *Inf. Process. Lett.*, 109(9):446–449, 2009.
- [204] Zuhua Shao. Security of self-certified signatures. *Inf. Process. Lett.*, 109(20):1147–1150, 2009.
- [205] Rebecca Smith and Vincent Vatter. The enumeration of permutations sortable by pop stacks in parallel. *Inf. Process. Lett.*, 109(12):626–629, 2009.
- [206] J. Spoerhase and H.-C. Wirth. An $o(n(\log n)^2/\log \log n)$ algorithm for the single maximum coverage location or the $(1, x_p)$ -medianoid problem on trees. *Inf. Process. Lett.*, 109(8):391–394, 2009.
- [207] Thomas Studer. Common knowledge does not have the beth property. *Inf. Process. Lett.*, 109(12):611–614, 2009.
- [208] Balder ten Cate. A note on the expressibility problem for modal logics and star-free regular expressions. *Inf. Process. Lett.*, 109(10):509–513, 2009.

- [209] Cong Tian and Zhenhua Duan. A note on stutter-invariant pttl. *Inf. Process. Lett.*, 109(13):663–667, 2009.
- [210] Ji Tian, T.C.E. Cheng, C.T. Ng, and Jinjiang Yuan. Online scheduling on unbounded parallel-batch machines to minimize the makespan. *Inf. Process. Lett.*, 109(21-22):1211–1215, 2009.
- [211] Yingzhi Tian and Jixiang Meng. λ_c -optimally half vertex transitive graphs with regularity k . *Inf. Process. Lett.*, 109(13):683–686, 2009.
- [212] Anthony Widjaja To. Unary finite automata vs. arithmetic progressions. *Inf. Process. Lett.*, 109(17):1010–1014, 2009.
- [213] Kohji Tomita and Haruhisa Kurokawa. On the reachability of a version of graph-rewriting system. *Inf. Process. Lett.*, 109(14):777–782, 2009.
- [214] Volker Turau and Bernd Hauck. A self-stabilizing algorithm for constructing weakly connected minimal dominating sets. *Inf. Process. Lett.*, 109(14):763–767, 2009.
- [215] Chi-Hung Tzeng, Jehn-Ruey Jiang, and Shing-Tsaan Huang. A self-stabilizing algorithm for the maximum planarization problem in complete bipartite networks. *Inf. Process. Lett.*, 109(10):518–522, 2009.
- [216] Antti Ukkonen, Kai Puolamäki, Aristides Gionis, and Heikki Mannila. A randomized approximation algorithm for computing bucket orders. *Inf. Process. Lett.*, 109(7):356–359, 2009.
- [217] Ton van Deursen and Saša Radomirović. On a new formal proof model for rfid location privacy. *Inf. Process. Lett.*, 110(2):57–61, 2009.
- [218] Virginia Vassilevska. Efficient algorithms for clique problems. *Inf. Process. Lett.*, 109(4):254–257, 2009.
- [219] Weifan Wang and Dong Chen. $(2, 1)$ -total number of trees with maximum degree three. *Inf. Process. Lett.*, 109(14):805–810, 2009.
- [220] Ian Wehrman, C.A.R. Hoare, and Peter W. O’Hearn. Graphical models of separation logic. *Inf. Process. Lett.*, 109(17):1001–1004, 2009.
- [221] Ryan Williams. Finding paths of length k in $o^*(2^k)$ time. *Inf. Process. Lett.*, 109(6):315–318, 2009.

- [222] Gerhard J. Woeginger. A comment on parallel-machine scheduling under a grade of service provision to minimize makespan. *Inf. Process. Lett.*, 109(7):341–342, 2009.
- [223] Bang Ye Wu. An optimal algorithm for the maximum-density path in a tree. *Inf. Process. Lett.*, 109(17):975–979, 2009.
- [224] J. Wu and R. Wei. Comments on “distributed symmetric key management for mobile ad hoc networks”. *Inf. Process. Lett.*, 109(14):822–824, 2009.
- [225] Yufeng Wu. An analytical upper bound on the minimum number of recombinations in the history of snp sequences in populations. *Inf. Process. Lett.*, 109(9):427–431, 2009.
- [226] Zhan-jun Xue and San-yang Liu. An optimal result on fault-tolerant cycle-embedding in alternating group graphs. *Inf. Process. Lett.*, 109(21-22):1197–1201, 2009.
- [227] Guofeng Yan, Jianxin Wang, and Weiping Wang. An analytical model for end-to-end communication channel over plcn based on qbds. *Inf. Process. Lett.*, 109(23-24):1252–1259, 2009.
- [228] Ming-Chien Yang. Edge-fault-tolerant node-pancyclicity of twisted cubes. *Inf. Process. Lett.*, 109(21-22):1206–1210, 2009.
- [229] Jyh-haw Yeh. Enforcing non-hierarchical access policies by hierarchical key assignment schemes. *Inf. Process. Lett.*, 110(2):46–49, 2009.
- [230] Okan Yilmaz and Ing-Ray Chen. Elastic threshold-based admission control for qos satisfaction with reward optimization for servicing multiple priority classes in wireless networks. *Inf. Process. Lett.*, 109(15):868–875, 2009.
- [231] Ryo Yoshinaka. An elementary proof of a generalization of double greibach normal form. *Inf. Process. Lett.*, 109(10):490–492, 2009.
- [232] Bruno Zanuttini and Stanislav Živný. A note on some collapse results of valued constraints. *Inf. Process. Lett.*, 109(11):534–538, 2009.

- [233] Fangguo Zhang and Xiaofeng Chen. Cryptanalysis and improvement of an id-based ad-hoc anonymous identification scheme at ct-rsa 05. *Inf. Process. Lett.*, 109(15):846–849, 2009.
- [234] Jialin Zhang and Wei Chen. Bounded cost algorithms for multivalued consensus using binary consensus instances. *Inf. Process. Lett.*, 109(17):1005–1009, 2009.
- [235] Jialin Zhang and Wei Chen. Implementing uniform reliable broadcast with binary consensus in systems with fair-lossy links. *Inf. Process. Lett.*, 110(1):13–19, 2009.
- [236] Xindong Zhang, Juan Liu, and Jixiang Meng. The bondage number in complete t -partite digraphs. *Inf. Process. Lett.*, 109(17):997–1000, 2009.
- [237] Kewen Zhao, Yue Lin, and Ping Zhang. A sufficient condition for pancyclic graphs. *Inf. Process. Lett.*, 109(17):991–996, 2009.
- [238] Qi-yan Zhou, San-yang Liu, and Qiang Zhu. Local diagnosability of generic star-pyramid graph. *Inf. Process. Lett.*, 109(13):695–699, 2009.
- [239] Sizhong Zhou and Qiqing Shen. On fractional (f, n) -critical graphs. *Inf. Process. Lett.*, 109(14):811–815, 2009.
- [240] Valentin Ziegler. Approximating optimum branchings in linear time. *Inf. Process. Lett.*, 109(3):175–178, 2009.
- [241] Stanislav Živný. Structural properties of oracle classes. *Inf. Process. Lett.*, 109(19):1131–1135, 2009.