References

[1] B. Anderson. Encoded pointers - an interesting data structure for modern sil's. *Inf. Process. Lett.*, 10(2):47–50, 1980, March.

[2] R.K. Arora and S.P. Rana. Analysis of the module assignment problem in distributed computing systems with limited storage. *Inf. Process. Lett.*, 10(3):111–115, 1980, April.

[3] J.A. Barnden. A characterization of systems derived from terminating concurrent histories. *Inf. Process. Lett.*, 10(3):148–152, 1980, April.

[4] Mordechai Ben-Ari. A simplified proof that regular resolution is exponential. *Inf. Process. Lett.*, 10(2):96–98, 1980, March.

[5] Alan A. Bertossi. On the complexity of scheduling jobs on dedicated resources to minimize set-up costs. *Inf. Process. Lett.*, 10(4/5):173–177, 1980, July.

[6] M. Blum, A.K. Chandra, and M.N. Wegman. Equivalence of free boolean graphs can be decided probabilistically in polynomial time. *Inf. Process. Lett.*, 10(2):80–82, 1980, March.

[7] C. Böhm, A. Machi, and G. Sontacchi. Complexity bounds for equivalence and isomorphism of latin squares. *Inf. Process. Lett.*, 10(4-5):231–233, 1980, July.

[8] K.S. Booth. Lexicographically least circular substrings. *Inf. Process. Lett.*, 10(4-5):240–242, 1980, July.

[9] A. Brandwajn and R. Joly. A scheme for a fault-tolerant virtual memory. *Inf. Process. Lett.*, 10(2):99–103, 1980, March.

[10] M. Broy and M. Wirsing. Program development: from enumeration to backtracking. *Inf. Process. Lett.*, 10(4-5):193–197, 1980, July.

[11] T. Bui. A note on an improved bisection algorithm. *Inf. Process. Lett.*, 10:35–36, 1980.

[12] P. Buneman and L. Levy. The towers of hanoi problem. *Inf. Process. Lett.*, 10(4-5):243–244, 1980, July.

[13] F.W. Burton and G.N. Lewis. A robust variation of interpolation search. *Inf. Process. Lett.*, 10(4-5):198–201, 1980, July.

[14] W. Cellary and D. Mayer. A simple model of query scheduling in distributed data base systems. *Inf. Process. Lett.*, 10(3):137–147, 1980, April.

[15] K.M. Chung, F. Luccio, and C.K. Wong. A new permutation algorithm for bubble memories. *Inf. Process. Lett.*, 10(4-5):226–230, 1980, July.

[16] L. Czaja. Parallel system schemas and their relation to automata. *Inf. Process. Lett.*, 10(3):153–158, 1980, April.

[17] L. Czaja. Deadlock and fairness in parallel schemas: a set-theoretic characterization and decision problems. *Inf. Process. Lett.*, 10(4-5):234–239, 1980, July.

[18] A. Deb. Conflict-free access of arrays — a counter example. *Inf. Process. Lett.*, 10(1):20, 1980, February.

[19] R.W. Doran and L.K. Thomas. Variants of the software solution to mutual exclusion. *Inf. Process. Lett.*, 10(4-5):206–208, 1980, July.

[20] A. Ehrenfeucht and G. Rozenberg. On the emptiness of the intersection of two d0s languages problem. *Inf. Process. Lett.*, 10(4-5):223–225, 1980, July.

[21] A.M. Farley. Levelling terrain trees: a transshipment problem. *Inf. Process. Lett.*, 10(4-5):189–192, 1980, July.

[22] A.S. Fraenkel and Y. Yesha. Complexity of solving algebraic equations. *Inf. Process. Lett.*, 10(4-5):178–179, 1980, July.

[23] Leslie M. Goldschlager. A space efficient algorithm for the monotone planar circuit value problem. *Inf. Process. Lett.*, 10(1):25–27, 1980, February.

[24] M.J.C. Gordon. The denotational semantics of sequential machines. *Inf. Process. Lett.*, 10(1):1–3, 1980, February.

[25] C. Hemerik. Formal derivation of a list processing program. *Inf. Process. Lett.*, 10(3):124–126, 1980, April.

[26] P. Honeyman, R.E. Ladner, and M. Yannakakis. Testing the universal instance assumption. *Inf. Process. Lett.*, 10(1):14–19, 1980, February.

[27] K. Inoue and I. Takanami. A note on decision problems for three-way two-dimensional finite automata. *Inf. Process. Lett.*, 10(4-5):245–248, 1980, July.

[28] M. Jazayeri. An improvement in the iterative data flow analysis algorithm. *Inf. Process. Lett.*, 10(2):108–110, 1980, March.

[29] J.L.W. Kessels. The readers and writers problem avoided. *Inf. Process. Lett.*, 10(3):159–162, 1980, April.

[30] David G. Kirkpatrick. A note on delaunay and optimal triangulations. *Inf. Process. Lett.*, 10:127–128, 1980.

[31] Thomas Lengauer and Robert Tarjan. The space complexity of pebble games on trees. *Inf. Process. Lett.*, 10(4/5):184–188, 1980, July.

[32] Frank M. Liang. A lower bound for on-line bin packing. *Inf. Process. Lett.*, 10(2):76–79, 1980, March.

[33] Errol L. Lloyd. List scheduling bounds for uet systems with resources. *Inf. Process. Lett.*, 10(1):28–31, 1980, February. see Erratum in Inf. Process. Lett., Vol. 11, 57.

[34] F. Luccio and S. Mazzone. A cryptosystem for multiple communication. *Inf. Process. Lett.*, 10(4-5):180–183, 1980, July.

[35] H. Meijer and S.G. Akl. The design and analysis of a new hybrid sorting algorithm. *Inf. Process. Lett.*, 10(4-5):213–218, 1980, July.

[36] R. Melville and D. Gries. Controlled density sorting. *Inf. Process. Lett.*, 10(4-5):169–172, 1980, July.

[37] A. Nakamura and K. Inoue. A remark on two-dimensional finite automata. *Inf. Process. Lett.*, 10(4-5):219–222, 1980, July.

[38] H. Olivié. On the relationship between son-trees and symmetric binary b-trees. *Inf. Process. Lett.*, 10(1):4–8, 1980, February.

[39] M.H. Overmars and J. van Leeuwen. Further comments on bykat's convex hull algorithm. *Inf. Process. Lett.*, 10(4-5):209–212, 1980, July.

[40] F.G. Pagan. On the generation of compilers from language definitions. *Inf. Process. Lett.*, 10(2):104–107, 1980, March.

[41] S. Passy. Structured programs for turing machines. *Inf. Process. Lett.*, 10(2):63–67, 1980, March.

[42] V.J. Rayward-Smith and R.N. Rolph. Finding linear and circular sequences of minimal and maximal total adjacency. *Inf. Process. Lett.*, 10(1):9–13, 1980, February.

[43] V.K. Sabelfeld. The logic-termal equivalence is polynomial-time decidable. *Inf. Process. Lett.*, 10(2):57–62, 1980, March.

[44] H. Samet and L. Marcus. Purging in an equality data base. *Inf. Process. Lett.*, 10(2):89–95, 1980, March.

[45] N. Santoro. Extending the four russians' bound to general matrix multiplication. *Inf. Process. Lett.*, 10(2):87–88, 1980, March.

[46] Dilip V. Sarwate. A note on universal classes of hash functions. *Inf. Process. Lett.*, 10:41–45, 1980.

[47] Carla Savage. Maximum matchings and trees. *Inf. Process. Lett.*, 10(4,5):202–205, 1980, July.

[48] Daniel D.K.D.B. Sleator. A 2.5 times optimal algorithm for packing in two dimensions. *Inf. Process. Lett.*, 10:37–40, 1980.

[49] M. Truszczynski. Once more on storage for consecutive retrieval. *Inf. Process. Lett.*, 10(1):21–24, 1980, February.

[50] M. van der Nat. A fast sorting algorithm, a hybrid of distributive and merge sorting. *Inf. Process. Lett.*, 10(3):163–167, 1980, April.

[51] Peter van Emde Boas. On the $\omega(n \log n)$ lower bound for convex hull and maximal vector determination. *Inf. Process. Lett.*, 10:132–136, 1980.

[52] J. van Leeuwen and D. Wood. Dynamization of decomposable searching problems. *Inf. Process. Lett.*, 10(2):51–56, 1980, March. see Erratum in Inf. Process. Lett., Vol. 11, 57.

[53] P.M.B. Vitányi. Achievable high scores of epsilon-moves and running times in dpda computations. *Inf. Process. Lett.*, 10(2):83–86, 1980, March.

[54] P.J.L. Wallis and B.W. Silverman. Efficient implementation of the ada overloading rules. *Inf. Process. Lett.*, 10(3):120–123, 1980, April.

[55] P.S.-P. Wang. Some new results on isotonic array grammars. *Inf. Process. Lett.*, 10(3):129–131, 1980, April.

[56] O. Watanabe. Another application of recursion introduction. *Inf. Process. Lett.*, 10(3):116–119, 1980, April.

[57] Thomas C. Wilson and Joseph Shortt. An $o(\log n)$ algorithm for computing general order-k fibonacci numbers. *Inf. Process. Lett.*, 10(2):68–75, 1980, March.

[58] C. Zaniolo. Mixed transitivity for functional and multivalued dependencies in database relations. *Inf. Process. Lett.*, 10(1):32–34, 1980, February.