References

[1] Luca Aceto, David de Frutos Escrig, Carlos Gregorio-Rodríguez, and Anna Ingolfsdottir. Complete and ready simulation semantics are not finitely based over bccsp, even with a singleton alphabet. *Inf. Process. Lett.*, 111(9):408–413, 2011.

[2] Luca Aceto, Anna Ingolfsdottir, and Joshua Sack. Resource bisimilarity and graded bisimilarity coincide. *Inf. Process. Lett.*, 111(2):68–76, 2010.

[3] Marek Adamczyk. Improved analysis of the greedy algorithm for stochastic matching. *Inf. Process. Lett.*, 111(15):731–737, 2011.

[4] Foto N. Afrati, Sara Cohen, and Gabriel Kuper. On the complexity of tree pattern containment with arithmetic comparisons. *Inf. Process. Lett.*, 111(15):754–760, 2011.

[5] Stephan Dominique Andres and Winfried Hochstättler. The game chromatic number and the game colouring number of classes of oriented cactuses. *Inf. Process. Lett.*, 111(5):222–226, 2011.

[6] Alberto Apostolico, Manuel Barbares, and Cinzia Pizzi. Speedup for a periodic subgraph miner. *Inf. Process. Lett.*, 111(11):521–523, 2011.

[7] Sergio Arévalo, Ernesto Jiménez, Mikel Larrea, and Luis Mengual. Communication-efficient and crash-quiescent omega with unknown membership. *Inf. Process. Lett.*, 111(4):194–199, 2011.

[8] M. Arockiaraj, Paul Manuel, Indra Rajasingh, and Bharati Rajan. Wirelength of 1-fault hamiltonian graphs into wheels and fans. *Inf. Process. Lett.*, 111(18):921–925, 2011.

[9] Mikhail J. Atallah and Timothy W. Duket. Pattern matching in the hamming distance with thresholds. *Inf. Process. Lett.*, 111(14):674–677, 2011.

[10] Jean-Philippe Aumasson and Raphael C.-W. Phan. On the cryptanalysis of the hash function fugue: Partitioning and inside-out distinguishers. *Inf. Process. Lett.*, 111(11):512–515, 2011.

[11] Dragana Bajic and Alister Burr. Comments on "integer sec-ded codes for low power communications". *Inf. Process. Lett.*, 111(9):414–415, 2011. Originally in Inf. Process. Lett., Vol. 110, 2010, No. 12-13, 518-520.

[12] Rena Bakhshi, Jörg Endrullis, Wan Fokkink, and Jun Pang. Fast leader election in anonymous rings with bounded expected delay. *Inf. Process. Lett.*, 111(17):864–870, 2011.

[13] Martin Barnaby. Low-level dichotomy for quantified constraint satisfaction problems. *Inf. Process. Lett.*, 111(20):999–1003, 2011.

[14] Verónica Becher and Pablo Ariel Heiber. On extending de Bruijn sequences. *Inf. Process. Lett.*, 111(18):930–932, 2011.

[15] Debajyoti Bera. A lower bound method for quantum circuits. *Inf. Process. Lett.*, 111(15):723–726, 2011.

[16] Anne Berry and Romain Pogorelcnik. A simple algorithm to generate the minimal separators and the maximal cliques of a chordal graph. *Inf. Process. Lett.*, 111(11):508–511, 2011.

[17] Therese Biedl, Stephane Durocher, Holger H. Hoos, Shuang Luan, Jared Saia, and Maxwell Young. A note on improving the performance of approximation algorithms for radiation therapy. *Inf. Process. Lett.*, 111(7):326–333, 2011.

[18] Daniel Binkele-Raible, Henning Fernau, Serge Gaspers, and Mathieu Liedloff. Exact exponential-time algorithms for finding bicliques. *Inf. Process. Lett.*, 111(2):64–67, 2010.

[19] Richard S. Bird. A simple division-free algorithm for computing determinants. *Inf. Process. Lett.*, 111(21-22):1072–1074, 2011.

[20] Andreas Björklund, Thore Husfeldt, Petteri Kaski, and Mikko Koivisto. Covering and packing in linear space. *Inf. Process. Lett.*, 111(21-22):1033–1036, 2011.

[21] Sebastian Bócker and Peter Damaschke. Even faster parameterized cluster deletion and cluster editing. *Inf. Process. Lett.*, 111(14):717–721, 2011.

[22] Andrey Bogdanov and Kyoji Shibutani. Analysis of 3-line generalized feistel networks with double sd-functions. *Inf. Process. Lett.*, 111(13):656–660, 2011.

[23] Paolo Boldi and Sebastiano Vigna. $e = i + t$: The internal extent formula for compacted tries. *Inf. Process. Lett.*, 111(7):310–313, 2011.

[24] Beate Bollig and Marc Gillé. Randomized obdds for the most significant bit of multiplication need exponential space. *Inf. Process. Lett.*, 111(4):151–155, 2011.

[25] Harry Buhrman, David García-Soriano, and Arie Matsliah. Learning parities in the mistake-bound model. *Inf. Process. Lett.*, 111(1):16–21, 2010.

[26] Alan Joseph J. Caceres, Samantha Daley, John DeJesus, Michael Hintze, Diquan Moore, and Katherine St. John. Walks in phylogenetic treespace. *Inf. Process. Lett.*, 111(12):600–604, 2011.

[27] Xiang-Lan Cao, Špela Brglez, Simon Špacapan, and Elkin Vumar. On edge connectivity of direct products of graphs. *Inf. Process. Lett.*, 111(18):899–902, 2011.

[28] Zhenfu Cao, Ivan Visconti, and Zongyang Zhang. On constant-round concurrent non-malleable proof systems. *Inf. Process. Lett.*, 111(18):883–890, 2011.

[29] Katarína Cechlárová and Eva Jelínková. An efficient implementation of the equilibrium algorithm for housing markets with duplicate houses. *Inf. Process. Lett.*, 111(13):667–670, 2011.

[30] Guillaume Chapuy and Ines Klimann. On the supports of recognizable series over a field and a single letter alphabet. *Inf. Process. Lett.*, 111(23-24):1096–1098, 2011.

[31] Xie-Bin Chen. Parallel construction of optimal independent spanning trees on cartesian product of complete graphs. *Inf. Process. Lett.*, 111(5):235–238, 2011.

[32] Chang Ching-Lueh. Triggering cascades on undirected connected graphs. *Inf. Process. Lett.*, 111(19):973–978, 2011.

[33] Che Wun Chiou, Chiou-Yng Lee, and Yun-Chi Yeh. Multiplexer implementation of low-complexity polynomial basis multiplier in gf(2^m) using all one polynomial. *Inf. Process. Lett.*, 111(21-22):1044–1047, 2011.

[34] Byung-Cheon Choi, Joseph Y.-T. Leung, and Michael L. Pinedo. A note on makespan minimization in proportionate flow shops. *Inf. Process. Lett.*, 111(2):77–81, 2010.

[35] Raphaël Clifford and Alexandru Popa. Maximum subset intersection. *Inf. Process. Lett.*, 111(7):323–325, 2011.

[36] Pilu Crescenzi, Miriam Di Ianni, Andrea Marino, Donatella Merlini, Gianluca Rossi, and Paola Vocca. Smooth movement and manhattan path based random waypoint mobility. *Inf. Process. Lett.*, 111(5):239–246, 2011.

[37] Maxime Crochemore and German Tischler. Computing longest previous non-overlapping factors. *Inf. Process. Lett.*, 111(6):291–295, 2011.

[38] Marek Cygan and Łukasz Kowalik. Channel assignment via fast zeta transform. *Inf. Process. Lett.*, 111(15):727–730, 2011.

[39] Marek Cygan, Marcin Pilipczuk, and Jakub Onufry Wojtaszczyk. Capacitated domination faster than $o(2^n)$. *Inf. Process. Lett.*, 111(23-24):1099–1103, 2011.

[40] Oron Daniel. Scheduling a batching machine with convex resource consumption functions. *Inf. Process. Lett.*, 111(19):962–967, 2011.

[41] Matei David, Periklis A. Papakonstantinou, and Anastasios Sidiropoulos. How strong is nisan's pseudo-random generator? *Inf. Process. Lett.*, 111(16):804–808, 2011.

[42] Manoj G. Dixit, S. Ramesh, and Pallab Dasgupta. Some results on parametric temporal logic. *Inf. Process. Lett.*, 111(20):994–998, 2011.

[43] M.P. Dobson, V. Leoni, and G. Nasini. The multiple domination and limited packing problems in graphs. *Inf. Process. Lett.*, 111(23-24):1108–1113, 2011.

[44] Benjamin Doerr and Mahmoud Fouz. Quasi-random rumor spreading: Reducing randomness can be costly. *Inf. Process. Lett.*, 111(5):227–230, 2011.

[45] Shlomi Dolev, Swan Dubois, Maria Potop-Butucaru, and Sébastien Tixeuil. Stabilizing data-link over non-fifo channels with optimal fault-resilience. *Inf. Process. Lett.*, 111(18):912–920, 2011.

[46] Petros Drineas and Anastasios Zouzias. A note on element-wise matrix sparsification via a matrix-valued bernstein inequality. *Inf. Process. Lett.*, 111(8):385–389, 2011.

[47] Zheng-Zhong Du and Jun-Ming Xu. A note on cycle embedding in hypercubes with faulty vertices. *Inf. Process. Lett.*, 111(12):557–560, 2011.

[48] Mei-jiao Duan and Jing Xu. An efficient location-based compromise-tolerant key management scheme for sensor networks. *Inf. Process. Lett.*, 111(11):503–507, 2011.

[49] Rafael Duarte, Alexandre Mota, and Augusto Sampaio. Introducing concurrency in sequential java via laws. *Inf. Process. Lett.*, 111(3):129–134, 2011.

[50] Paul Dütting, Monika Henzinger, and Ingmar Weber. Offline file assignments for online load balancing. *Inf. Process. Lett.*, 111(4):178–183, 2011.

[51] Mnacho Echenim and Nicolas Peltier. Modular instantiation schemes. *Inf. Process. Lett.*, 111(20):989–993, 2011.

[52] Z. Ésik. An undecidable property of context-free linear orders. *Inf. Process. Lett.*, 111(3):107–109, 2011.

[53] Javier Esparza, Pierre Ganty, Stefan Kiefer, and Michael Luttenberger. Parikh's theorem: A simple and direct automaton construction. *Inf. Process. Lett.*, 111(12):614–619, 2011.

[54] Guy Even, Guy Kortsarz, and Zeev Nutov. A 1.5-approximation algorithm for augmenting edge-connectivity of a graph from 1 to 2. *Inf. Process. Lett.*, 111(6):296–300, 2011.

[55] Eyal Even-Dar and Asaf Shapira. A note on maximizing the spread of influence in social networks. *Inf. Process. Lett.*, 111(4):184–187, 2011.

[56] Ruy Fabila-Monroy, Clemens Huemer, and Dolores Lara. A combinatorial property on angular orders of plane point sets. *Inf. Process. Lett.*, 111(12):591–594, 2011.

[57] Hao Fan, H.A. Kierstead, Guizhen Liu, Theodore Molla, Jian-Liang Wu, and Xin Zhang. A note on relaxed equitable coloring of graphs. *Inf. Process. Lett.*, 111(21-22):1062–1066, 2011.

[58] A.A. Farrag. Developing fault-tolerant distributed loops. *Inf. Process. Lett.*, 111(2):97–101, 2010.

[59] Tomás Feder and Carlos Subi. Maximum gap labelings of graphs. *Inf. Process. Lett.*, 111(4):169–173, 2011.

[60] Anna Fiedorowicz. Acyclic edge colourings of graphs with the number of edges linearly bounded by the number of vertices. *Inf. Process. Lett.*, 111(6):287–290, 2011.

[61] Rudolf Fleischer and Xiaoming Xu. Computing minimum diameter color-spanning sets is hard. *Inf. Process. Lett.*, 111(21-22):1054–1056, 2011.

[62] Paola Flocchini, David Ilcinkas, Andrzej Pelc, and Nicola Santoro. How many oblivious robots can explore a line. *Inf. Process. Lett.*, 111(20):1027–1031, 2011.

[63] Fedor V. Fomin, Petr A. Golovach, and Erik Jan van Leeuwen. Spanners of bounded degree graphs. *Inf. Process. Lett.*, 111(3):142–144, 2011.

[64] Fedor V. Fomin, Daniel Lokshtanov, Venkatesh Raman, and Saket Saurabh. Subexponential algorithms for partial cover problems. *Inf. Process. Lett.*, 111(16):814–818, 2011.

[65] Alan Frieze and Páll Melsted. Randomly coloring simple hypergraphs. *Inf. Process. Lett.*, 111(17):848–853, 2011.

[66] Anna Gál and Jing-Tang Jang. The size and depth of layered boolean circuits. *Inf. Process. Lett.*, 111(5):213–217, 2011.

[67] Min Gao, Zhongfu Wu, and Feng Jiang. Userrank for item-based collaborative filtering recommendation. *Inf. Process. Lett.*, 111(9):440–446, 2011.

[68] Weifeng Gao and Sanyang Liu. Improved artificial bee colony algorithm for global optimization. *Inf. Process. Lett.*, 111(17):871–882, 2011.

[69] Fanica Gavril. Algorithms for induced biclique optimization problems. *Inf. Process. Lett.*, 111(10):469–473, 2011.

[70] S. Geetha, V. Kabilan, S.P. Chockalingam, and N. Kamaraj. Varying radix numeral system based adaptive image steganography. *Inf. Process. Lett.*, 111(16):792–797, 2011.

[71] Domingo Gómez, Jaime Gutierrez, and Álvar Ibeas. On the linear complexity of the naor-reingold sequence. *Inf. Process. Lett.*, 111(17):854–856, 2011.

[72] Szymon Grabowski, Simone Faro, and Emanuele Giaquinta. String matching with inversions and translocations in linear average time (most of the time). *Inf. Process. Lett.*, 111(11):516–520, 2011.

[73] Rafael Grimson, Joos Heintz, and Bart Kuijpers. Efficient evaluation of specific queries in constraint databases. *Inf. Process. Lett.*, 111(19):941–944, 2011.

[74] Xiaofeng Gu, Hong-Jian Lai, and Senmei Yao. Characterization of minimally $(2, l)$-connected graphs. *Inf. Process. Lett.*, 111(23-24):1124–1129, 2011.

[75] Kishan Chand Gupta, Yassir Nawaz, and Guang Gong. Upper bound for algebraic immunity on a subclass of maiorana mcfarland class of bent functions. *Inf. Process. Lett.*, 111(5):247–249, 2011.

[76] Xixian Han, Jianzhong Li, and Donghua Yang. Supporting early pruning in top-k query processing on massive data. *Inf. Process. Lett.*, 111(11):524–532, 2011.

[77] Satoshi Hanamura and Shigeki Iwata. Posets with seven linear extensions sortable by three comparisons. *Inf. Process. Lett.*, 111(8):365–369, 2011.

[78] Jessen T. Havill. Online malleable job scheduling for $m \leq 3$. *Inf. Process. Lett.*, 111(1):31–35, 2010.

[79] Javier Herranz, Fabien Laguillaumie, and Carla Ràfols. Relations between semantic security and anonymity in identity-based encryption. *Inf. Process. Lett.*, 111(10):453–460, 2011.

[80] Hervé Hocquard. Graphs with maximum degree 6 are acyclically 11-colorable. *Inf. Process. Lett.*, 111(15):748–753, 2011.

[81] Hirotoshi Honma, Kodai Abe, and Shigeru Masuyama. Erratum and addendum to "a linear time algorithm for finding all hinge vertices of a permutation graph". *Inf. Process. Lett.*, 111(18):891–894, 2011. Orignally in Inf. Process. Lett., Vol. 59, 1996, No. 2, 103-107.

[82] Jianfeng Hou, Nicolas Roussel, and Jianliang Wu. Acyclic chromatic index of planar graphs with triangles. *Inf. Process. Lett.*, 111(17):836–840, 2011.

[83] Gerold Jäger and Marcin Peczarski. The number of pessimistic guesses in generalized black-peg mastermind. *Inf. Process. Lett.*, 111(19):933–940, 2011.

[84] Klaus Jansen and Roberto Solis-Oba. A simple $opt + 1$ algorithm for cutting stock under the modified integer round-up property assumption. *Inf. Process. Lett.*, 111(10):479–482, 2011.

[85] Vygen Jens. Faster algorithm for optimum steiner trees. *Inf. Process. Lett.*, 111(21-22):1075–1079, 2011.

[86] Jehn-Ruey Jiang. Nondominated local coteries for resource allocation in grids and clouds. *Inf. Process. Lett.*, 111(8):379–384, 2011.

[87] Jae-Yoon Jung, Chang-Ho Chin, and Jorge Cardoso. An entropy-based uncertainty measure of process models. *Inf. Process. Lett.*, 111(3):135–141, 2011.

[88] Konstanty Junosza-Szaniawski and Paweł Rzążewski. On the complexity of exact algorithm for $l(2,1)$-labeling of graphs. *Inf. Process. Lett.*, 111(14):697–701, 2011.

[89] Ján Katrenič and Ingo Schiermeyer. Improved approximation bounds for the minimum rainbow subgraph problem. *Inf. Process. Lett.*, 111(3):110–114, 2011.

[90] Matthew J. Katz and Gila Morgenstern. Settling the bound on the rectilinear link radius of a simple rectilinear polygon. *Inf. Process. Lett.*, 111(3):103–106, 2011.

[91] Amano Kazuyuki. Minterm-transitive functions with asymptotically smallest block sensitivity. *Inf. Process. Lett.*, 111(23-24):1081–1084, 2011.

[92] Jeroen Ketema. Counterexamples in infinitary rewriting with non-fully-extended rules. *Inf. Process. Lett.*, 111(13):642–646, 2011.

[93] Heeheon Kim and Yookun Cho. A new fair scheduling algorithm for periodic tasks on multiprocessors. *Inf. Process. Lett.*, 111(7):301–309, 2011.

[94] D. Kirsten and K. Quaas. Recognizability of the support of recognizable series over the semiring of the integers is undecidable. *Inf. Process. Lett.*, 111(10):500–502, 2011.

[95] Martin Kochol, Nad'a Krivoňáková, Silvia Smejová, and Katarína Šranková. Matrix reduction in a combinatorial computation. *Inf. Process. Lett.*, 111(4):164–168, 2011.

[96] Christos Koukouvinos, Veronika Pillwein, Dimitris E. Simos, and Zafeirakis Zafeirakopoulos. On the average complexity for the verification of compatible sequences. *Inf. Process. Lett.*, 111(17):825–830, 2011.

[97] Sven O. Krumke and Clemens Thielen. Minimum cost flows with minimum quantities. *Inf. Process. Lett.*, 111(11):533–537, 2011. see Erratum in Inf. Process. Lett., Vol. 112, 2012, No. 13, 523-524.

[98] Ajay D. Kshemkalyani. Repeated detection of conjunctive predicates in distributed executions. *Inf. Process. Lett.*, 111(9):447–452, 2011.

[99] Tomáš Kulich and Miroslava Kemeňová. On the paper of pascal schweitzer concerning similarities between incompressibility methods and the lovász local lemma. *Inf. Process. Lett.*, 111(9):436–439, 2011.

[100] Hong-Jian Lai, Hao Li, Ping Li, Yanting Liang, and Senmei Yao. Mod $(2p+1)$-orientations in line graphs. *Inf. Process. Lett.*, 111(23-24):1085–1088, 2011.

[101] Akash Lal and G. Ramalingam. Reference count analysis with shallow aliasing. *Inf. Process. Lett.*, 111(2):57–63, 2010.

[102] Martin Lange. p-hardness of the emptiness problem for visibly pushdown languages. *Inf. Process. Lett.*, 111(7):338–341, 2011.

[103] Víctor Lavín Puente. Learning a subclass of k-quasi-horn formulas with membership queries. *Inf. Process. Lett.*, 111(11):550–555, 2011.

[104] Van Bang Le and Ngoc Tuy Nguyen. A good characterization of squares of strongly chordal split graphs. *Inf. Process. Lett.*, 111(3):120–123, 2011.

[105] Taehyung Lee, Joong Chae Na, and Kunsoo Park. On-line construction of parameterized suffix trees for large alphabets. *Inf. Process. Lett.*, 111(5):201–207, 2011.

[106] C.H. Li, X.F. Zhang, H. Jin, and W. Xiang. E-passport eac scheme based on identity-based cryptography. *Inf. Process. Lett.*, 111(1):26–30, 2010.

[107] Jing Li, Shiying Wang, and Di Liu. Pancyclicity of ternary n-cube networks under the conditional fault model. *Inf. Process. Lett.*, 111(8):370–374, 2011.

[108] M.S. Li, W.J. Tang, Q.H. Wu, and J.R. Saunders. Paired-bacteria optimiser — a simple and fast algorithm. *Inf. Process. Lett.*, 111(16):809–813, 2011.

[109] Ruilin Li, Bing Sun, Chao Li, and Jianxiong You. Differential fault analysis on sms4 using a single fault. *Inf. Process. Lett.*, 111(4):156–163, 2011.

[110] Shisheng Li, Jinjiang Yuan, and Baoqiang Fan. Unbounded parallel-batch scheduling with family jobs and delivery coordination. *Inf. Process. Lett.*, 111(12):575–582, 2011.

[111] Wenhua Li and Jinjiang Yuan. Online scheduling on unbounded parallel-batch machines to minimize maximum flow-time. *Inf. Process. Lett.*, 111(18):907–911, 2011.

[112] Xiaozhou Li, Atri Rudra, and Ram Swaminathan. Flexible coloring. *Inf. Process. Lett.*, 111(11):538–540, 2011.

[113] Yin Li, Gong-liang Chen, and Jian-hua Li. Speedup of bit-parallel karatsuba multiplier in $gf(2^m)$ generated by trinomials. *Inf. Process. Lett.*, 111(8):390–394, 2011.

[114] Zuosong Liang and Erfang Shan. Approximation algorithms for clique-transversal sets and clique-independent sets in cubic graphs. *Inf. Process. Lett.*, 111(23-24):1104–1107, 2011.

[115] J.B. Lima, D. Panario, and R.M. Campello de Souza. Public-key encryption based on chebyshev polynomials over gf(q). *Inf. Process. Lett.*, 111(2):51–56, 2010.

[116] Bertrand M.T. Lin and F.J. Hwang. Total completion time minimization in a 2-stage differentiation flowshop with fixed sequences per job type. *Inf. Process. Lett.*, 111(5):208–212, 2011.

[117] Chin-Yang Lin and Ting-Wei Hou. An efficient approach to cyclic reference counting based on a coarse-grained search. *Inf. Process. Lett.*, 111(1):1–10, 2010.

[118] Han-Yu Lin, Chien-Lung Hsu, and Shih-Kun Huang. Improved convertible authenticated encryption scheme with provable security. *Inf. Process. Lett.*, 111(13):661–666, 2011.

[119] Tiancheng Lou, Xiaoming Sun, and Christophe Tartary. Bounds and trade-offs for double-base number systems. *Inf. Process. Lett.*, 111(10):488–493, 2011.

[120] Giorgio Lucarelli and Ioannis Milis. Improved approximation algorithms for the max edge-coloring problem. *Inf. Process. Lett.*, 111(16):819–823, 2011.

[121] Yiyuan Luo, Xuejia Lai, and Zheng Gong. Pseudorandomness analysis of the (extended) lai-massey scheme. *Inf. Process. Lett.*, 111(2):90–96, 2010.

[122] Meijie Ma and Liying Zhu. The super connectivity of exchanged hypercubes. *Inf. Process. Lett.*, 111(8):360–364, 2011.

[123] Anil Maheshwari, Michiel Smid, and Norbert Zeh. Low-interference networks in metric spaces of bounded doubling dimension. *Inf. Process. Lett.*, 111(23-24):1120–1123, 2011.

[124] Sajjad Mahmood and Azhar Khan. An industrial study on the importance of software component documentation: A system integrator's perspective. *Inf. Process. Lett.*, 111(12):583–590, 2011.

[125] M. Malekimajd, M.R. Hoseiny-Farahabady, A. Movaghar, and H. Sarbazi-azad. Pancyclicity of otis (swapped) networks based on properties of the factor graph. *Inf. Process. Lett.*, 111(23-24):1114–1119, 2011.

[126] Francesco M. Malvestuto, Mauro Mezzini, and Marina Moscarini. Computing simple-path convex hulls in hypergraphs. *Inf. Process. Lett.*, 111(5):231–234, 2011.

[127] Toufik Mansour, Ghalib Nassar, and Vincent Vajnovszki. Loop-free gray code algorithm for the **e**-restricted growth functions. *Inf. Process. Lett.*, 111(11):541–544, 2011.

[128] Carles Martínez-García, Guillermo Navarro-Arribas, and Joan Borrell. Fuzzy role-based access control. *Inf. Process. Lett.*, 111(10):483–487, 2011.

[129] Yusuke Matsumoto, Naoyuki Kamiyama, and Keiko Imai. An approximation algorithm dependent on edge-coloring number for minimum maximal matching problem. *Inf. Process. Lett.*, 111(10):465–468, 2011.

[130] Cuixia Miao, Yuzhong Zhang, and Zhigang Cao. Bounded parallel-batch scheduling on single and multi machines for deteriorating jobs. *Inf. Process. Lett.*, 111(16):798–803, 2011.

[131] Lampis Michael. A kernel of order $2k - c\log k$ for vertex cover. *Inf. Process. Lett.*, 111(23-24):1089–1091, 2011.

[132] Xiao Min, Jing Liu, and Yuqing Wang. Optimal semi-online algorithms for scheduling problems with reassignment on two identical machines. *Inf. Process. Lett.*, 111(9):423–428, 2011.

[133] Ha Quang Minh. The regularized least squares algorithm and the problem of learning halfspaces. *Inf. Process. Lett.*, 111(8):395–401, 2011.

[134] Dustin Moody. Using 5-isogenies to quintuple points on elliptic curves. *Inf. Process. Lett.*, 111(7):314–317, 2011.

[135] Hiroki Morizumi. Improved approximation algorithms for minimum and-circuits problem via k-set cover. *Inf. Process. Lett.*, 111(5):218–221, 2011.

[136] Philippe Moser. A zero-one subexp-dimension law for bpp. *Inf. Process. Lett.*, 111(9):429–432, 2011.

[137] Gur Mosheiov. Proportionate flowshops with general position-dependent processing times. *Inf. Process. Lett.*, 111(4):174–177, 2011.

[138] N.S. Narayanaswamy and C.R. Subramanian. Dominating set based exact algorithms for 3-coloring. *Inf. Process. Lett.*, 111(6):251–255, 2011.

[139] Peter Nose. Security weaknesses of authenticated key agreement protocols. *Inf. Process. Lett.*, 111(14):687–696, 2011.

[140] Olivia Oanea. Boundedness of adaptive nets is decidable. *Inf. Process. Lett.*, 111(15):738–743, 2011.

[141] Francisco Ortin and Miguel García. Union and intersection types to support both dynamic and static typing. *Inf. Process. Lett.*, 111(6):278–286, 2011.

[142] Sarkar Palash. Tweakable enciphering schemes using only the encryption function of a block cipher. *Inf. Process. Lett.*, 111(19):945–955, 2011.

[143] Jean Marcel Pallo. Root-restricted kleenean rotations. *Inf. Process. Lett.*, 111(1):46–50, 2010.

[144] Moonju Park. Comments on “generalized rate monotonic schedulability bounds using relative period ratios”. *Inf. Process. Lett.*, 111(7):334–337, 2011.

[145] Yung-Hsing Peng, Chang-Biau Yang, Chiou-Ting Tseng, and Chiou-Yi Hor. The indexing for one-dimensional proportionally-scaled strings. *Inf. Process. Lett.*, 111(7):318–322, 2011.

[146] Alberto Policriti and Alexandru I. Tomescu. Counting extensional acyclic digraphs. *Inf. Process. Lett.*, 111(16):787–791, 2011.

[147] Víctor Lavín Puente and Montserrat Hermo. Negative results on learning multivalued dependencies with queries. *Inf. Process. Lett.*, 111(19):968–972, 2011.

[148] Haifeng Qian and Shouhuai Xu. Non-interactive multisignatures in the plain public-key model with efficient verification. *Inf. Process. Lett.*, 111(2):82–89, 2010.

[149] Narad Rampersad, Jeffrey Shallit, and Ming-wei Wang. Inverse star, borders, and palstars. *Inf. Process. Lett.*, 111(9):420–422, 2011.

[150] Yuster Raphael. A shortest cycle for each vertex of a graph. *Inf. Process. Lett.*, 111(21-22):1057–1061, 2011.

[151] Adam Roman. The *np*-completeness of the road coloring problem. *Inf. Process. Lett.*, 111(7):342–347, 2011.

[152] R.B. Sandeep. Perfectly colorable graphs. *Inf. Process. Lett.*, 111(19):960–961, 2011.

[153] Takashi Saso, Kojiro Kobayashi, and Atsuyoshi Nakamura. On the possible patterns of inputs for block sorting in the burrows-wheeler transformation. *Inf. Process. Lett.*, 111(12):595–599, 2011.

[154] Manfred Schmidt-Schauß, David Sabel, and Elena Machkasova. Counterexamples to applicative simulation and extensionality in non-deterministic call-by-need lambda-calculi with letrec. *Inf. Process. Lett.*, 111(14):711–716, 2011.

[155] Pascal Schweitzer and Patrick Schweitzer. Connecting face hitting sets in planar graphs. *Inf. Process. Lett.*, 111(1):11–15, 2010.

[156] Helmut Seidl and Andreas Reuß. Extending $\langle_1$-clauses with disequalities. *Inf. Process. Lett.*, 111(20):1007–1013, 2011.

[157] T. Shafiei, M.R. Hoseiny-Farahabady, A. Movaghar, and H. Sarbazi-Azad. On pancyclicity properties of otis-mesh. *Inf. Process. Lett.*, 111(8):353–359, 2011.

[158] Hai-zhong Shi, Pan-feng Niu, and Jian-bo Lu. One conjecture of bubble-sort graphs. *Inf. Process. Lett.*, 111(18):926–929, 2011.

[159] Iratxe Soraluze, Roberto Cortiñas, Alberto Lafuente, Mikel Larrea, and Felix Freiling. Communication-efficient failure detection and consensus in omission environments. *Inf. Process. Lett.*, 111(6):262–268, 2011.

[160] Jaechul Sung. Differential cryptanalysis of eight-round seed. *Inf. Process. Lett.*, 111(10):474–478, 2011.

[161] Hoda Taheri, Peyman Neamatollahi, and Mahmoud Naghibzadeh. A hybrid token-based distributed mutual exclusion algorithm using wraparound two-dimensional array logical topology. *Inf. Process. Lett.*, 111(17):841–847, 2011.

[162] Chunming Tang, Maozhi Xu, and Yanfeng Qi. Faster pairing computation on genus 2 hyperelliptic curves. *Inf. Process. Lett.*, 111(10):494–499, 2011.

[163] Qiang Tang and Liqun Chen. Extended kci attack against two-party key establishment protocols. *Inf. Process. Lett.*, 111(15):744–747, 2011.

[164] Alexander Thomasian and Jun Xu. x-code double parity array operation with two disk failures. *Inf. Process. Lett.*, 111(12):568–574, 2011.

[165] Ji Tian, Ruyan Fu, and Jinjiang Yuan. An on-line algorithm for the single machine unbounded parallel-batching scheduling with large delivery times. *Inf. Process. Lett.*, 111(21-22):1048–1053, 2011.

[166] Ping-Ying Tsai. A note on an optimal result on fault-tolerant cycle-embedding in alternating group graphs. *Inf. Process. Lett.*, 111(8):375–378, 2011.

[167] Jianhua Tu and Wenli Zhou. A factor 2 approximation algorithm for the vertex cover p_3 problem. *Inf. Process. Lett.*, 111(14):683–686, 2011.

[168] V. Vajnovszki and R. Vernay. Restricted compositions and permutations: From old to new gray codes. *Inf. Process. Lett.*, 111(13):650–655, 2011.

[169] Rob J. van Glabbeek, Ursula Goltz, and Jens-Wolfhard Schicke. Abstract processes of place/transition systems. *Inf. Process. Lett.*, 111(13):626–633, 2011.

[170] Madars Virza. Sensitivity versus block sensitivity of boolean functions. *Inf. Process. Lett.*, 111(9):433–435, 2011.

[171] Bing Wang and Jian-Liang Wu. Total coloring of planar graphs with maximum degree 7. *Inf. Process. Lett.*, 111(20):1019–1021, 2011.

[172] Bo-Yi Wang and Hsueh-I Lu. Two-dimensional homing sort. *Inf. Process. Lett.*, 111(21-22):1067–1071, 2011.

[173] Feng Wang and Wensong Lin. Group path covering and distance two labeling of graphs. *Inf. Process. Lett.*, 111(13):621–625, 2011.

[174] Xu An Wang, Jian Weng, Xiaoyuan Yang, and Yanjiang Yang. Cryptanalysis of an identity based broadcast encryption scheme without random oracles. *Inf. Process. Lett.*, 111(10):461–464, 2011.

[175] Yongge Wang and Yvo Desmedt. Edge-colored graphs with applications to homogeneous faults. *Inf. Process. Lett.*, 111(13):634–641, 2011.

[176] Oren Weimann and David Peleg. A note on exact distance labeling. *Inf. Process. Lett.*, 111(14):671–673, 2011.

[177] Chih-Jen Wu, Yu-Wei Chen, and Yue-Li Wang. The minimum bandwidth required at each time slot of the fast broadcasting scheme. *Inf. Process. Lett.*, 111(20):1014–1018, 2011.

[178] Qian Wu, Qiuli Lu, and Yingqian Wang. $(\delta + 1)$-total-colorability of plane graphs of maximum degree $\delta \geq 6$, with neither chordal 5-cycle nor chordal 6-cycle. *Inf. Process. Lett.*, 111(15):767–772, 2011.

[179] Haifeng Xu, Lin Chen, Deshi Ye, and Guochuan Zhang. Scheduling on two identical machines with a speed-up resource. *Inf. Process. Lett.*, 111(17):831–835, 2011.

[180] XueLin Xu, ZongSheng Gao, and Ke Xu. A tighter upper bound for random max 2-sat. *Inf. Process. Lett.*, 111(3):115–119, 2011.

[181] Yian Xu. On acyclic edge coloring of toroidal graphs. *Inf. Process. Lett.*, 111(13):647–649, 2011.

[182] Zhenpeng Xu, Chaoguang Men, Weiwei Li, and Xiang Li. Checkpoint scheduling model for optimality. *Inf. Process. Lett.*, 111(19):979–984, 2011.

[183] Guofeng Yan, Jianxin Wang, and Shuhong Chen. Performance analysis for x, s-bottleneck cell in large-scale wireless networks. *Inf. Process. Lett.*, 111(6):269–277, 2011.

[184] Li Yan and Marek Chrobak. Approximation algorithms for the fault-tolerant facility placement problem. *Inf. Process. Lett.*, 111(11):545–549, 2011.

[185] Erjie Yang, Xiaofan Yang, Qiang Dong, and Jing Li. Conditional diagnosability of hypermeshes under the comparison model. *Inf. Process. Lett.*, 111(4):188–193, 2011.

[186] Fan Yang and Xiangwen Li. Nowhere-zero 3-flows in dihedral cayley graphs. *Inf. Process. Lett.*, 111(9):416–419, 2011.

[187] Erlin Yao, Yungang Bao, and Mingyu Chen. What hill-marty model learn from and break through amdahl's law? *Inf. Process. Lett.*, 111(23-24):1092–1095, 2011.

[188] Chenfu Yi, Yuhuan Chen, and Zhongliang Lu. Improved gradient-based neural networks for online solution of lyapunov matrix equation. *Inf. Process. Lett.*, 111(16):780–786, 2011.

[189] Chen Yuan and Haibin Kan. Holographic reduction for some counting problems. *Inf. Process. Lett.*, 111(15):761–766, 2011.

[190] Dae Hyun Yum and Pil Joong Lee. On the average cost of order-preserving encryption based on hypergeometric distribution. *Inf. Process. Lett.*, 111(19):956–959, 2011.

[191] Filmus Yuval. Lower bounds for context-free grammars. *Inf. Process. Lett.*, 111(18):895–898, 2011.

[192] Eugen Zălinescu. Shorter strings containing all k-element permutations. *Inf. Process. Lett.*, 111(12):605–608, 2011.

[193] Mariano Zelke. Intractability of min- and max-cut in streaming graphs. *Inf. Process. Lett.*, 111(3):145–150, 2011.

[194] Chi Zhang. An improved lower bound on query complexity for quantum pac learning. *Inf. Process. Lett.*, 111(1):40–45, 2010.

[195] Guiqing Zhang, Chung Keung Poon, and Yinfeng Xu. The ski-rental problem with multiple discount options. *Inf. Process. Lett.*, 111(18):903–906, 2011.

[196] Jinshan Zhang, Heng Liang, and Fengshan Bai. Approximating partition functions of the two-state spin system. *Inf. Process. Lett.*, 111(14):702–710, 2011.

[197] Kejia Zhang, Hong Gao, and Jianzhong Li. Finding multiple induced disjoint paths in general graphs. *Inf. Process. Lett.*, 111(20):1022–1026, 2011.

[198] Liyu Zhang. Proof system representations of degrees of disjoint np-pairs. *Inf. Process. Lett.*, 111(7):348–351, 2011.

[199] Wenming Zhang, Yinfeng Xu, Feifeng Zheng, and Ming Liu. Online algorithms for the general k-search problem. *Inf. Process. Lett.*, 111(14):678–682, 2011.

[200] Xia Zhang and Guizhen Liu. On edge covering colorings of graphs. *Inf. Process. Lett.*, 111(20):1004–1006, 2011.

[201] Xin Zhang and Jian-Liang Wu. On edge colorings of 1-planar graphs. *Inf. Process. Lett.*, 111(3):124–128, 2011.

[202] Xindong Zhang, Juan Liu, Xing Chen, and Jixiang Meng. Domination number of cartesian products of directed cycles. *Inf. Process. Lett.*, 111(1):36–39, 2010.

[203] Yong Zhang, Zhuo Chang, Francis Y.L. Chin, Hing-Fung Ting, and Yung H. Tsin. Uniformly inserting points on square grid. *Inf. Process. Lett.*, 111(16):773–779, 2011.

[204] Yong Zhang, Weiguo Zhang, Weijun Xu, and Hongyi Li. A risk-reward model for the on-line leasing of depreciable equipment. *Inf. Process. Lett.*, 111(6):256–261, 2011.

[205] Chunyan Zhao and Zhiming Zheng. Threshold behaviors of a random constraint satisfaction problem with exact phase transitions. *Inf. Process. Lett.*, 111(20):985–988, 2011.

[206] Jin-Xin Zhou and Yan-Quan Feng. Super-connected but not super edge-connected graphs. *Inf. Process. Lett.*, 111(1):22–25, 2010.

[207] Shuming Zhou and Jun-Ming Xu. Conditional fault tolerance of arrangement graphs. *Inf. Process. Lett.*, 111(21-22):1037–1043, 2011.

[208] Sizhong Zhou and Jiashang Jiang. Toughness and (a, b, k)-critical graphs. *Inf. Process. Lett.*, 111(9):403–407, 2011.

[209] Wujun Zhou, Jianxi Fan, Xiaohua Jia, and Shukui Zhang. The spined cube: A new hypercube variant with smaller diameter. *Inf. Process. Lett.*, 111(12):561–567, 2011.

[210] Jianghan Zhu, Xiaomin Zhu, and Jianqing Jiang. Improving adaptivity and fairness of processing real-time tasks with qos requirements on clusters through dynamic scheduling. *Inf. Process. Lett.*, 111(12):609–613, 2011.