References

[1] Luigi Acerbi, Alberto Dennunzio, and Enrico Formenti. Surjective multidimensional cellular automata are non-wandering: A combinatorial proof. *Inf. Process. Lett.*, 113(5-6):156–159, 2013.

[2] A. Ahadi and A. Dehghan. The complexity of the proper orientation number. *Inf. Process. Lett.*, 113(19-21):799–803, 2013.

[3] Zahra Ahmadian, Mahmoud Salmasizadeh, and Mohammad Reza Aref. Desynchronization attack on rapp ultralightweight authentication protocol. *Inf. Process. Lett.*, 113(7):205–209, 2013.

[4] Kamal Al-Bawani and Alexander Souza. Buffer overflow management with class segregation. *Inf. Process. Lett.*, 113(4):145–150, 2013.

[5] Muhammad Rashed Alam and M. Sohel Rahman. A divide and conquer approach and a work-optimal parallel algorithm for the lis problem. *Inf. Process. Lett.*, 113(13):470–476, 2013.

[6] Panagiotis D. Alevizos. An optimal algorithm for computing the non-trivial circuits of a union of iso-oriented rectangles. *Inf. Process. Lett.*, 113(3):55–59, 2013.

[7] Laurent Alonso and Edward M. Reingold. Analysis of boyer and moore's MJRTY algorithm. *Inf. Process. Lett.*, 113(13):495–497, 2013.

[8] Riham AlTawy, Aleksandar Kircanski, and Amr Youssef. Second order collision for the 42-step reduced dha-256 hash function. *Inf. Process. Lett.*, 113(19-21):764–770, 2013.

[9] Amihood Amir, Haim Paryenty, and Liam Roditty. On the hardness of the consensus string problem. *Inf. Process. Lett.*, 113(10-11):371–374, 2013.

[10] Mikhail J. Atallah, Elena Grigorescu, and Yi Wu. A lower-variance randomized algorithm for approximate string matching. *Inf. Process. Lett.*, 113(18):690–692, 2013.

[11] Giuseppe Ateniese, Alfredo De Santis, Anna Lisa Ferrara, and Barbara Masucci. A note on time-bound hierarchical key assignment schemes. *Inf. Process. Lett.*, 113(5-6):151–155, 2013.

[12] T. Avitabile, C. Mathieu, and L. Parkinson. Online constrained optimization with recourse. *Inf. Process. Lett.*, 113(3):81–86, 2013.

[13] Guy Avni and Orna Kupferman. When does abstraction help? *Inf. Process. Lett.*, 113(22-24):901–905, 2013.

[14] Golnaz Badkobeh, Gabriele Fici, Steve Kroon, and Zsuzsanna Lipták. Binary jumbled string matching for highly run-length compressible texts. *Inf. Process. Lett.*, 113(17):604–608, 2013.

[15] Yoo-Jin Baek. Scalar recoding and regular 2^w-ary right-to-left ec scalar multiplication algorithm. *Inf. Process. Lett.*, 113(10-11):357–360, 2013.

[16] Alessandro Barenghi, Stefano Crespi Reghizzi, Dino Mandrioli, and Matteo Pradella. Parallel parsing of operator precedence grammars. *Inf. Process. Lett.*, 113(7):245–249, 2013.

[17] Jean-Luc Baril. Statistics-preserving bijections between classical and cyclic permutations. *Inf. Process. Lett.*, 113(1-2):17–22, 2013.

[18] G. Barmpalias, R. Hölzl, A.E.M. Lewis, and W. Merkle. Analogues of chaitin's omega in the computably enumerable sets. *Inf. Process. Lett.*, 113(5-6):171–178, 2013.

[19] Olaf Beyersdorff, Nicola Galesi, and Massimo Lauria. A characterization of tree-like resolution size. *Inf. Process. Lett.*, 113(18):666–671, 2013.

[20] Andreas Björklund and Petteri Kaski. Counting closed trails. *Inf. Process. Lett.*, 113(1-2):1–3, 2013.

[21] Beate Bollig and Michael Capelle. Priority functions for the approximation of the metric tsp. *Inf. Process. Lett.*, 113(14-16):584–591, 2013.

[22] Vincenzo Bonifaci. Physarum can compute shortest paths: A short proof. *Inf. Process. Lett.*, 113(1-2):4–7, 2013.

[23] Flavia Bonomo, Monia Giandomenico, and Fabrizio Rossi. A note on the cornaz-jost transformation to solve the graph coloring problem. *Inf. Process. Lett.*, 113(18):649–652, 2013.

[24] Nina Brandstätter, Wilfried Meidl, and Arne Winterhof. Addendum to sidel'nikov sequences over nonprime fields. *Inf. Process. Lett.*, 113(9):332–336, 2013.

[25] Tiziana Calamoneri. Optimal $l(\delta_1, \delta_2, 1)$-labeling of eight-regular grids. *Inf. Process. Lett.*, 113(10-11):361–364, 2013.

[26] Arnaud Carayol and Zoltán Ésik. The fc-rank of a context-free language. *Inf. Process. Lett.*, 113(8):285–287, 2013.

[27] Aleksandr Cariow and Galina Cariowa. An algorithm for fast multiplication of sedenions. *Inf. Process. Lett.*, 113(9):324–331, 2013.

[28] Ondřej Čepek, Petr Kučera, and Stanislav Kuřík. Boolean functions with long prime implicants. *Inf. Process. Lett.*, 113(19-21):698–703, 2013.

[29] Marcos Lordello Chaim and Roberto Paulo Andrioli de Araujo. An efficient bitwise algorithm for intra-procedural data-flow testing coverage. *Inf. Process. Lett.*, 113(8):293–300, 2013.

[30] Ching-Lueh Chang. Deterministic sublinear-time approximations for metric 1-median selection. *Inf. Process. Lett.*, 113(8):288–292, 2013.

[31] Maw-Shang Chang, Chuang-Chieh Lin, and Peter Rossmanith. Testing consistency of quartet topologies: A parameterized approach. *Inf. Process. Lett.*, 113(22-24):852–857, 2013.

[32] Danny Z. Chen and Haitao Wang. A note on searching line arrangements and applications. *Inf. Process. Lett.*, 113(14-16):518–521, 2013.

[33] Qi Chen, Dingyi Pei, Chunming Tang, and Gansen Zhao. Efficient integer span program for hierarchical threshold access structure. *Inf. Process. Lett.*, 113(17):621–627, 2013.

[34] Taolue Chen, Tingting Han, and Marta Kwiatkowska. On the complexity of model checking interval-valued discrete time markov chains. *Inf. Process. Lett.*, 113(7):210–216, 2013.

[35] Xin Chen, Zhenzhen Xu, György Dósa, Xin Han, and He Jiang. Semi-online hierarchical scheduling problems with buffer or rearrangements. *Inf. Process. Lett.*, 113(4):127–131, 2013.

[36] Yong Chen, An Zhang, Guangting Chen, and Jianming Dong. Approximation algorithms for parallel open shop scheduling. *Inf. Process. Lett.*, 113(7):220–224, 2013.

[37] Yuhuan Chen, Chenfu Yi, and Dengyu Qiao. Improved neural solution for the lyapunov matrix equation based on gradient search. *Inf. Process. Lett.*, 113(22-24):876–881, 2013.

[38] Eddie Cheng, László Lipták, and Daniel E. Steffy. Strong local diagnosability of (n, k)-star graphs and cayley graphs generated by 2-trees with missing edges. *Inf. Process. Lett.*, 113(12):452–456, 2013.

[39] Qi Cheng and Jincheng Zhuang. On certain computations of pisot numbers. *Inf. Process. Lett.*, 113(8):271–275, 2013.

[40] Ji-Jian Chin, Syh-Yuan Tan, Swee-Huay Heng, and Raphael C.-W. Phan. On the security of a modified beth identity-based identification scheme. *Inf. Process. Lett.*, 113(14-16):580–583, 2013.

[41] A. Çivril. A note on the hardness of sparse approximation. *Inf. Process. Lett.*, 113(14-16):543–545, 2013.

[42] Daniel W. Cranston and Suil O. Hamiltonicity in connected regular graphs. *Inf. Process. Lett.*, 113(22-24):858–860, 2013.

[43] M. Crochemore, C.S. Iliopoulos, T. Kociumaka, M. Kubica, J. Pachocki, J. Radoszewski, W. Rytter, W. Tyczyński, and T. Waleń. A note on efficient computation of all abelian periods in a string. *Inf. Process. Lett.*, 113(3):74–77, 2013.

[44] Marek Cygan and Marcin Pilipczuk. Split Vertex Deletion meets vertex cover: New fixed-parameter and exact exponential-time algorithms. *Inf. Process. Lett.*, 113(5-6):179–182, 2013.

[45] Július Czap. A note on total colorings of 1-planar graphs. *Inf. Process. Lett.*, 113(14-16):516–517, 2013.

[46] Benqiu Dai and Wensong Lin. On s, t-relaxed $l(2, 1)$-labelings of the square lattice. *Inf. Process. Lett.*, 113(19-21):704–709, 2013.

[47] Sudipta Das, Lawrence Jenkins, and Debasis Sengupta. Loss ratio of the edf scheduling policy with early discarding technique. *Inf. Process. Lett.*, 113(5-6):165–170, 2013.

[48] Brian C. Dean and Raghuveer Mohan. Building cartesian trees from free trees with k leaves. *Inf. Process. Lett.*, 113(9):345–349, 2013.

[49] Walter Didimo. Density of straight-line 1-planar graph drawings. *Inf. Process. Lett.*, 113(7):236–240, 2013.

[50] Benjamin Doerr. Improved approximation algorithms for the min-max selecting items problem. *Inf. Process. Lett.*, 113(19-21):747–749, 2013.

[51] Deshuai Dong, Xue Zhang, Longjiang Qu, and Shaojing Fu. A note on vectorial bent functions. *Inf. Process. Lett.*, 113(22-24):866–870, 2013.

[52] Andrzej Dudek, Alan Frieze, Andrzej Ruciński, and Matas Šileikis. Approximate counting of regular hypergraphs. *Inf. Process. Lett.*, 113(19-21):785–788, 2013.

[53] Lech Duraj. A linear algorithm for 3-letter longest common weakly increasing subsequence. *Inf. Process. Lett.*, 113(3):94–99, 2013.

[54] Amit Kumar Dutta, Masud Hasan, and M. Sohel Rahman. Prefix transpositions on binary and ternary strings. *Inf. Process. Lett.*, 113(8):265–270, 2013.

[55] Paul Dütting, Monika Henzinger, and Ingmar Weber. Sponsored search, market equilibria, and the hungarian method. *Inf. Process. Lett.*, 113(3):67–73, 2013.

[56] Edith Elkind and James B. Orlin. On the hardness of finding subsets with equal average. *Inf. Process. Lett.*, 113(13):477–480, 2013.

[57] Javier Esparza, Andreas Gaiser, and Stefan Kiefer. A strongly polynomial algorithm for criticality of branching processes and consistency of stochastic context-free grammars. *Inf. Process. Lett.*, 113(10-11):381–385, 2013.

[58] Zahra Farzanyar, Mohammadreza Kangavari, and Nick Cercone. P2p-fism: Mining (recently) frequent item sets from distributed data

streams over p2p network. *Inf. Process. Lett.*, 113(19-21):793–798, 2013.

[59] Tomás Feder and Carlos Subi. Edge-coloring almost bipartite multigraphs. *Inf. Process. Lett.*, 113(18):685–689, 2013.

[60] Jun Feng, Xueming Wang, and Hong Sun. Efficiently computable endomorphism for genus 3 hyperelliptic curve cryptosystems. *Inf. Process. Lett.*, 113(12):405–408, 2013.

[61] Yuan Feng and Lijun Zhang. A tighter bound for the self-stabilization time in herman's algorithm. *Inf. Process. Lett.*, 113(13):486–488, 2013.

[62] Yun Feng and Wensong Lin. A concise proof for total coloring subcubic graphs. *Inf. Process. Lett.*, 113(18):664–665, 2013.

[63] Yuval Filmus. Inequalities on submodular functions via term rewriting. *Inf. Process. Lett.*, 113(13):457–464, 2013.

[64] Hervé Fournier and Antoine Vigneron. A deterministic algorithm for fitting a step function to a weighted point-set. *Inf. Process. Lett.*, 113(3):51–54, 2013.

[65] Shinya Fujita and Linda Lesniak. Revisit of erdős-gallai's theorem on the circumference of a graph. *Inf. Process. Lett.*, 113(17):646–648, 2013.

[66] Toshihiro Fujito and Takayoshi Sakamaki. How to guard a graph against tree moves. *Inf. Process. Lett.*, 113(19-21):844–847, 2013.

[67] David Galindo. A note on an ind-cca2 secure paillier-based cryptosystem. *Inf. Process. Lett.*, 113(22-24):913–914, 2013.

[68] Yang Gao, Ming Xu, Naijun Zhan, and Lijun Zhang. Model checking conditional csl for continuous-time markov chains. *Inf. Process. Lett.*, 113(1-2):44–50, 2013.

[69] Enrique Gerstl and Gur Mosheiov. An improved algorithm for due-window assignment on parallel identical machines with unit-time jobs. *Inf. Process. Lett.*, 113(19-21):754–759, 2013.

[70] Debashis Ghosh and Lakshmi Kanta Dey. A new upper bound on the parameters of quasi-symmetric designs. *Inf. Process. Lett.*, 113(12):444–446, 2013.

[71] Emanuele Giaquinta and Szymon Grabowski. New algorithms for binary jumbled pattern matching. *Inf. Process. Lett.*, 113(14-16):538–542, 2013.

[72] Emanuele Giaquinta, Szymon Grabowski, and Kimmo Fredriksson. Approximate pattern matching with k-mismatches in packed text. *Inf. Process. Lett.*, 113(19-21):693–697, 2013.

[73] Petr A. Golovach, Pinar Heggernes, Pim van 't Hof, and Daniël Paulusma. Choosability on h-free graphs. *Inf. Process. Lett.*, 113(4):107–110, 2013.

[74] Abishek Gopalan and Srinivasan Ramasubramanian. A counterexample for the proof of implication conjecture on independent spanning trees. *Inf. Process. Lett.*, 113(14-16):522–526, 2013. see Corrigendum in Inf. Process. Lett., Vol 114, 2014, No. 1-2, 84-84.

[75] Jelena Govorčin, Martin Knor, and Riste Škrekovski. Line graph operation and small worlds. *Inf. Process. Lett.*, 113(5-6):196–200, 2013.

[76] Jarosław Grytczuk, Piotr Szafruga, and Michał Zmarz. Online version of the theorem of thue. *Inf. Process. Lett.*, 113(5-6):193–195, 2013.

[77] Li Guan and Jianping Li. Coordination mechanism for selfish scheduling under a grade of service provision. *Inf. Process. Lett.*, 113(8):251–254, 2013.

[78] Sylvain Guillemot and Dániel Marx. A faster fpt algorithm for bipartite contraction. *Inf. Process. Lett.*, 113(22-24):906–912, 2013.

[79] Qiaoping Guo, Shengjia Li, Gaokui Xu, and Yubao Guo. Notes on vertex pancyclicity of graphs. *Inf. Process. Lett.*, 113(19-21):710–713, 2013.

[80] G. Gutin, G. Muciaccia, and A. Yeo. (non-)existence of polynomial kernels for the test cover problem. *Inf. Process. Lett.*, 113(4):123–126, 2013.

[81] Masud Hasan. On fixed size projection of simplicial polyhedra. *Inf. Process. Lett.*, 113(22-24):882–887, 2013.

[82] Javier Herranz, Alexandre Ruiz, and Germán Sáez. Sharing many secrets with computational provable security. *Inf. Process. Lett.*, 113(14-16):572–579, 2013.

[83] John M. Hitchcock and Elvira Mayordomo. Base invariance of feasible dimension. *Inf. Process. Lett.*, 113(14-16):546–551, 2013.

[84] Hervé Hocquard, Pascal Ochem, and Petru Valicov. Strong edge-colouring and induced matchings. *Inf. Process. Lett.*, 113(19-21):836–843, 2013.

[85] Aleksandar Ilić. Efficient algorithm for the vertex connectivity of trapezoid graphs. *Inf. Process. Lett.*, 113(10-11):398–404, 2013.

[86] Gerard Jennhwa Chang, Chan-Wei Chang, David Kuo, and Sheung-Hung Poon. Algorithmic aspect of stratified domination in graphs. *Inf. Process. Lett.*, 113(22-24):861–865, 2013.

[87] Alexander Kantor and Kobbi Nissim. Attacks on statistical databases: The highly noisy case. *Inf. Process. Lett.*, 113(12):409–413, 2013.

[88] Kalpesh Kapoor and Himadri Nayak. On multiset of factors of a word. *Inf. Process. Lett.*, 113(3):78–80, 2013.

[89] Orhun Kara. Square reflection cryptanalysis of 5-round feistel networks with permutations. *Inf. Process. Lett.*, 113(19-21):827–831, 2013.

[90] Osman Karaahmetoğlu, Muharrem Tolga Sakallı, Ercan Buluş, and Ion Tutănescu. A new method to determine algebraic expression of power mapping based s-boxes. *Inf. Process. Lett.*, 113(7):229–235, 2013.

[91] F. Karakoç, H. Demirci, and A.E. Harmanc. Biclique cryptanalysis of lblock and twine. *Inf. Process. Lett.*, 113(12):423–429, 2013.

[92] Marek Karpinski, Andrzej Lingas, and Dzmitry Sledneu. Optimal cuts and partitions in tree metrics in polynomial time. *Inf. Process. Lett.*, 113(12):447–451, 2013.

[93] Adam Kasperski, Adam Kurpisz, and Paweł Zieliński. Approximating the min-max (regret) selecting items problem. *Inf. Process. Lett.*, 113(1-2):23–29, 2013.

[94] Pinhui Ke, Wanghong Yu, and Zuling Chang. A note on binary sequence pairs with two-level correlation. *Inf. Process. Lett.*, 113(19-21):811–814, 2013.

[95] Riadh Khennoufa, Hamida Seba, and Hamamache Kheddouci. Edge coloring total k-labeling of generalized petersen graphs. *Inf. Process. Lett.*, 113(13):489–494, 2013.

[96] Stefan Kiefer. Bpa bisimilarity is exptime-hard. *Inf. Process. Lett.*, 113(4):101–106, 2013.

[97] Shmuel T. Klein. On the connection between hamming codes, heapsort and other methods. *Inf. Process. Lett.*, 113(17):617–620, 2013.

[98] Ilker Kocabaş and Bekir Taner Dinçer. A new statistical strategy for pooling: Eli. *Inf. Process. Lett.*, 113(19-21):739–746, 2013.

[99] Stavros G. Kolliopoulos and Yannis Moysoglou. The 2-valued case of makespan minimization with assignment constraints. *Inf. Process. Lett.*, 113(1-2):39–43, 2013.

[100] R. Krithika and N.S. Narayanaswamy. Another disjoint compression algorithm for odd cycle transversal. *Inf. Process. Lett.*, 113(22-24):849–851, 2013.

[101] Marcin Krzywkowski. Trees having many minimal dominating sets. *Inf. Process. Lett.*, 113(8):276–279, 2013.

[102] M. Kubica, T. Kulczyński, J. Radoszewski, W. Rytter, and T. Waleń. A linear time algorithm for consecutive permutation pattern matching. *Inf. Process. Lett.*, 113(12):430–433, 2013.

[103] Gregory Kucherov, Lilla Tóthmérész, and Stéphane Vialette. On the combinatorics of suffix arrays. *Inf. Process. Lett.*, 113(22-24):915–920, 2013.

[104] Mario Lamberger and Elmar Teufl. Memoryless near-collisions, revisited. *Inf. Process. Lett.*, 113(3):60–66, 2013.

[105] Xiang-Jun Li and Jun-Ming Xu. Edge-fault tolerance of hypercube-like networks. *Inf. Process. Lett.*, 113(19-21):760–763, 2013.

[106] Xiang-Jun Li and Jun-Ming Xu. Generalized measures of fault tolerance in exchanged hypercubes. *Inf. Process. Lett.*, 113(14-16):533–537, 2013.

[107] Hao Liang and Jun-Ming Xu. Minimum feedback arc set of m-free digraphs. *Inf. Process. Lett.*, 113(8):260–264, 2013.

[108] Lan Lin and Yixun Lin. Machine scheduling with contiguous processing constraints. *Inf. Process. Lett.*, 113(8):280–284, 2013.

[109] Min-Sheng Lin and Chao-Chun Ting. Computing k-terminal reliability of d-trapezoid graphs. *Inf. Process. Lett.*, 113(19-21):734–738, 2013.

[110] Yiguang Liu, Stan Z. Li, Wei Wu, and Ronggang Huang. Dynamics of a mean-shift-like algorithm and its applications on clustering. *Inf. Process. Lett.*, 113(1-2):8–16, 2013.

[111] Yong-Jin Liu and Kai Tang. The complexity of geodesic voronoi diagrams on triangulated 2-manifold surfaces. *Inf. Process. Lett.*, 113(4):132–136, 2013.

[112] Daniel Lokshtanov, Neeldhara Misra, and Saket Saurabh. Imbalance is fixed parameter tractable. *Inf. Process. Lett.*, 113(19-21):714–718, 2013.

[113] Vadim Lozin and Christopher Purcell. Boundary properties of the satisfiability problems. *Inf. Process. Lett.*, 113(9):313–317, 2013.

[114] Linzhen Lu and Shaozhen Chen. A compress slide attack on the full gost block cipher. *Inf. Process. Lett.*, 113(17):634–639, 2013.

[115] Fabrizio Luccio and Linda Pagli. Chain rotations: A new look at tree distance. *Inf. Process. Lett.*, 113(7):201–204, 2013.

[116] Ran Ma and Jinjiang Yuan. Online scheduling on a single machine with rejection under an agreeable condition to minimize the total completion time plus the total rejection cost. *Inf. Process. Lett.*, 113(17):593–598, 2013.

[117] Arpita Maitra and Goutam Paul. Eavesdropping in semiquantum key distribution protocol. *Inf. Process. Lett.*, 113(12):418–422, 2013.

[118] Toufik Mansour and Vincent Vajnovszki. Efficient generation of restricted growth words. *Inf. Process. Lett.*, 113(17):613–616, 2013.

[119] J. Mark Keil and D. Pradhan. Computing a minimum outer-connected dominating set for the class of chordal graphs. *Inf. Process. Lett.*, 113(14-16):552–561, 2013.

[120] Chandrashekhar Meshram and Suchitra A. Meshram. An identity-based cryptographic model for discrete logarithm and integer factoring based cryptosystem. *Inf. Process. Lett.*, 113(10-11):375–380, 2013.

[121] Paweł Morawiecki and Marian Srebrny. A sat-based preimage analysis of reduced KECCAK hash functions. *Inf. Process. Lett.*, 113(10-11):392–397, 2013.

[122] Raffaele Mosca. Maximum weight independent sets in (p_6, co-banner)-free graphs. *Inf. Process. Lett.*, 113(3):89–93, 2013.

[123] Ben Moszkowski. Interconnections between classes of sequentially compositional temporal formulas. *Inf. Process. Lett.*, 113(9):350–353, 2013.

[124] Danupon Nanongkai. Simple fptas for the subset-sums ratio problem. *Inf. Process. Lett.*, 113(19-21):750–753, 2013.

[125] Bo Ning. Fan-type degree condition restricted to triples of induced subgraphs ensuring hamiltonicity. *Inf. Process. Lett.*, 113(19-21):823–826, 2013.

[126] Jinsoo Oh, Jin Kim, and Byung-Ro Moon. On the inequivalence of bilinear algorithms for 3×3 matrix multiplication. *Inf. Process. Lett.*, 113(17):640–645, 2013.

[127] Sung-il Pae. Exact output rate of peres's algorithm for random number generation. *Inf. Process. Lett.*, 113(5-6):160–164, 2013.

[128] B.S. Panda and S. Paul. A linear time algorithm for liar's domination problem in proper interval graphs. *Inf. Process. Lett.*, 113(19-21):815–822, 2013.

[129] Liaojun Pang, Huixian Li, Qingqi Pei, and Yumin Wang. Improvement on meshram et al.'s id-based cryptographic mechanism. *Inf. Process. Lett.*, 113(19-21):789–792, 2013.

[130] Jung-Heum Park and Insung Ihm. Single-source three-disjoint path covers in cubes of connected graphs. *Inf. Process. Lett.*, 113(14-16):527–532, 2013.

[131] Sun-Mi Park, Ku-Young Chang, and Dowon Hong. Parallel $gf(3^m)$ multiplier for trinomials. *Inf. Process. Lett.*, 113(4):111–115, 2013.

[132] Xi Peng, Zhang Yi, Xiao-Yong Wei, De-Zhong Peng, and Yong-Sheng Sang. Free-gram phrase identification for modeling chinese text. *Inf. Process. Lett.*, 113(4):137–144, 2013.

[133] Asnath Victy Phamila Y and R Amutha. Low complexity energy efficient very low bit-rate image compression scheme for wireless sensor network. *Inf. Process. Lett.*, 113(18):672–676, 2013.

[134] Parvathi Rangasamy, Muhammad Akram, and S. Thilagavathi. Intuitionistic fuzzy shortest hyperpath in a network. *Inf. Process. Lett.*, 113(17):599–603, 2013.

[135] Jianfeng Ren, Donglei Du, and Dachuan Xu. The complexity of two supply chain scheduling problems. *Inf. Process. Lett.*, 113(17):609–612, 2013.

[136] Romeo Rizzi and Alexandru I. Tomescu. Ranking, unranking and random generation of extensional acyclic digraphs. *Inf. Process. Lett.*, 113(5-6):183–187, 2013.

[137] Daniel Rotter and Jens Vygen. d-dimensional arrangement revisited. *Inf. Process. Lett.*, 113(13):498–505, 2013.

[138] Biswajit Sanyal, Prosenjit Gupta, and Subhashis Majumder. Colored top-k range-aggregate queries. *Inf. Process. Lett.*, 113(19-21):777–784, 2013.

[139] Markus L. Schmid. A note on the complexity of matching patterns with variables. *Inf. Process. Lett.*, 113(19-21):729–733, 2013.

[140] Jens M. Schmidt. A simple test on 2-vertex- and 2-edge-connectivity. *Inf. Process. Lett.*, 113(7):241–244, 2013.

[141] Manuel Schmitt and Rolf Wanka. Exploiting independent subformulas: A faster approximation scheme for #k-sat. *Inf. Process. Lett.*, 113(9):337–344, 2013.

[142] Chan-Su Shin. A note on minimum-sum coverage by aligned disks. *Inf. Process. Lett.*, 113(22-24):871–875, 2013.

[143] Igor E. Shparlinski. Correcting noisy exponentiation black-boxes modulo a prime. *Inf. Process. Lett.*, 113(12):414–417, 2013.

[144] D.R. Simões, J. Portugheis, and Jr. da Rocha, V.C. Universal homophonic coding scheme using differential encoding and interleaving. *Inf. Process. Lett.*, 113(17):628–633, 2013.

[145] Lucy Small and Oliver Mason. Nash equilibria for competitive information diffusion on trees. *Inf. Process. Lett.*, 113(7):217–219, 2013.

[146] A.V. Sokolov and A.V. Drac. The linked list representation of n lifo-stacks and/or fifo-queues in the single-level memory. *Inf. Process. Lett.*, 113(19-21):832–835, 2013.

[147] L.S. Sousa, J.C.B. Leite, and Orlando Loques. Green data centers: Using hierarchies for scalable energy efficiency in large web clusters. *Inf. Process. Lett.*, 113(14-16):507–515, 2013.

[148] Bart Steyaert, Dieter Claeys, and Herwig Bruneel. The burst factor and its impact on buffer performance. *Inf. Process. Lett.*, 113(18):681–684, 2013.

[149] Hongyang Sun and Rui Fan. Improved semi-online makespan scheduling with a reordering buffer. *Inf. Process. Lett.*, 113(12):434–439, 2013.

[150] Vasin Suttichaya and Pattarasinee Bhattarakosol. Solving the learning parity with noise's open question. *Inf. Process. Lett.*, 113(14-16):562–566, 2013.

[151] Dekel Tsur. Top-k document retrieval in optimal space. *Inf. Process. Lett.*, 113(12):440–443, 2013.

[152] Jianhua Tu and Fengmei Yang. The vertex cover p_3 problem in cubic graphs. *Inf. Process. Lett.*, 113(13):481–485, 2013.

[153] Volker Turau. Self-stabilizing algorithms for efficient sets of graphs and trees. *Inf. Process. Lett.*, 113(19-21):771–776, 2013.

[154] Ionuţ Ţuţu. Comorphisms of structured institutions. *Inf. Process. Lett.*, 113(22-24):894–900, 2013.

[155] Apoloniusz Tyszka. Conjecturally computable functions which unconditionally do not have any finite-fold diophantine representation. *Inf. Process. Lett.*, 113(19-21):719–722, 2013.

[156] S.G. Vadlamudi, Sandip Aine, and P.P. Chakrabarti. Incremental beam search. *Inf. Process. Lett.*, 113(22-24):888–893, 2013.

[157] Leo van Iersel and Simone Linz. A quadratic kernel for computing the hybridization number of multiple trees. *Inf. Process. Lett.*, 113(9):318–323, 2013.

[158] Shailesh Vaya. Round complexity of leader election and gossiping in bidirectional radio networks. *Inf. Process. Lett.*, 113(9):307–312, 2013.

[159] Michael Viderman. Lp decoding of codes with expansion parameter above 2/3. *Inf. Process. Lett.*, 113(7):225–228, 2013.

[160] Long Wan, Xiaofang Deng, and Zhiyi Tan. Inefficiency of nash equilibria with parallel processing policy. *Inf. Process. Lett.*, 113(13):465–469, 2013.

[161] Gaoli Wang and Yanzhao Shen. Preimage and pseudo-collision attacks on step-reduced sm3 hash function. *Inf. Process. Lett.*, 113(8):301–306, 2013.

[162] Lei Wang, Xiaodong Wang, Yingjie Wu, and Daxin Zhu. A dynamic programming solution to a generalized lcs problem. *Inf. Process. Lett.*, 113(19-21):723–728, 2013.

[163] Qichun Wang and Chik How Tan. A new method to construct boolean functions with good cryptographic properties. *Inf. Process. Lett.*, 113(14-16):567–571, 2013.

[164] Yingqian Wang and Jinghan Xu. Planar graphs with cycles of length neither 4 nor 6 are $(2, 0, 0)$-colorable. *Inf. Process. Lett.*, 113(18):659–663, 2013.

[165] Carola Winzen. Direction-reversing quasi-random rumor spreading with restarts. *Inf. Process. Lett.*, 113(22-24):921–926, 2013.

[166] Yunjian Wu. An improvement on vizing's conjecture. *Inf. Process. Lett.*, 113(3):87–88, 2013.

[167] Saïd Yahiaoui, Yacine Belhoul, Mohammed Haddad, and Hamamache Kheddouci. Self-stabilizing algorithms for minimal global powerful alliance sets in graphs. *Inf. Process. Lett.*, 113(10-11):365–370, 2013.

[168] Tomoyuki Yamakami and Yuichi Kato. The dissecting power of regular languages. *Inf. Process. Lett.*, 113(4):116–122, 2013.

[169] Qingxuan Yang, John Ellis, Khalegh Mamakani, and Frank Ruskey. In-place permuting and perfect shuffling using involutions. *Inf. Process. Lett.*, 113(10-11):386–391, 2013.

[170] Cui Yu, Xiaofan Yang, Jing Zhang, and Li He. Routing and wavelength assignment for 3-ary n-cube communication patterns in linear array optical networks for n communication rounds. *Inf. Process. Lett.*, 113(18):677–680, 2013.

[171] Haiyan Yu, Yinfeng Xu, and Tengyu Wu. Online inventory replenishment scheduling of temporary orders. *Inf. Process. Lett.*, 113(5-6):188–192, 2013.

[172] Michał Zawidzki, Renate A. Schmidt, and Dmitry Tishkovsky. Satisfiability problem for modal logic with global counting operators coded in binary is neXPtime-complete. *Inf. Process. Lett.*, 113(1-2):34–38, 2013.

[173] Haihui Zhang. Corrigendum to "on 3-choosability of planar graphs with neither adjacent triangles nor 5-, 6- and 9-cycles". *Inf. Process. Lett.*, 113(9):354–356, 2013. Originally in Inf. Process. Lett., Vol. 110, 2010, No. 24, 1084-1087.

[174] Hailiang Zhang, Rongfei Lin, and Guanglong Yu. The largest matching root of unicyclic graphs. *Inf. Process. Lett.*, 113(19-21):804–806, 2013.

[175] Yan-Hong Zhang, Wei Hao, and Tao Xiang. Independent spanning trees in crossed cubes. *Inf. Process. Lett.*, 113(18):653–658, 2013.

[176] Sizhong Zhou, Zhiren Sun, and Hui Ye. A toughness condition for fractional (k, m)-deleted graphs. *Inf. Process. Lett.*, 113(8):255–259, 2013.

[177] Xiangqian Zhou, Bing Yao, and Xiang'en Chen. Every lobster is odd-elegant. *Inf. Process. Lett.*, 113(1-2):30–33, 2013.

[178] Dragiša Žunić and Joviša Žunić. Shape ellipticity based on the first hu moment invariant. *Inf. Process. Lett.*, 113(19-21):807–810, 2013.