References

[1] A. Apostolico and S.E. Hambrusch. Finding maximum cliques on circular-arc graphs. *Inf. Process. Lett.*, 26(4):209–215, 1987, December.

[2] K.R. Apt, L. Bougé, and P. Clermont. Two normal form theorems for csp programs. *Inf. Process. Lett.*, 26(4):165–171, 1987, December.

[3] C. Arbib. A polynomial characterization of some graph partitioning problems. *Inf. Process. Lett.*, 26(5):223–230, 1988, January.

[4] L. Babai. Random oracles separate pspace from the polynomial-time hierarchy. *Inf. Process. Lett.*, 26(1):51–53, 1987, September.

[5] C. Băleanu and D. Tomescu. An architecture for symbolic processing. *Inf. Process. Lett.*, 26(4):217–222, 1987, December.

[6] J.C. Bermond, J.M. Fourneau, and A. Jean-Marie. Equivalence of multistage interconnection networks. *Inf. Process. Lett.*, 26(1):45–50, 1987, September.

[7] J. Berstel and S. Brlek. On the length of word chains. *Inf. Process. Lett.*, 26(1):23–28, 1987, September.

[8] A.T. Berztiss. A notation for distributed operations. *Inf. Process. Lett.*, 26(1):19–21, 1987, September.

[9] M. Bezem and J. van Leeuwen. On estimating the complexity of logarithmic decompositions. *Inf. Process. Lett.*, 26(6):321–324, 1988, January.

[10] R.V. Book and Hai-Ning Liu. Rewriting systems and word problems in a free partially commutative monoid. *Inf. Process. Lett.*, 26(1):29–32, 1987, September.

[11] S. Carlsson. The deap — a double-ended heap to implement double-ended priority queues. *Inf. Process. Lett.*, 26(1):33–36, 1987, September.

[12] T.H. Chan. The boundedness problem for three-dimensional vector addition systems with states. *Inf. Process. Lett.*, 26(6):287–289, 1988, January.

[13] I. Cidon. Yet another distributed depth-first-search algorithm. *Inf. Process. Lett.*, 26(6):301–305, 1988, January.

[14] R.J. Cole. An optimally efficient selection algorithm. *Inf. Process. Lett.*, 26(6):295–299, 1988, January.

[15] S.A. Cook. Short propositional formulas represent nondeterministic computations. *Inf. Process. Lett.*, 26(5):269–270, 1988, January.

[16] K. Culik II and J. Karhumäki. On totalistic systolic networks. *Inf. Process. Lett.*, 26(5):231–236, 1988, January.

[17] L. Czaja. Cause-effect structures. *Inf. Process. Lett.*, 26(6):313–319, 1988, January.

[18] O.Y. de Vel and E.V. Krishnamurthy. An iterative pipelined array architecture for the generalized matrix inversion. *Inf. Process. Lett.*, 26(5):263–267, 1988, January.

[19] J.R. Driscoll, Sheau-Dong Lang, and L.A. Franklin. Modeling b-tree insertion activity. *Inf. Process. Lett.*, 26(1):5–18, 1987, September.

[20] P.W. Dymond. Input-driven languages are in $\log n$ depth. *Inf. Process. Lett.*, 26(5):247–250, 1988, January.

[21] Michael R. Fellows and Michael A. Langston. Nonconstructive advances in polynomial-time complexity. *Inf. Process. Lett.*, 26(3):157–162, 1987, November.

[22] Z. Galil and M. Yung. Partitioned encryption and achieving simultaneity by partitioning. *Inf. Process. Lett.*, 26(2):81–88, 1987, October.

[23] J.R. Gilbert. Some nested dissection order is nearly optimal. *Inf. Process. Lett.*, 26(6):325–328, 1988, January.

[24] M.T. Goodrich. Finding the convex hull of a sorted point set in parallel. *Inf. Process. Lett.*, 26(4):173–179, 1987, December.

[25] G.C. Gopalakrishnan and M.K. Srivas. Implementing functional programs using mutable abstract data types. *Inf. Process. Lett.*, 26(6):277–286, 1988, January.

[26] U. Güntzer and M. Paul. Jump interpolation search trees and symmetric binary numbers. *Inf. Process. Lett.*, 26(4):193–204, 1987, December.

[27] A.K. Gupta and S.E. Hambrusch. Optimal three-dimensional layouts of complete binary trees. *Inf. Process. Lett.*, 26(2):99–104, 1987, October.

[28] J. Håstad. One-way permutations in nc^0. *Inf. Process. Lett.*, 26(3):153–155, 1987, November.

[29] K. Hinrichs, J. Nievergelt, and P. Schorn. Plane-sweep solves the closest pair problem elegantly. *Inf. Process. Lett.*, 26(5):255–261, 1988, January.

[30] Y. Hou. Trinity algebra and its application to machine decompositions. *Inf. Process. Lett.*, 26(3):127–134, 1987, November.

[31] J. Incerpi and R. Sedgewick. Practical variations of shellsort. *Inf. Process. Lett.*, 26(1):37–43, 1987, September.

[32] B. Jaumard and B. Simeone. On the complexity of the maximum satisfiability problem for horn formulas. *Inf. Process. Lett.*, 26(1):1–4, 1987, September.

[33] R.G. Karlsson and M.H. Overmars. Normalized divide-and-conquer: a scaling technique for solving multi-dimensional problems. *Inf. Process. Lett.*, 26(6):307–312, 1988, January.

[34] B.M. Maggs and S.A. Plotkin. Minimum-cost spanning tree as a path-finding problem. *Inf. Process. Lett.*, 26(6):291–293, 1988, January.

[35] J. Magott. Performance evaluation of concurrent systems using conflict-free and persistent petri nets. *Inf. Process. Lett.*, 26(2):77–80, 1987, October.

[36] E. Mäkinen. On the rotation distance of binary trees. *Inf. Process. Lett.*, 26(5):271–272, 1988, January.

[37] U. Martin. Extension functions for multiset orderings. *Inf. Process. Lett.*, 26(4):181–186, 1987, December.

[38] C. Mathieu, C. Puech, and H. Yahia. Average efficiency of data structures for binary image processing. *Inf. Process. Lett.*, 26(2):89–93, 1987, October.

[39] Y. Métivier and E. Ochmanski. On lexicographic semi-commutations. *Inf. Process. Lett.*, 26(2):55–59, 1987, October.

[40] A. Mirzaian. A halving technique for the longest stuttering subsequence problem. *Inf. Process. Lett.*, 26(2):71–75, 1987, October.

[41] S. Moran and Y. Wolfstahl. Extended impossibility results for asynchronous complete networks. *Inf. Process. Lett.*, 26(3):145–151, 1987, November.

[42] C.C. Morgan. Data refinement by miracles. *Inf. Process. Lett.*, 26(5):243–246, 1988, January.

[43] S.S. Pinter and Y. Wolfstahl. Embedding ternary trees in vlsi arrays. *Inf. Process. Lett.*, 26(4):187–191, 1987, December.

[44] M. Rusinowitch. On termination of the direct sum of term-rewriting systems. *Inf. Process. Lett.*, 26(2):65–70, 1987, October.

[45] A.S.M. Sajeev and J. Olszewski. Manipulation of data structures without pointers. *Inf. Process. Lett.*, 26(3):135–143, 1987, November.

[46] J. Seiferas. A variant of ben-or's lower bound for algebraic decision trees. *Inf. Process. Lett.*, 26(5):273–276, 1988, January.

[47] Xiaojun Shen and H. Edelsbrunner. A tight lower bound on the size of visibility graphs. *Inf. Process. Lett.*, 26(2):61–64, 1987, October.

[48] A. Siemiński. Fast decoding of the huffman codes. *Inf. Process. Lett.*, 26(5):237–241, 1988, January.

[49] E. Soisalon-Soininen and J. Tarhio. Looping lr parsers. *Inf. Process. Lett.*, 26(5):251–253, 1988, January.

[50] K.G. Subramanian, R. Siromoney, and P.J. Abisha. A d0l-t0l public key cryptosystem. *Inf. Process. Lett.*, 26(2):95–97, 1987, October.

[51] O. Sýkora and I. Vrťo. Tight chip area lower bounds for string matching. *Inf. Process. Lett.*, 26(3):117–119, 1987, November.

[52] A. Szalas. Arithmetical axiomatization of first-order temporal logic. *Inf. Process. Lett.*, 26(3):111–116, 1987, November.

[53] T. Takaoka. A decomposition rule for the hoare logic. *Inf. Process. Lett.*, 26(4):205–208, 1987, December.

[54] M.J. Thazhuthaveetil and A.R. Pleszkun. On the structural locality of reference in lisp list access streams. *Inf. Process. Lett.*, 26(2):105–110, 1987, October.

[55] M. Zhu, N.K. Loh, and P. Siy. Towards the minimum set of primitive relations in temporal logic. *Inf. Process. Lett.*, 26(3):121–126, 1987, November.