References

[1] Dragan M. Acketa and Joviša D. Žunić. On the number of linear partitions of the (m, n)-grid. *Inf. Process. Lett.*, 38:163–168, 1991.

[2] C. Álvarez and J. Gabarró. The parallel complexity of two problems on concurrency. *Inf. Process. Lett.*, 38:61–70, 1991.

[3] J.M. Basart. Some upper bounds for minimal trees. *Inf. Process. Lett.*, 38:209–213, 1991.

[4] James H. Bradford and T.A. Jenkyns. On the inadequacy of tournament algorithms for the n-scs problem. *Inf. Process. Lett.*, 38:169–171, 1991.

[5] Jin-yi Cai and Lane A. Hemachandra. A note on enumerative counting. *Inf. Process. Lett.*, 38:215–219, 1991.

[6] Calvin C.-Y. Chen and Sajal K. Das. A unified approach to parallel depth-first traversals of general trees. *Inf. Process. Lett.*, 38:49–55, 1991.

[7] Xu Cheng. A graph transformation algorithm for concurrency control in a partitioned database. *Inf. Process. Lett.*, 38:43–48, 1991.

[8] Marek Chrobak and Lawrence L. Larmore. A note on the server problem and a benevolent adversary. *Inf. Process. Lett.*, 38:173–175, 1991.

[9] Maxime Crochemore and Wojciech Rytter. Efficient parallel algorithms to test square-freeness and factorize strings. *Inf. Process. Lett.*, 38:57–60, 1991.

[10] Peter B. Danzig. A cooperative game with applications to computer networks. *Inf. Process. Lett.*, 38:283–289, 1991.

[11] Victor J. Dielissen and Anne Kaldewaij. Rectangular partition is polynomial in two dimensions but np-complete in three. *Inf. Process. Lett.*, 38:1–6, 1991.

[12] Ahmed K. Elmagarmid and Weimin Du. Integrity aspects of quasi serializability. *Inf. Process. Lett.*, 38:23–28, 1991.

[13] David Fernández-Baca and Mark A. Williams. On matroids and hierarchical graphs. *Inf. Process. Lett.*, 38:117–121, 1991.

[14] Rolf Floren. A note on "a faster approximation algorithm for the steiner problem in graphs". *Inf. Process. Lett.*, 38:177–178, 1991.

[15] Farshad Fotouhi and Sakti Pramanik. Problem of optimizing the number of block accesses in performing relational join is np-hard. *Inf. Process. Lett.*, 38:271–275, 1991.

[16] William I. Gasarch. On selecting the k largest with restricted quadratic series. *Inf. Process. Lett.*, 38:193–195, 1991.

[17] Andrew V. Goldberg. Processor-efficient implementation of a maximum flow algorithm. *Inf. Process. Lett.*, 38:179–185, 1991.

[18] P. Goralčik, A. Goralčikova, and V. Koubek. Alternation with a pebble. *Inf. Process. Lett.*, 38:7–13, 1991.

[19] Susanne Hambrusch and Michael Luby. Parallel asynchronous connected components in a mesh. *Inf. Process. Lett.*, 38:257–263, 1991.

[20] Kieran T. Herley. A note on the token distribution problem. *Inf. Process. Lett.*, 38:329–334, 1991.

[21] John Hershberger. A new data structure for shortest path queries in a simple polygon. *Inf. Process. Lett.*, 38:231–235, 1991.

[22] Shi-Jinn Horng, Wen-Tsuen Chen, and Ming-Yi Fang. Optimal speedup algorithms for template matching on simd hypercube multiprocessors with restricted local memory. *Inf. Process. Lett.*, 38:29–37, 1991.

[23] Sandy Irani. Two results on the list update problem. *Inf. Process. Lett.*, 38:301–306, 1991.

[24] T.Z. Kalamboukis and S.L. Mantzaris. Towards optimal distributed election on chordal rings. *Inf. Process. Lett.*, 38:265–270, 1991.

[25] Ming-Yang Kao and Stephen R. Tate. Online matching with blocked input. *Inf. Process. Lett.*, 38:113–116, 1991.

[26] Robert Kennedy. Parallel cardinality stacks and an application. *Inf. Process. Lett.*, 38:295–299, 1991.

[27] Myoung Ho Kim and Sakti Pramanik. The fx distribution method for parallel processing of partial match queries. *Inf. Process. Lett.*, 38:243–252, 1991.

[28] Lars Langemyr. Circuits for computing the gcd of two polynomials over an algebraic number field. *Inf. Process. Lett.*, 38:129–134, 1991.

[29] Shahram Latifi. Distributed subcube identification algorithms for reliable hypercubes. *Inf. Process. Lett.*, 38:315–321, 1991.

[30] Ernst L. Leiss and Hari N. Reddy. Embedding complete binary trees into hypercubes. *Inf. Process. Lett.*, 38:197–199, 1991.

[31] Andrzej Lingas. Bit complexity of matrix products. *Inf. Process. Lett.*, 38:237–242, 1991.

[32] Kenneth Luo, William Klostermeyer, Yuan-Chieh Chow, and Richard Newman-Wolfe. Optimal deadlock resolutions in edge-disjoint reducible wait-for graphs. *Inf. Process. Lett.*, 38:307–313, 1991.

[33] Giovanni Manzini. Radix sort on the hypercube. *Inf. Process. Lett.*, 38:77–81, 1991.

[34] Charles Martel. Self-adjusting multi-way search trees. *Inf. Process. Lett.*, 38:135–141, 1991.

[35] Jiří Matoušek. Computing dominances in e^n. *Inf. Process. Lett.*, 38:277–278, 1991.

[36] João Meidânis. Lower bounds for arithmetic problems. *Inf. Process. Lett.*, 38:83–87, 1991.

[37] Xavier Messeguer. Dynamic behaviour in updating process over bst of size two with probabilistic deletion algorithms. *Inf. Process. Lett.*, 38:89–100, 1991.

[38] Steven Minsker. The towers of antwerpen problem. *Inf. Process. Lett.*, 38:107–111, 1991.

[39] Jayadev Misra. Phase synchronization. *Inf. Process. Lett.*, 38:101–105, 1991. see Corrigendum in Inf. Process. Lett. 41, 59.

[40] Michal Mňuk. A div(n) depth boolean circuit for smooth modular inverse. *Inf. Process. Lett.*, 38:153–156, 1991.

[41] Jerzy R. Nawrocki. Conflict detection and resolution in a lexical analyzer generator. *Inf. Process. Lett.*, 38:323–328, 1991.

[42] P. Pramanik, P.K. Das, A.K. Bandyopadhyay, and D.Q.M. Fay. A deadlock-free communication kernel for loop architecture. *Inf. Process. Lett.*, 38:157–161, 1991.

[43] Franco P. Preparata. Inverting a vandermonde matrix in minimum parallel time. *Inf. Process. Lett.*, 38:291–294, 1991.

[44] Subbiah Rajanarayanan and Sitharama S. Iyengar. A new optimal distributed algorithm for the set intersection problem. *Inf. Process. Lett.*, 38:143–148, 1991.

[45] Günter Rote. Computing the minimum hausdorff distance between two point sets on a line under translation. *Inf. Process. Lett.*, 38:123–127, 1991.

[46] Günter Rote, Gerhard Woeginger, Binhai Zhu, and Zhengyan Wang. Counting k-subsets and convex k-gons in the plane. *Inf. Process. Lett.*, 38:149–151, 1991.

[47] W. Rytter and A. Saoudi. On the complexity of the recognition of parallel 2d-image languages. *Inf. Process. Lett.*, 38:225–229, 1991.

[48] Markku Sakkinen. Selftype is a special case. *Inf. Process. Lett.*, 38:221–224, 1991.

[49] R. Shonkwiler. Computing the hausdorff set distance in linear time for any l_p point distance. *Inf. Process. Lett.*, 38:201–207, 1991.

[50] Victor Shoup. Smoothness and factoring polynomials over finite fields. *Inf. Process. Lett.*, 38:39–42, 1991.

[51] Laurent Siklóssy and Eduard Tulp. The space reduction method: A method to reduce the size of search spaces. *Inf. Process. Lett.*, 38:187–192, 1991.

[52] Ivan Stojmenović. Bisections and ham-sandwich cuts of convex polygons and polyhedra. *Inf. Process. Lett.*, 38:15–21, 1991.

[53] Gerhard Woeginger. On minimizing the sum of k tardinesses. *Inf. Process. Lett.*, 38:253–256, 1991.

[54] Hsu-Chun Yen. A polynomial time algorithm to decide pairwise concurrency of transitions for 1-bounded conflict-free petri nets. *Inf. Process. Lett.*, 38:71–76, 1991.

[55] Dejan Zivkovic. A fast algorithm for finding the compact sets. *Inf. Process. Lett.*, 38:339–342, 1991.

[56] David Zuckerman. On the time to traverse all edges of a graph. *Inf. Process. Lett.*, 38:335–337, 1991.