References

[1] Carlisle M. Adams. On immunity against biham and shamir's "differential cryptanalysis". *Inf. Process. Lett.*, 41:77–80, 1992.

[2] Alok Aggarwal. Parallel complexity of computing a maximal set of disjoint paths. *Inf. Process. Lett.*, 41:149–151, 1992.

[3] Massimo Ancona, Claudia Fassino, and Vittoria Gianuzzi. Optimization of lr(k) "reduced parsers". *Inf. Process. Lett.*, 41:13–20, 1992.

[4] K. Arvind and C. Pandu Rangan. Connected domination and steiner set on weighted permutation graphs. *Inf. Process. Lett.*, 41:215–220, 1992.

[5] M.D. Atkinson and J.-R. Sack. Generating binary trees at random. *Inf. Process. Lett.*, 41:21–23, 1992.

[6] Franz Aurenhammer and Gerd Stöckl. Searching for segments with largest relative overlap. *Inf. Process. Lett.*, 41:103–108, 1992.

[7] J. Błażewicz, P. Dell'Olmo, M. Drozdowski, and M.G. Speranza. Scheduling multiprocessor tasks on three dedicated processors. *Inf. Process. Lett.*, 41:275–280, 1992. see Corrigendum in Inf. Process. Lett. 49, 269-270.

[8] Nader H. Bshouty. A lower bound for the multiplication of polynomials modulo a polynomial. *Inf. Process. Lett.*, 41:321–326, 1992.

[9] Samuel R. Buss. The graph of multiplication is equivalent to counting. *Inf. Process. Lett.*, 41:199–201, 1992.

[10] S.D. Carson, V. Nirkhe, and P. Vongsathorn. A discrete-state model of the two-headed disk. *Inf. Process. Lett.*, 41:341–345, 1992.

[11] R.C. Chang and H.S. Lee. Finding a maximum set of independent chords in a circle. *Inf. Process. Lett.*, 41:99–102, 1992.

[12] Calvin C.-Y. Chen and Sajal K. Das. Breadth-first traversal of trees and integer sorting in parallel. *Inf. Process. Lett.*, 41:39–49, 1992.

[13] Michael Clausen. Almost all boolean functions have no linear symmetries. *Inf. Process. Lett.*, 41:291–292, 1992.

[14] Mads Dam. r-generability, and definability in branching time logics. *Inf. Process. Lett.*, 41:281–287, 1992.

[15] Giuseppe Di Battista, Roberto Tamassia, and Ioannis G. Tollis. Constrained visibility representations of graphs. *Inf. Process. Lett.*, 41:1–7, 1992.

[16] Cengiz Erbas, Murat M. Tanik, and Zekeriya Aliyazicioglu. Linear congruence equations for the solutions of the n-queens problem. *Inf. Process. Lett.*, 41:301–306, 1992.

[17] Javier Esparza. A solution to the covering problem for 1-bounded conflict-free petri nets using linear programming. *Inf. Process. Lett.*, 41:313–319, 1992.

[18] Klaas Esselink. The order of appel's algorithm. *Inf. Process. Lett.*, 41:141–147, 1992.

[19] Luca Gemignani. Fast inversion of hankel and toeplitz matrices. *Inf. Process. Lett.*, 41:119–123, 1992.

[20] Mikael Goldmann and Johan Håstad. A simple lower bound for monotone clique using a communication game. *Inf. Process. Lett.*, 41:221–226, 1992.

[21] Dan Gusfield, Gad M. Landau, and Baruch Schieber. An efficient algorithm for the all pairs suffix-prefix problem. *Inf. Process. Lett.*, 41:181–185, 1992.

[22] Debra Hoover and Joseph Poole. A distributed self-stabilizing solution to the dining philosophers problem. *Inf. Process. Lett.*, 41:209–213, 1992.

[23] Shing-Tsaan Huang and Nian-Shing Chen. A self-stabilizing algorithm for constructing breadth-first trees. *Inf. Process. Lett.*, 41:109–117, 1992.

[24] Jeremy Jacob. A model of reconfiguration in communicating sequential processes with a notion of transactions. *Inf. Process. Lett.*, 41:9–12, 1992.

[25] Klaus Jansen. An approximation algorithm for the general routing problem. *Inf. Process. Lett.*, 41:333–339, 1992.

[26] Samuel Kamin. Head-strictness is not a monotonic abstract property. *Inf. Process. Lett.*, 41:195–198, 1992.

[27] W.W. Kirchherr. Kolmogorov complexity and random graphs. *Inf. Process. Lett.*, 41:125–130, 1992.

[28] Chun Wa Ko and Frank Ruskey. Generating permutations of a bag by interchanges. *Inf. Process. Lett.*, 41:263–269, 1992.

[29] Youichi Kobuchi. Order of state functions and logic functions. *Inf. Process. Lett.*, 41:61–66, 1992.

[30] Kim S. Larsen, Michael I. Schwartzbach, and Erik M. Schmidt. A new formalism for relational algebra. *Inf. Process. Lett.*, 41:163–168, 1992.

[31] René Leermakers. A recursive ascent earley parser. *Inf. Process. Lett.*, 41:87–91, 1992.

[32] Eliezer L. Lozinskii. Counting propositional models. *Inf. Process. Lett.*, 41:327–332, 1992.

[33] Eva Ma, Bhagirath Narahari, and Lixin Tao. Optimal embedding of 2-d torus into ring. *Inf. Process. Lett.*, 41:227–231, 1992.

[34] L.L. Miller. Generating hinges from arbitrary subhypergraphs. *Inf. Process. Lett.*, 41:307–312, 1992.

[35] J. Misra and David Gries. A constructive proof of vizing's theorem. *Inf. Process. Lett.*, 41:131–133, 1992.

[36] Fritz Müller. Confluence of the lambda calculus with left-linear algebraic rewriting. *Inf. Process. Lett.*, 41:293–299, 1992.

[37] Chandrasekhar Narayanaswami and William Randolph Franklin. Edge intersection on the hypercube computer. *Inf. Process. Lett.*, 41:257–262, 1992.

[38] Jan Pachl. A simple proof of a completeness result for leads-to in the unity logic. *Inf. Process. Lett.*, 41:35–38, 1992. see Corrigendum in Inf. Process. Lett. 44, 171.

[39] Petr Pavlů. On efficient implementation of lr-attributed grammars. *Inf. Process. Lett.*, 41:67–75, 1992.

[40] Jaikumar Radhakrishnan. Improved bounds for covering complete uniform hypergraphs. *Inf. Process. Lett.*, 41:203–207, 1992.

[41] Peter Rajčáni. Optimal parallel 3-coloring algorithm for rooted trees and its applications. *Inf. Process. Lett.*, 41:153–156, 1992.

[42] Igor Rivin and Ramin Zabih. A dynamic programming solution to the n-queens problem. *Inf. Process. Lett.*, 41:253–256, 1992.

[43] Günther Rote and Gerhard Woeginger. Counting convex k-gons in planar point sets. *Inf. Process. Lett.*, 41:191–194, 1992.

[44] Thomas C. Shermer. A linear algorithm for bisecting a polygon. *Inf. Process. Lett.*, 41:135–140, 1992.

[45] Takayoshi Shoudai. A -complete language describable with iterated shuffle. *Inf. Process. Lett.*, 41:233–238, 1992.

[46] Pradip K. Srimani and Rachamallu L.N. Reddy. Another distributed algorithm for multiple entries to a critical section. *Inf. Process. Lett.*, 41:51–57, 1992.

[47] P. David Stotts and Parke Godfrey. Place/transition nets with debit arcs. *Inf. Process. Lett.*, 41:25–33, 1992.

[48] Andrzej Szalas. Axiomatizing fixpoint logics. *Inf. Process. Lett.*, 41:175–180, 1992.

[49] J. Urrutia and F. Gavril. An algorithm for fraternal orientation of graphs. *Inf. Process. Lett.*, 41:271–274, 1992.

[50] Rakesh M. Verma. Strings, trees, and patterns. *Inf. Process. Lett.*, 41:157–161, 1992.

[51] Joachim von zur Gathen. Processor-efficient exponentiation in finite fields. *Inf. Process. Lett.*, 41:81–86, 1992.

[52] Koichi Wada, Yupin Luo, and Kimio Kawaguchi. Optimal fault-tolerant routings for connected graphs. *Inf. Process. Lett.*, 41:169–174, 1992.

[53] Guorong Wang. An improved parallel algorithm for computing the generalized inverse a^+. *Inf. Process. Lett.*, 41:243–251, 1992.

[54] Tom Whaley. Alternative developments of cyclic-permutation algorithms. *Inf. Process. Lett.*, 41:239–241, 1992.

[55] L.C. Wu and C.Y. Tang. Solving the satisfiability problem by using randomized approach. *Inf. Process. Lett.*, 41:187–190, 1992.

[56] Xin Yao. Finding approximate solutions to np-hard problems by neural networks is hard. *Inf. Process. Lett.*, 41:93–98, 1992.