References

[1] Arup Acharya and B.R. Badrinath. Recording distributed snapshots based on causal order of message delivery. *Inf. Process. Lett.*, 44(6):317–321, 1992.

[2] Amihood Amir and Martin Farach. Two-dimensional dictionary matching. *Inf. Process. Lett.*, 44(5):233–239, 1992.

[3] John Bainbridge. A heuristic method for generating large random expressions. *Inf. Process. Lett.*, 44:165–170, 1992.

[4] Amotz Bar-Noy, Rajeev Motwani, and Joseph Naor. The greedy algorithm is optimal for on-line edge coloring. *Inf. Process. Lett.*, 44(5):251–253, 1992.

[5] Mireille Bousquet-Mélou. The number of minimal words chains computing the thue-morse word. *Inf. Process. Lett.*, 44:57–64, 1992.

[6] Daniel P. Bovet and Stefano Varricchio. On the regularity of languages on a binary alphabet generated by copying systems. *Inf. Process. Lett.*, 44:119–123, 1992.

[7] Dany Breslauer. An on-line string superprimitivity test. *Inf. Process. Lett.*, 44(6):345–347, 1992.

[8] Marco Cadoli. The complexity of model checking for circumscriptive formulae. *Inf. Process. Lett.*, 44:113–118, 1992.

[9] Hsun-Wen Chang and Kuo-Liang Chung. Fault-tolerant routing in unique-path multistage omega network. *Inf. Process. Lett.*, 44(4):201–204, 1992.

[10] Rong-Jaye Chen and Yu-Song Hou. Non-associative parallel prefix computation. *Inf. Process. Lett.*, 44:91–94, 1992.

[11] Been-Chian Chien and Wei-Pang Yang. The worst case analysis of algorithm on multiple stacks manipulation. *Inf. Process. Lett.*, 44:107–111, 1992.

[12] Soon M. Chung. Indexed extendible hashing. *Inf. Process. Lett.*, 44:1–6, 1992.

[13] D.A. Cohen and E.A. Scott. Rationality of division orderings. *Inf. Process. Lett.*, 44(6):307–311, 1992.

[14] Mukesh Dalal and David W. Etherington. A hierarchy of tractable satisfiability problems. *Inf. Process. Lett.*, 44(4):173–180, 1992.

[15] Fabrizio d'Amore and Paolo Giulio Franciosa. On the optimal binary plane partition for sets of isothetic rectangles. *Inf. Process. Lett.*, 44(5):255–259, 1992.

[16] Bettina de Iaco and Fabrizio Luccio. Finding all the palindromes in a binary tree in linear time and space. *Inf. Process. Lett.*, 44:73–77, 1992.

[17] Eliezer Dekel, Jie Hu, and Wen Ouyang. An optimal algorithm for finding compact sets. *Inf. Process. Lett.*, 44(5):285–289, 1992.

[18] Joost Engelfriet. An elementary proof of double greibach normal form. *Inf. Process. Lett.*, 44(6):291–293, 1992.

[19] Uriel Feige. On the complexity of finite random functions. *Inf. Process. Lett.*, 44(6):295–296, 1992.

[20] Lance Fortnow and Mario Szegedy. On the power of two-local random reductions. *Inf. Process. Lett.*, 44(6):303–306, 1992.

[21] Vijay K. Garg. Some optimal algorithms for decomposed partially ordered sets. *Inf. Process. Lett.*, 44:39–43, 1992.

[22] Paul Gastin, Edward Ochmanski, Antoine Petit, and Brigitte Rozoy. Decidability of the star problem in $a^* \times b^*$. *Inf. Process. Lett.*, 44:65–71, 1992.

[23] Subir Kumar Ghosh and Anil Maheshwari. An optimal parallel algorithm for computing furthest neighbors in a tree. *Inf. Process. Lett.*, 44:155–160, 1992.

[24] Ronald Greenberg, J. Jájá, and Sridhar Krishnamurthy. On the difficulty of manhattan channel routing. *Inf. Process. Lett.*, 44(5):281–284, 1992.

[25] Gopal Gupta. Dynamic parallel evaluation of the cross-product set using time-stamps. *Inf. Process. Lett.*, 44(5):273–280, 1992.

[26] Sanjay Gupta. On the closure of certain function classes under integer division by polynomially-bounded functions. *Inf. Process. Lett.*, 44(4):205–210, 1992.

[27] Peter L. Hammer and Alexander Kogan. Horn functions and their dnfs. *Inf. Process. Lett.*, 44:23–29, 1992.

[28] Y. Han, B. Narahari, and H.-A. Choi. Mapping a chain task to chained processors. *Inf. Process. Lett.*, 44:141–148, 1992.

[29] Tzonelih Hwang. Efficient id-based key distribution with tamperfree device. *Inf. Process. Lett.*, 44:31–34, 1992.

[30] Tao Jiang, Ming Li, and Ding-zhu Du. A note on shortest superstrings with flipping. *Inf. Process. Lett.*, 44(4):195–199, 1992.

[31] Ming-Yang Kao and Fang Wan. Not all planar digraphs have small cycle separators. *Inf. Process. Lett.*, 44:79–83, 1992.

[32] Shyam Kapur and Gianfranco Bilardi. On uniform learnability of language families. *Inf. Process. Lett.*, 44:35–38, 1992.

[33] Hing Leung. A note on finitely ambiguous distance automata. *Inf. Process. Lett.*, 44(6):329–331, 1992.

[34] Jyh-Han Lin and Jeffrey Scott Vitter. Approximation algorithms for geometric median problems. *Inf. Process. Lett.*, 44(5):245–249, 1992.

[35] Rafael D. Lins. Cyclic reference counting with lazy mark-scan. *Inf. Process. Lett.*, 44(4):215–220, 1992.

[36] Jorge Lobo and V.S. Subrahmanian. Relating minimal models and prerequisite-free normal defaults. *Inf. Process. Lett.*, 44:129–133, 1992.

[37] James J. Lu and Lawrence J. Henschen. The completeness of gp-resolution for annotated logics. *Inf. Process. Lett.*, 44:135–140, 1992.

[38] Gang Luo, Gregor v. Bochmann, Anindya Das, and Cheng Wu. Failure-equivalent transformation of transition systems to avoid internal actions. *Inf. Process. Lett.*, 44(6):333–343, 1992.

[39] Erkki Mäkinen. Remarks on the structural grammatical inference problem for context-free grammars. *Inf. Process. Lett.*, 44:125–127, 1992.

[40] Silvano Martello and Paolo Toth. A note on 0.5-bounded greedy algorithms for the 0/1 knapsack problem. *Inf. Process. Lett.*, 44(4):221–222, 1992.

[41] Shigeru Masuyama and Shozo Naito. Deciding whether graph g has page number one is in nc. *Inf. Process. Lett.*, 44:7–10, 1992.

[42] Masakatu Morii and Masao Kasahara. Perfect staircase profile of linear complexity for finite sequences. *Inf. Process. Lett.*, 44:85–89, 1992.

[43] Krishnendu Mukhopadhyaya and Bhabani P. Sinha. Hamiltonian graphs with minimum number of edges for fault-tolerant topologies. *Inf. Process. Lett.*, 44:95–99, 1992.

[44] Mark H. Overmars. Point location in fat subdivisions. *Inf. Process. Lett.*, 44(5):261–265, 1992.

[45] Victor Pan, Akimou Sadikou, and Elliott Landowne. Polynomial division with a remainder by means of evaluation and interpolation. *Inf. Process. Lett.*, 44:149–153, 1992.

[46] V.Th. Paschos. A $(\delta/2)$-approximation algorithm for the maximum independent set problem. *Inf. Process. Lett.*, 44:11–13, 1992.

[47] Adriano Pascoletti. An optimal algorithm for the period of a strongly connected digraph. *Inf. Process. Lett.*, 44(6):313–316, 1992.

[48] Peter Rossmanith and Wojciech Rytter. Oberservations on $\log(n)$ time parallel recognition of unambigous cfl's. *Inf. Process. Lett.*, 44(5):267–272, 1992.

[49] Ahmad Sharary and Nejib Zaguia. On a setup optimization problem for interval orders. *Inf. Process. Lett.*, 44:51–55, 1992.

[50] Alex A. Shvartsman. An efficient write-all algorithm for fail-stop pram without initialized memory. *Inf. Process. Lett.*, 44(4):223–231, 1992.

[51] Shai Simonson and I. Hal Sudborough. On the complexity of tree embedding problems. *Inf. Process. Lett.*, 44(6):323–328, 1992.

[52] Akihisa Tamura and Yoshiko Tamura. Degree constrained tree embedding into points in the plane. *Inf. Process. Lett.*, 44(4):211–214, 1992.

[53] Kim-Heng Teo and Tai-Ching Tuan. An efficient one-side height minimization algorithm for routing around a rectangle. *Inf. Process. Lett.*, 44:101–105, 1992.

[54] N.Ch. Veeraraghavulu, P. Sreenivasa Kumar, and C.E. Veni Madhavan. A linear-time algorithm for isomorphism of a subclass of chordal graphs. *Inf. Process. Lett.*, 44:45–49, 1992.

[55] Sundar Vishwanathan. An approximation algorithm for the asymmetric travelling salesman problem with distances one and two. *Inf. Process. Lett.*, 44(6):297–302, 1992.

[56] Ke Wang and Li Yan Yuan. Preservation of integrity constraints in definite datalog programs. *Inf. Process. Lett.*, 44(4):185–193, 1992.

[57] Gerhard J. Woeginger. The complexity of finding arborescences in hypergraphs. *Inf. Process. Lett.*, 44:161–164, 1992.

[58] Jer-Shyan Wu and Rong-Jaye Chen. The towers of hanoi problem with parallel moves. *Inf. Process. Lett.*, 44(5):241–243, 1992.

[59] Ming-Shing Yu and Cheng-Hsing Yang. An optimal parallel algorithm for the domatic partition problem on an interval graph given its sorted model. *Inf. Process. Lett.*, 44:15–22, 1992.

[60] Louxin Zhang. The pre-nts property is undecidable for context-free grammars. *Inf. Process. Lett.*, 44(4):181–184, 1992.