References

[1] J. Aguilar-Martin and Claudi Alsina. Characterizations of some rescaling functions. *Inf. Process. Lett.*, 28:127–132, 1988.

[2] James H. Anderson and Mohamed G. Gouda. Atomic semantics of nonatomic programs. *Inf. Process. Lett.*, 28:99–103, 1988.

[3] André Arnold and Paul Crubille. A linear algorithm to solve fixed-point equations on transition systems. *Inf. Process. Lett.*, 29:57–66, 1988.

[4] Michael D. Atkinson and N. Santoro. A practical algorithm for boolean matrix multiplication. *Inf. Process. Lett.*, 29:37–38, 1988.

[5] Yves Auffray. Linear strategy for propositional modal resolution. *Inf. Process. Lett.*, 28:87–92, 1988.

[6] Alain A. Bertossi. On the domatic number of interval graphs. *Inf. Process. Lett.*, 28:275–280, 1988.

[7] Andrzej Blikle. A guided tour of the mathematics of metasoft '88. *Inf. Process. Lett.*, 29:81–86, 1988.

[8] Hans L. Bodlaender. The complexity of finding uniform emulations on fixed graphs. *Inf. Process. Lett.*, 29:137–141, 1988.

[9] H.J. Boom. Lazy variable-renumbering makes substitution cheap. *Inf. Process. Lett.*, 29:229–232, 1988.

[10] Daniele P. Bovet, S. de Agostino, and R. Petreschi. Parallelism and the feedback vertex set problem. *Inf. Process. Lett.*, 28:81–85, 1988.

[11] Symeon Bozapalidis and Stavros Ioulidis. Varieties of formal series on trees and eilenberg's theorem. *Inf. Process. Lett.*, 29:171–175, 1988.

[12] Alexandre Brandwajn. Load imbalance in dasd dynamic reconnection. *Inf. Process. Lett.*, 28:111–119, 1988.

[13] Gilles Brassard and Sampath Kannan. The generation of random permutations on the fly. *Inf. Process. Lett.*, 28:207–212, 1988.

[14] F. Warren Burton, G.P. McKeown, and V.J. Rayward-Smith. On process assignment in parallel computing. *Inf. Process. Lett.*, 29:31–34, 1988.

[15] Edward P.F. Chan and Héctor J. Hernández. Testing unboundedness of database schemes and functional dependencies. *Inf. Process. Lett.*, 28:317–326, 1988.

[16] M.Y. Chan and W.L. Chung. Optimal multidisk partial match file designs. *Inf. Process. Lett.*, 28:149–155, 1988.

[17] Gen-Huey Chen, M.S. Yu, and L.T. Liu. Two algorithms for constructing a binary tree from its traversals. *Inf. Process. Lett.*, 28:297–299, 1988.

[18] Guan-Ing Chen and Ten-Hwang Lai. Preemptive scheduling of independent jobs on a hypercube. *Inf. Process. Lett.*, 28:201–206, 1988.

[19] Sang Cho and Dung T. Huynh. On a complexity hierarchy between l and nl. *Inf. Process. Lett.*, 29:177–182, 1988.

[20] Marek Chrobak and Richard Harter. A note on random sampling. *Inf. Process. Lett.*, 29:255–256, 1988.

[21] Moon Jung Chung and M.S. Krishnamoorthy. Algorithms of placing recovery points. *Inf. Process. Lett.*, 28:177–181, 1988.

[22] Paolo Ciaccia, Dario Maio, and Paolo Tiberio. A unifying approach to evaluating block accesses in database organizations. *Inf. Process. Lett.*, 28:253–257, 1988.

[23] P.K. Das and D.Q.M. Fay. Fault-tolerant and flexible interconnection of multiple processors. *Inf. Process. Lett.*, 28:259–268, 1988.

[24] Alessandro d'Atri and Marina Moscarini. On hypergraph acyclicity and graph chordality. *Inf. Process. Lett.*, 29:271–274, 1988.

[25] Aldo de Luca, Mariacristina Pelagalli, and Stefano Varricchio. Test sets for languages of infinite words. *Inf. Process. Lett.*, 29:91–95, 1988.

[26] Frank Dehne and Ivan Stojmenović. An $o(\sqrt{n})$ time algorithm for the ecdf searching problem for arbitrary dimensions on a mesh-of-processors. *Inf. Process. Lett.*, 28:67–70, 1988.

[27] Jianzhong Du and Joseph Y.-T. Leung. Scheduling tree-structured tasks with restricted execution times. *Inf. Process. Lett.*, 28:183–188, 1988.

[28] Pratul Dublish. An $o(n^3)$ algorithm for finding the minimal opaque forest of a convex polygon. *Inf. Process. Lett.*, 29:275–276, 1988.

[29] Jürgen Ebert. Computing eulerian trials. *Inf. Process. Lett.*, 28:93–97, 1988.

[30] Joost Engelfriet and Hendrik Jan Hoogeboom. Prefix and equality languages of rational functions are co-context-free. *Inf. Process. Lett.*, 28:77–79, 1988.

[31] Giorgio Gallo and Maria Grazia Scuttellà. Polynomially solvable satisfiability problems. *Inf. Process. Lett.*, 29:221–227, 1988.

[32] Hillel Gazit and Gary L. Miller. An improved parallel algorithm that computes the bfs numbering of a directed graph. *Inf. Process. Lett.*, 28:61–65, 1988.

[33] Irène Guessarian and Lutz Priese. On the minimal number of $\times$ operators to model regularity in fair sccs. *Inf. Process. Lett.*, 29:297–300, 1988.

[34] Torben Hagerup. On saving space in parallel computation. *Inf. Process. Lett.*, 29:327–329, 1988.

[35] S. Haldar and D.K. Subramanian. Ring based termination detection algorithm for distributed computations. *Inf. Process. Lett.*, 29:149–153, 1988.

[36] Juris Hartmanis and Lane Hemachandra. On sparse oracles separating feasible complexity classes. *Inf. Process. Lett.*, 28:291–295, 1988.

[37] Chin-Wen Ho and Richard C.T. Lee. Efficient parallel algorithms for finding maximal cliques, clique trees, and minimum coloring on chordal graphs. *Inf. Process. Lett.*, 28:301–309, 1988.

[38] Frank Hoffmann and Klaus Kriegel. Embedding rectilinear graphs in linear time. *Inf. Process. Lett.*, 29:75–79, 1988.

[39] Shing-Tsaan Huang. A fully distributed termination detection scheme. *Inf. Process. Lett.*, 29:13–18, 1988.

[40] Oscar H. Ibarra, Tao Jiang, and Bala Ravikumar. Some subclasses of context-free languages in nc^1. *Inf. Process. Lett.*, 29:111–117, 1988.

[41] Makoto Imase and Yoshifumi Manabe. Fault-tolerant routings in a k-connected network. *Inf. Process. Lett.*, 28:171–175, 1988.

[42] Katsushi Inoue and Itsuo Takanami. Some considerations about npriority (1) without rom. *Inf. Process. Lett.*, 28:215–219, 1988.

[43] Ananth V. Iyer, H. Donald Ratliff, and G. Vijayan. Optimal node ranking of trees. *Inf. Process. Lett.*, 28:225–229, 1988.

[44] Howard J. Karloff, Ramamohan Paturi, and Janos Simon. Universal traversal sequences of length $n^{O(\log n)}$ for cliques. *Inf. Process. Lett.*, 28:241–243, 1988.

[45] J.L.W. Kessels. An exercise in proving self-stabilization with a variant function. *Inf. Process. Lett.*, 29:39–42, 1988.

[46] Walter W. Kirchherr. Transposition of an $l \times l$ matrix requires $\omega(\log l)$ reversals on conservative turing machines. *Inf. Process. Lett.*, 28:55–59, 1988.

[47] Bogdan Korel and Janusz Laski. Dynamic program slicing. *Inf. Process. Lett.*, 29:155–163, 1988.

[48] F.E.J. Kruseman Aretz. On a recursive ascent parser. *Inf. Process. Lett.*, 29:201–206, 1988.

[49] David Alex Lamb. Benign side effects. *Inf. Process. Lett.*, 29:301–305, 1988.

[50] Ernst L. Leiss. On the degree of dominator trees. *Inf. Process. Lett.*, 29:199–200, 1988.

[51] Maciej Liśkiewicz and Krzysztof Loryś. Alternating real-time computations. *Inf. Process. Lett.*, 28:311–316, 1988.

[52] Basile Louka and Maurice Tchuente. Dynamic programming on two-dimensional systolic arrays. *Inf. Process. Lett.*, 29:97–104, 1988.

[53] Fabrizio Luccio, A. Pietracaprina, and G. Pucci. A probabilistic simulation of prams on a bounded degree network. *Inf. Process. Lett.*, 28:141–147, 1988.

[54] Mila E. Majster-Cederbaum. On the uniqueness of fixed points of endofunctors in a category of complete metric spaces. *Inf. Process. Lett.*, 29:277–281, 1988.

[55] Erkki Mäkinen. On linear search heuristics. *Inf. Process. Lett.*, 29:35–36, 1988.

[56] Antoni Mazurkiewicz. Solvability of the asynchronous ranking problem. *Inf. Process. Lett.*, 28:221–224, 1988.

[57] William W. McCune. Un-skolemizing clause sets. *Inf. Process. Lett.*, 29:257–263, 1988.

[58] Leslie L. Miller, S.K. Gadia, S. Kothari, and K.C. Liu. Completeness issues for join dependencies derived from the universal relation join dependency. *Inf. Process. Lett.*, 28:269–274, 1988.

[59] Michel Minoux. Ltur: A simplified linear-time unit resolution algorithm for horn formulae and computer implementation. *Inf. Process. Lett.*, 29:1–12, 1988.

[60] Prateek Mishra. Strictness analysis of the untyped λ-calculus. *Inf. Process. Lett.*, 28:121–125, 1988.

[61] Hari Ballabh Mittal. A fast backtrack algorithm for graph isomorphism. *Inf. Process. Lett.*, 29:105–110, 1988.

[62] Carroll Morgan. Auxiliary variables in data refinement. *Inf. Process. Lett.*, 29:293–296, 1988.

[63] Tetsuo Moriya. Closure property of principal cones under subsitution. *Inf. Process. Lett.*, 29:315–317, 1988.

[64] John F. Morrison. Parallel p-adic computation. *Inf. Process. Lett.*, 28:137–140, 1988.

[65] Paliath Narendran and Friedrich Otto. Preperfectness is undecidable for thue systems containing only length-reducing rules and a single commutation rule. *Inf. Process. Lett.*, 29:125–130, 1988.

[66] Jerzy R. Nawrocki and Andrzej Urbánski. Fixed-sized blocks optimization. *Inf. Process. Lett.*, 29:165–169, 1988.

[67] Colm O'Dúnlaing. A tight lower bound for the complexity of path-planning for a disc. *Inf. Process. Lett.*, 28:165–170, 1988.

[68] Stephan Olariu. On the unimodality of convex polygons. *Inf. Process. Lett.*, 29:289–292, 1988.

[69] Mohamed Ouksel and Peter Scheuermann. Implicit data structures for linear hashing schemes. *Inf. Process. Lett.*, 29:183–189, 1988.

[70] Füsun özgüner and C. Aykanat. A reconfiguration algorithm for fault tolerance in a hypercube multiprocessor. *Inf. Process. Lett.*, 29:247–254, 1988.

[71] Victor Pan. Computing the determinant and the characteristic polynomial of a matrix via solving linear systems of equations. *Inf. Process. Lett.*, 28:71–75, 1988.

[72] Chan-Ik Park, Kyu Ho Park, and Myunghwan Kim. Efficient backward execution in and/or process model. *Inf. Process. Lett.*, 29:191–198, 1988.

[73] Don Platt and Moneeb A. Magdy. Adaptive control using switched capacitor filters. *Inf. Process. Lett.*, 28:231–234, 1988.

[74] Sakti Pramanik and Myoung Ho Kim. Hcb-tree: A height compressed b-tree for parallel processing. *Inf. Process. Lett.*, 29:213–220, 1988.

[75] Jean-Claude Raoult. Proving open properties by induction. *Inf. Process. Lett.*, 29:19–23, 1988.

[76] Matthias Reichling. On the detection of a common intersection of k convex objects in the plane. *Inf. Process. Lett.*, 29:25–29, 1988.

[77] Jean-François Romeuf. Shortest path under rational constraint. *Inf. Process. Lett.*, 28:245–248, 1988.

[78] Daniel J. Rosenkrantz and Harry B. Hunt III. Matrix multiplication for finite algebraic systems. *Inf. Process. Lett.*, 28:189–192, 1988.

[79] Wojciech Rytter. On efficient parallel computations of costs of paths on a grid graph. *Inf. Process. Lett.*, 29:71–74, 1988.

[80] Masataka Sassa and Ikuo Nakata. Time-optimal short-circuit evaluation of boolean expressions. *Inf. Process. Lett.*, 29:43–51, 1988.

[81] Catherine A. Schevon and Jeffrey Scott Vitter. A parallel algorithm for recognizing unordered depth-first search. *Inf. Process. Lett.*, 28:105–110, 1988.

[82] Peter Schorn. A canonical simplifier for trigonometric expressions in the kinematic equation. *Inf. Process. Lett.*, 29:241–246, 1988.

[83] Fabio A. Schreiber and G. Rosolini. An algebraic description of some state-dependent failure mechanisms. *Inf. Process. Lett.*, 29:207–211, 1988.

[84] Narayan Shankar and Vijaya Ramachandran. Efficient parallel circuits and algorithms for division. *Inf. Process. Lett.*, 29:307–313, 1988.

[85] Gregory E. Shannon. A linear-processor algorithm for depth-first search in planar graphs. *Inf. Process. Lett.*, 29:119–123, 1988.

[86] Micha Sharir. The shortest watchtower and related problems for polyhedral terrains. *Inf. Process. Lett.*, 29:265–270, 1988.

[87] Robert Li Shuo-Yen. Reconstruction of polygons from projections. *Inf. Process. Lett.*, 28:235–240, 1988.

[88] Ichiro Suzuki. Proving properties of a ring of finite-state machines. *Inf. Process. Lett.*, 28:213–214, 1988.

[89] Andrzej Szalas. An incompleteness result in process algebra. *Inf. Process. Lett.*, 29:67–70, 1988.

[90] Yuji Takada. Grammatical inference for even linear languages based on control sets. *Inf. Process. Lett.*, 28:193–199, 1988.

[91] Hasan Ural and Bo Yang. A structural test selection criterion. *Inf. Process. Lett.*, 28:157–163, 1988.

[92] P.M. van den Broek. Confluence of indirection reductions in graph rewrite systems. *Inf. Process. Lett.*, 29:143–148, 1988.

[93] Boris S. Veroy. Average complexity of divide-and-conquer algorithms. *Inf. Process. Lett.*, 29:319–326, 1988. see Corrigendum in Inf. Process. Lett. 32, 329.

[94] Boris S. Veroy. Optimal search algorithm for a minimum of a discrete periodic bimodal function. *Inf. Process. Lett.*, 29:233–239, 1988. see Corrigendum in Inf. Process. Lett. 32, 329.

[95] K. Vidyasankar. Converting lamport's regular register to atomic register. *Inf. Process. Lett.*, 28:287–290, 1988.

[96] Gottfried Vossen. A new characterization of fd implication with an application to update anomalies. *Inf. Process. Lett.*, 29:131–135, 1988.

[97] D.W. Wang and Yue-Sun Kuo. A study on two geometric location problems. *Inf. Process. Lett.*, 28:281–286, 1988.

[98] Dietmar Wätjen and Erwin Unruh. On the degree of synchronization of k1tol and k1etol systems. *Inf. Process. Lett.*, 29:87–89, 1988.

[99] Bernard M. Waxman and Makoto Imase. Worst-case performance of rayward-smith's steiner tree heuristic. *Inf. Process. Lett.*, 29:283–287, 1988.

[100] Mark Allen Weiss and Robert Sedgewick. Bad cases for shaker-sort. *Inf. Process. Lett.*, 28:133–136, 1988.