# References


[1] A. Agnetis, P. Detti, C. Meloni, and D. Pacciarelli. A linear algorithm for the hamiltonian completion number of the line graph of a tree. *Inf. Process. Lett.*, 79(1):17–24, 2001.

[2] Vicki L. Almstrum and David Gries. From the editors of this special issue. *Inf. Process. Lett.*, 77(2-4):49–51, 2001.

[3] Andris Ambainis. On learning formulas in the limit and with assurance. *Inf. Process. Lett.*, 77(1):9–11, 2001.

[4] James H. Anderson, Mark Moir, and Srikanth Ramamurthy. A simple proof technique for priority-scheduled systems. *Inf. Process. Lett.*, 77(2-4):63–70, 2001.

[5] Esther M. Arkin, Refael Hassin, and Maxim Sviridenko. Approximating the maximum quadratic assignment problem. *Inf. Process. Lett.*, 77(1):13–16, 2001.

[6] N.C. Audsley. On priority assignment in fixed priority scheduling. *Inf. Process. Lett.*, 79(1):39–44, 2001.

[7] Roland Backhouse and Maarten Fokkinga. The associativity of equivalence and the towers of hanoi problem. *Inf. Process. Lett.*, 77(2-4):71–76, 2001.

[8] Roberto Baldoni, Jean-Michel Hélary, Achour Mostéfaoui, and Michel Raynal. Impossibility of scalar clock-based communication-induced checkpointing protocols ensuring the rdt property. *Inf. Process. Lett.*, 80(2):105–111, 2001.

[9] Valmir C. Barbosa, Mario R.F. Benevides, and Ayru L. Oliveira Filho. A priority dynamics for generalized drinking philosophers. *Inf. Process. Lett.*, 79(4):189–195, 2001.

[10] Sanjoy Baruah. Scheduling periodic tasks on uniform multiprocessors. *Inf. Process. Lett.*, 80(2):97–104, 2001.

[11] József Békési and Gábor Galambos. Worst-case analysis of the iterated longest fragment algorithm. *Inf. Process. Lett.*, 79(3):147–153, 2001.

[12] Jan A. Bergstra and Alban Ponse. Process algebra and conditional composition. *Inf. Process. Lett.*, 80(1):41–49, 2001.

[13] E. Bertsch and M.-J. Nederhof. Size/lookahead tradeoff for $ll(k)$-grammars. *Inf. Process. Lett.*, 80(3):125–129, 2001.

[14] Binay Bhattacharya and Robert Benkoczi. On computing the optimal bridge between two convex polygons. *Inf. Process. Lett.*, 79(5):215–221, 2001.

[15] Saâd Biaz and Jennifer L. Welch. Closed form bounds for clock synchronization under simple uncertainty assumptions. *Inf. Process. Lett.*, 80(3):151–157, 2001.

[16] Lex Bijlsma. Model-based specification. *Inf. Process. Lett.*, 77(2-4):77–84, 2001.

[17] P. Bonizzoni, C. Ferretti, G. Mauri, and R. Zizza. Separating some splicing models. *Inf. Process. Lett.*, 79(6):255–259, 2001.

[18] Laurence Boxer and Russ Miller. A parallel algorithm for approximate regularity. *Inf. Process. Lett.*, 80(6):311–316, 2001.

[19] D.W. Braben. Bucking the trends. *Inf. Process. Lett.*, 77(2-4):85–87, 2001.

[20] Bronislava Brejová. Analyzing variants of shellsort. *Inf. Process. Lett.*, 79(5):223–227, 2001.

[21] J. Burghardt, F. Kammüller, and J.W. Sanders. On the antisymmetry of galois embeddings. *Inf. Process. Lett.*, 79(2):57–63, 2001.

[22] Jorge Alberto Calvo, Danny Krizanc, Pat Morin, Michael Soss, and Godfried Toussaint. Convexifying polygons with simple projections. *Inf. Process. Lett.*, 80(2):81–86, 2001.

[23] D. Cazorla, F. Cuartero, V. Valero, and F.L. Pelayo. A process algebra for probabilistic and nondeterministic processes. *Inf. Process. Lett.*, 80(1):15–23, 2001.

[24] Ye-In Chang and Bor-Hsu Chen. A generalized grid quorum strategy for $k$-mutual exclusion in distributed systems. *Inf. Process. Lett.*, 80(4):205–212, 2001.

[25] Lusheng Chen, Fang-Wei Fu, and Victor K.-W. Wei. On the constructions of highly nonlinear zigzag functions and unbiased functions. *Inf. Process. Lett.*, 79(3):135–140, 2001.

[26] Yu-Wei Chen and Kuo-Liang Chung. Fault-tolerant algorithm for fast fourier transform on hypercubes. *Inf. Process. Lett.*, 79(1):11–16, 2001.

[27] Hung-Yu Chien, Tzong-Chen Wu, Jinn-Ke Jan, and Yuh-Min Tseng. Cryptanalysis of chang-wu's group-oriented authentication and key exchange protocols. *Inf. Process. Lett.*, 80(2):113–117, 2001.

[28] Kien-Weh Chin and Hsu-Chun Yen. The symmetry number problem for trees. *Inf. Process. Lett.*, 79(2):73–79, 2001.

[29] Seung Geol Choi and Hoeteck Wee. Lossy trapdoor functions from homomorphic reproducible encryption. *Inf. Process. Lett.*, 112(20):794–798, 2012.

[30] Vicent Cholvi and Pablo Boronat. A minimal property for characterizing deadlock-free programs. *Inf. Process. Lett.*, 77(5-6):283–290, 2001.

[31] Piotr Chrząstowski-Wachtel, Jerzy Tyszkiewicz, Achim Hoffmann, and Arthur Ramer. Definability of connectives in conditional event algebras of schay-adams-calabrese and goodman-nguyen-walker. *Inf. Process. Lett.*, 79(4):155–160, 2001.

[32] Kuo-Liang Chung and Wen-Ming Yan. An efficient algorithm for the fourier transform on a compressed image in restricted quadtree and shading format. *Inf. Process. Lett.*, 79(1):1–5, 2001.

[33] Stavros Cosmadakis, Gabriel Kuper, and Leonid Libkin. On the orthographic dimension of definable sets. *Inf. Process. Lett.*, 79(3):141–145, 2001.

[34] G. Costagliola, V. Deufemia, F. Ferrucci, and C. Gravino. Decidability of the consistency problem for regular symbolic picture description languages. *Inf. Process. Lett.*, 80(3):119–124, 2001.

[35] Maxime Crochemore, Costas S. Iliopoulos, Yoan J. Pinzon, and James F. Reid. A fast and practical bit-vector algorithm for the longest common subsequence problem. *Inf. Process. Lett.*, 80(6):279–285, 2001.

[36] Gianluca de Marco and Andrzej Pelc. Faster broadcasting in unknown radio networks. *Inf. Process. Lett.*, 79(2):53–56, 2001.

[37] Alex de V. Garcia and Edward Hermann Haeusler. Code migration and program maintainability — a categorical perspective. *Inf. Process. Lett.*, 79(5):249–254, 2001.

[38] Edsger W. Dijkstra. Under the spell of leibniz's dream. *Inf. Process. Lett.*, 77(2-4):53–61, 2001.

[39] Adrian Dumitrescu and William Steiger. Space-time trade-offs for some ranking and searching queries. *Inf. Process. Lett.*, 79(5):237–241, 2001.

[40] Friedrich Eisenbrand. Short vectors of planar lattices via continued fractions. *Inf. Process. Lett.*, 79(3):121–126, 2001.

[41] Uriel Feige, Marek Karpinski, and Michael Langberg. A note on approximating max-bisection on regular graphs. *Inf. Process. Lett.*, 79(4):181–188, 2001.

[42] W.H.J. Feijen. The joy of formula manipulation. *Inf. Process. Lett.*, 77(2-4):89–96, 2001.

[43] Robert Fidytek, Andrzej W. Mostowski, Rafał Somla, and Andrzej Szepietowski. Algorithms counting monotone boolean functions. *Inf. Process. Lett.*, 79(5):203–209, 2001.

[44] Cormac Flanagan, Rajeev Joshi, and K. Rustan M. Leino. Annotation inferene for modular checkers. *Inf. Process. Lett.*, 77(2-4):97–108, 2001.

[45] Toshihiro Fujito. On approximability of the independent/connected edge dominating set problems. *Inf. Process. Lett.*, 79(6):261–266, 2001.

[46] Jovan Dj. Golić. A probabilistic cryptanalytic method for a time-variant permutation generator. *Inf. Process. Lett.*, 80(2):67–73, 2001.

[47] María Isabel González Vasco and Rainer Steinwandt. Clouds over a public key cryptosystem based on lyndon words. *Inf. Process. Lett.*, 80(5):239–242, 2001.

[48] Mohamed G. Gouda. Elements of security: Closure, convergence, and protection. *Inf. Process. Lett.*, 77(2-4):109–114, 2001.

[49] Frederic Green and Randall Pruim. Relativized separation of $eqp$ from $p^{NP}$. *Inf. Process. Lett.*, 80(5):257–260, 2001.

[50] Michelangelo Grigni. A sperner lemma complete for ppa. *Inf. Process. Lett.*, 77(5-6):255–259, 2001.

[51] Clemens Gröpl, Hans Jürgen Prömel, and Anand Srivastav. On the evolution of the worst-case obdd size. *Inf. Process. Lett.*, 77(1):1–7, 2001.

[52] Xudong Guan, Yiling Yang, and Jinyuan You. Typing evolving ambients. *Inf. Process. Lett.*, 80(5):265–270, 2001.

[53] Rachid Guerraoui. On the hardness of failure-sensitive agreement problems. *Inf. Process. Lett.*, 79(2):99–104, 2001.

[54] Frank Harary, Vladik Kreinovich, and Luc Longpré. A new graph characteristic and its application to numerical computability. *Inf. Process. Lett.*, 77(5-6):277–282, 2001.

[55] Refael Hassin and Shlomi Rubinstein. Approximation algorithms for maximum linear arrangement. *Inf. Process. Lett.*, 80(4):171–177, 2001.

[56] Stephen T. Hedetniemi, David P. Jacobs, and Pradip K. Srimani. Maximal matching stabilizes in time $\o(m)$. *Inf. Process. Lett.*, 80(5):221–223, 2001.

[57] Eric C.R. Hehener. Variables and scopes considered formally. *Inf. Process. Lett.*, 79(1):33–38, 2001.

[58] Ted Herman and Toshimitsu Masuzawa. Available stabilizing heaps. *Inf. Process. Lett.*, 77(2-4):115–121, 2001.

[59] Tony Hoare. Legacy. *Inf. Process. Lett.*, 77(2-4):123–129, 2001.

[60] Jaap-Henk Hoepman. Can an operation both update the state and return a meaningful value in the asynchronous pram model? *Inf. Process. Lett.*, 79(4):161–166, 2001.

[61] H. Peter Hofstee and Jun Sawada. Derivation of a rotator circuit with homogeneous interconnect. *Inf. Process. Lett.*, 77(2-4):131–135, 2001.

[62] Rob R. Hoogerwoord. Formality works. *Inf. Process. Lett.*, 77(2-4):137–142, 2001.

[63] Shing-Tsaan Huang and Bau-Wen Chen. Optimal 1-fair alternators. *Inf. Process. Lett.*, 80(3):159–163, 2001.

[64] Graham Hutton and Jeremy Gibbons. The generic approximation lemma. *Inf. Process. Lett.*, 79(4):197–201, 2001.

[65] Jerry James and Ambuj K. Singh. Recovering distributed objects. *Inf. Process. Lett.*, 77(2-4):143–150, 2001.

[66] Kil-Hyun Jeong, Jong-Kyu Lee, and Hee-Kuck Oh. Performance analysis of a multicasting protocol with contention-less minislots. *Inf. Process. Lett.*, 79(3):127–133, 2001.

[67] Ahmad Kadrie, V.R. Dare, D.G. Thomas, and K.G. Subramanian. Algebraic properties of the shuffle over $\omega$-trajectories. *Inf. Process. Lett.*, 80(3):139–144, 2001.

[68] Anne Kaldewaij and Laurens de Vries. Optimal real-time garbage collection for acyclic pointer structures. *Inf. Process. Lett.*, 77(2-4):151–157, 2001.

[69] Hiroyuki Kawei, Naohiro Fujikake, and Yukio Shibata. Factorization of de bruijn digraphs by cycle-rooted trees. *Inf. Process. Lett.*, 77(5-6):269–275, 2001.

[70] E. Knill and R. Laflamme. Quantum computing and quadratically signed weight enumerators. *Inf. Process. Lett.*, 79(4):173–179, 2001.

[71] Goran Konjevod, R. Ravi, and F. Sibel Salman. On approximating planar metrics by tree metrics. *Inf. Process. Lett.*, 80(4):213–219, 2001.

[72] Svetlana A. Kravchenko and Frank Werner. A heuristic algorithm for minimizing mean flow time with unit setups. *Inf. Process. Lett.*, 79(6):291–296, 2001.

[73] Jean-Marie Le Bars. The 0-1 law fails for monadic existential second-order logic on undirected graphs. *Inf. Process. Lett.*, 77(1):43–48, 2001.

[74] William Leal and Anish Arora. State-level and value-level simulations in data refinement. *Inf. Process. Lett.*, 77(2-4):159–167, 2001.

[75] Han Wook Lee and Dae Woong Kim anch Chan-Ik Park. Phased rgss: An improved disk array scheduling for continuous media retrieval. *Inf. Process. Lett.*, 80(5):225–231, 2001.

[76] Minkyu Lee, Dongsoo Han, and Jaeyong Shim. Set-based access conflict analysis of concurrent workflow definition. *Inf. Process. Lett.*, 80(4):189–194, 2001.

[77] Seok-Lyong Lee and Chin-Wan Chung. On the effective clustering of multidimensional data sequences. *Inf. Process. Lett.*, 80(2):87–95, 2001.

[78] K. Rustan M. Leino. Real estate of names. *Inf. Process. Lett.*, 77(2-4):169–171, 2001.

[79] Tseng-Kuei Li, Jimmy J.M. Tan, Lih-Hsing Hsu, and Ting-Yi Sung. The shuffle-cubes and their generalization. *Inf. Process. Lett.*, 77(1):35–41, 2001.

[80] Xuandong Li and Johan Lilius. Efficient verification of a class of time petri nets using linear programming. *Inf. Process. Lett.*, 77(5-6):219–224, 2001.

[81] Z.C. Li, L.C.K. Hui, K.P. Chow, C.F. Chong, W.W. Tsang, and H.W. Chan. Security of wang et al.'s group-oriented $(t, n)$ threshold signature schemes with traceable signers. *Inf. Process. Lett.*, 80(6):295–298, 2001.

[82] Christof Löding. Efficient minimization of deterministic weak $\omega$-automata. *Inf. Process. Lett.*, 79(3):105–109, 2001.

[83] Erl-Huei Lu, Shao-Wei Wu, and Yi-Chang Cheng. A decoding algorithm for triple-error-correcting binary bch codes. *Inf. Process. Lett.*, 80(6):299–303, 2001.

[84] Panagiotis Manolios and J Strother Moore. On the desirability of mechanizing calculational proofs. *Inf. Process. Lett.*, 77(2-4):173–179, 2001.

[85] Alain J. Martin. Towards an energy complexity of computation. *Inf. Process. Lett.*, 77(2-4):181–187, 2001.

[86] Clare Martin and Jeremy Gibbons. On the semantics of nested datatypes. *Inf. Process. Lett.*, 80(5):233–238, 2001.

[87] Carlos Martín-Vide and Victor Mitrana. Some undecidable problems for parallel communicating finite automata systems. *Inf. Process. Lett.*, 77(5-6):239–245, 2001.

[88] Catherine McCartin. An improved algorithm for the jump number problem. *Inf. Process. Lett.*, 79(2):87–92, 2001.

[89] M. Douglas McIlroy. The music of streams. *Inf. Process. Lett.*, 77(2-4):189–195, 2001.

[90] Jayadev Misra. A walk over the shortest path: Dijkstra's algorithm viewed as fixed-point computation. *Inf. Process. Lett.*, 77(2-4):197–200, 2001.

[91] Jérôme Monnot. The maximum $f$-depth spanning tree problem. *Inf. Process. Lett.*, 80(4):179–187, 2001.

[92] Wendy Myrvold and Frank Ruskey. Ranking and unranking permutations in linear time. *Inf. Process. Lett.*, 79(6):281–284, 2001.

[93] Hiroshi Nagamochi, Toshimasa Ishii, and Hiro Ito. Minimum cost source location problem with vertex-connectivity requirements in digraphs. *Inf. Process. Lett.*, 80(6):287–293, 2001.

[94] Enrico Nardelli, Guido Proietti, and Peter Widmayer. A faster computation of the most vital edge of a shortest path. *Inf. Process. Lett.*, 79(2):81–85, 2001.

[95] David A. Naumann. Calculating sharp adaptation rules. *Inf. Process. Lett.*, 77(2-4):201–208, 2001.

[96] Flemming Nielson, Hanne Riis Nielson, and Mooley Sagiv. Kleene's logic with equality. *Inf. Process. Lett.*, 80(3):131–137, 2001.

[97] Christos Nomikos, Aris Pagourtzis, and Stathis Zachos. Routing and path multicoloring. *Inf. Process. Lett.*, 80(5):249–256, 2001.

[98] Dong-Joo Park, Shin Heu, and Hyoung-Joo Kim. The rs-tree: An efficient data structure for distance browsing queries. *Inf. Process. Lett.*, 80(4):195–203, 2001.

[99] Sachin B. Patkar and H. Narayanan. A note on optimal covering augmentation for graphic polymatroids. *Inf. Process. Lett.*, 79(6):285–290, 2001.

[100] Anna Philippou, Oleg Sokolsky, Insup Lee, Rance Cleaveland, and Scott A. Smolka. Hiding resources that can fail: An axiomatic perspective. *Inf. Process. Lett.*, 80(1):3–13, 2001.

[101] Alban Ponse and Yaroslav S. Usenko. Equivalence of recursive specifications in process algebra. *Inf. Process. Lett.*, 80(1):59–65, 2001.

[102] Corrado Priami, Aviv Regev, Ehud Shapiro, and William Silverman. Application of a stochastic name-passing calculus to representation and simulation of molecular processes. *Inf. Process. Lett.*, 80(1):25–31, 2001.

[103] Kalim Qureshi and Masahiko Hatanaka. A practical approach of task scheduling and load balancing on heterogeneous distributed raytracing systems. *Inf. Process. Lett.*, 79(2):65–71, 2001.

[104] Jaikumar Radhakrishnan and Venkatesh Raman. A tradeoff between search and update in dictionaries. *Inf. Process. Lett.*, 80(5):243–247, 2001.

[105] Mathieu Raffinot. On maximal repeats in strings. *Inf. Process. Lett.*, 80(3):165–169, 2001.

[106] Josyula R. Rao. On the role of formal methods in security. *Inf. Process. Lett.*, 77(2-4):209–212, 2001.

[107] Beverly A. Sanders. The shortest path in parallel. *Inf. Process. Lett.*, 77(2-4):213–217, 2001.

[108] Rahul Santhanam. Lower bounds on the complexity of recognizing sat by turing machines. *Inf. Process. Lett.*, 79(5):243–247, 2001.

[109] H. Sarbazi-Azad, M. Ould-Khaoua, and L.M. Mackenzie. Algorithmic construction of hamiltonians in pyramids. *Inf. Process. Lett.*, 80(2):75–79, 2001.

[110] C.P. Schnorr. Small generic hardcore subsets for the discrete logarithm: Short secret dl-keys. *Inf. Process. Lett.*, 79(2):93–98, 2001.

[111] Rocco A. Servedio. On the limits of efficient teachability. *Inf. Process. Lett.*, 79(6):267–272, 2001.

[112] Franck Seynhaeve. Set constraints and topology. *Inf. Process. Lett.*, 80(3):145–150, 2001.

[113] Ilya Shmulevich, Aleksey D. Korshunov, and Jaakko Astola. Almost all monotone boolean functions are polynomially learnable using membership queries. *Inf. Process. Lett.*, 79(5):211–213, 2001.

[114] Gautam B. Singh and Donglin Liu. Sequence retrieval from genomic databases. *Inf. Process. Lett.*, 79(1):25–32, 2001.

[115] N.P. Smart. A note on the x-coordinate of points on an elliptic curve in characteristic two. *Inf. Process. Lett.*, 80(5):261–263, 2001.

[116] Pantelimon Stănică and Soo Hak Sung. Improving the nonlinearity of certain balanced boolean functions with good local and global avalanche characteristics. *Inf. Process. Lett.*, 79(4):167–172, 2001.

[117] Xuehou Tan. Fast computation of shortest watchman routes in simple polygons. *Inf. Process. Lett.*, 77(1):27–33, 2001.

[118] Xuehou Tan. Optimal computation of the voronoi diagram of disjoint clusters. *Inf. Process. Lett.*, 79(3):115–119, 2001.

[119] Xuehou Tan. Shortest zookeeper's routes in simple polygons. *Inf. Process. Lett.*, 77(1):23–26, 2001.

[120] Shyue-Ming Tang, Fu-Long Yeh, and Yue-Li Wang. An efficient algorithm for solving the homogeneous set sandwich problem. *Inf. Process. Lett.*, 77(1):17–22, 2001.

[121] Ferucio Laurenţiu Ţiplea and Erkki Mäkinen. A note on synchronized extension systems. *Inf. Process. Lett.*, 79(1):7–9, 2001.

[122] Jan van den Bussche. Rewriting queries using views over monadic database schemas. *Inf. Process. Lett.*, 79(3):111–114, 2001.

[123] Mark B. van der Zwaag. The cones and foci proof technique for timed transition systems. *Inf. Process. Lett.*, 80(1):33–40, 2001.

[124] Paulo A.S. Veloso and Sheila R.M. Veloso. On local modularity variants and $\pi$-institutions. *Inf. Process. Lett.*, 77(5-6):247–253, 2001.

[125] Marc Voorhoeve and Sjouke Mauw. Impossible futures and determinism. *Inf. Process. Lett.*, 80(1):51–58, 2001.

[126] Guohua Wan, Banjamin P.-C. Yen, and Chung-Lun Li. Single machine scheduling to minimize total compression plus weighted flow cost is *np*-hard. *Inf. Process. Lett.*, 79(6):273–280, 2001.

[127] D.P. Wang. An optimal algorithm for constructing an optimal bridge between two simple rectilinear polygons. *Inf. Process. Lett.*, 79(5):229–236, 2001.

[128] Guoqing Wang and T.C. Edwin Cheng. Heuristics for two-machine no-wait flowshop scheduling with an availability constraint. *Inf. Process. Lett.*, 80(6):305–309, 2001.

[129] Gerhard J. Woeginger. The reconstruction of polyominoes from their orthogonal projections. *Inf. Process. Lett.*, 77(5-6):225–229, 2001.

[130] Chinda Wongngamnit and Dana Angluin. Robot localization in a grid. *Inf. Process. Lett.*, 77(5-6):261–267, 2001.

[131] Franz Wotawa. A variant of reiter's hitting-set algorithm. *Inf. Process. Lett.*, 79(1):45–51, 2001.

[132] Jie Wu and Li Sheng. An efficient sorting algorithm for a sequence of kings in a tournament. *Inf. Process. Lett.*, 79(6):297–299, 2001.

[133] Limin Xiang, Kazuo Ushijima, and Changjie Tang. On generating $k$-ary trees in computer representation. *Inf. Process. Lett.*, 77(5-6):231–238, 2001.

[134] Justin Zobel, Steffen Heinz, and Hugh E. Wiliams. In-memory hash tables for accumulating text vocabularies. *Inf. Process. Lett.*, 80(6):271–277, 2001.